2011

rack® system

Safety at hand

www.racksystem.it

The largest manufacturer of fire safety products and accessories in Italy
is proud to present its new headquarters

SHEETS	p.	1.9
- Safe Crash Sheet	p.	1.10
- Blindo Light Protection Sheet	p.	1.13
- Accessories	p.	1.14
CABINETS, BOXES, FRAMES, AND ACCESSORIES	p.	2.15
- UNI45 Outdoor	p.	2.18
- Hydrant equipment	p.	2.20
- Taurus and sheet metal series	p.	2.21
- UNI70 Outdoor	p.	2.23
- UNI45 Recessed	p.	2.25
- UNI70 Recessed	p.	2.27
- Stands	p.	2.28
- Modular System Cabinets	p.	2.29
- Small Document Storage Boxes	p.	2.33
- Large Document Storage Boxes	p.	2.34
- Accessories	p.	2.35
FIRE EXTINGUISHER BOXES, FIRE EXTINGUISHERS	p.	3.37
- Plastic series	p.	3.40
- Sheet metal series	p.	3.47
- Extinguisher stands	p.	3.50
- Powder extinguishers	p.	3.53
- Water extinguishers	p.	3.54
- Carbon dioxide extinguishers	p.	3.54
- Wheeled extinguishers	p.	3.55
- Automatic extinguishers	p.	3.56
- Extinguisher covers	p.	3.56
- Dolphin Kit	p.	3.57
NOZZLES, FIRE HOSES	p.	4.59
- UNI45 Fire hoses	p.	4.62
- UNI70 Fire hoses	p.	4.63
- Nozzles	p.	4.64
ALARMS AND DETECTORS	p.	5.67
- Resettable call point with sounder	p.	5.70
PROTECTION DEVICES	p.	6.71
- Fire blankets	p.	6.73
- Misc. Devices	p.	6.75
SIGNAGE	p.	7.77
- Signs	p.	7.80
CE SYSTEMS	p.	8.95
HYDRANTS		
- PK Series	p.	8.97
- TSAEXPO2015 Series (New)	p.	8.101
- Testarossa Series	p.	8.105
- Taurus Series	p.	8.108
- CINK - CL – CLP Series	p.	8.112
FIRE HOSES		
- ANAKONDA C Series	p.	8.115
- ANAKONDA G Series	p.	8.117

- ANAKONDA C N Series p. 8.119
- Taurus Magnum Series p. 8.120
- Taurus Anakonda Series p. 8.124

UNI70 UNITS

- PK Series p. 8.128
- EXPO Series p. 8.129
- TSA Series p. 8.131
- CL - CINK - CINX – CIRF Series p. 8.132

STORZ ITEMS p. 8.134

- Hydrant valves and accessories p. 8.136

CONNECTIONS, MOTORPUMP, FITTINGS p. 9.137

- Motor pump connections p. 9.139
- Discharge connections p. 9.140
- STORZ connections p. 9.141
- Fittings p. 9.142
- Boxes and frames for motor pump connections p. 9.146

HYDRANTS p. 10.147

- DN 50 and DN 70 above ground hydrants, not in compliance with UNI 14384/06 p. 10.149
- DN 80 and DN 100 above ground hydrants, UNI 14384/06 Compliant p. 10.150
- “KAISER” above ground hydrants p. 10.151
- Underground hydrants, bonnets, swan necks p. 10.152
- Duckfoot bends and hydrant wrenches p. 10.153
- Gate valves p. 10.155
- Butterfly valves p. 10.156
- Flanges and seals p. 10.157
- Flow and pressure meters p. 10.159

SPRINKLERS p. 11.161

- Sprinklers p. 11.164
- Nozzles p. 11.168
- Sprinkler systems p. 11.170
- Misc. Items p. 11.172

Certifications p. 12.177

Terms of supply p. 12.189

Our brands:

We are working on other products and reaching new milestones.
Nothing can hold us back!

Those of Rack System

Guidelines for using this catalog

The structure and content, as well as the images, photos, text, and data contained herein are the exclusive property of Rack System®. Therefore, reproduction in whole or part is forbidden unless expressly authorized by Rack System ® S.r.l.
Likewise, it is forbidden to save any of this data on magnetic or optical medium and microfilm. We reserve the right to change at any moment the text, data, images, and photos included in this catalog without prior notice. The information contained in this publication, including the legal parts and regulations listed both in the tables and data describing the technical characteristics of our products are for guidance only.
Rack System ® apologizes and shall not be held liable for any inaccuracies, errors, or omissions, as well as for any losses resulting from the use of the information contained herein.

Product identification

The first two digits of the bar code represent the country of origin; the following seven digits identify the manufacturing code.
The last four digits, to simplify communication, identify the product code.
To order a product, simply enter the last four digits of the product desired in your order form.

Barcode example:

HOW RELEVANT ARE TRANSPORT AND STORAGE COSTS?

Rack System has taken into account the fact that bulky goods require a lot of storage space and are expensive to transport.
The range of modular system cabinets and the entire range of PK boxes can be supplied in a handy Kit, thus reducing the size of the package and freight costs by over 60%.
The boxes are easy and intuitive to assemble. However, all products come complete with a set of documents including instructions for use, technical tables, and exploded drawings.
The products are packaged in cardboard boxes to prevent them from being damaged during transport.
The products that are not available in an assembly kit have been designed to be stacked and nested in order to cut down on storage space and lower freight costs.

SAFE CRASH®

The only pane for cabinets certified EN 671/2



racksystem®
Safety at hand

Safe Crash® pane

Safe Crash® is the only safety pane with pre-breaking device certificated EN 671/2 available in Europe.

Safe Crash® is prepared with a special raw material. It is called **Blindo Light®**, an exclusive formula produced under license of **Rack System** who created it. It is patented by Rack System and the mark is registered in Europe and USA.

Safe Crash® is totally unassailable from UV ray.

Safe Crash® pane's functionality follows the principle of preparation-to-breaking. This is obtained with an erasure reworking horizontal and vertical on the pane. This reworking determines rectangular pre-breaking-sections in which the pane crashes itself when you hit it.

Clearness of Safe Crash® pane gives you complete vision of interior of cabinet, as in the past glass pane did. So you don't need to remove the seal and open the cabinet for controlling contents.

Due to its pre-breaking treatment, the user can break the Safe Crash® pane without any damage to himself (this is particularly important in a panic situation!). This can guarantee an immediate action, which will be more efficient if you are using cabinets with "easy breaking handle" device (another exclusivity of Rack System).

Having a Safe Crash® pane, better if used in combination with "rounded profile" cabinets model PK, means 100% efficiency in case of accidental impact in areas with high density of people and particularly with children (for example in school-areas). This determine an excellent **active** and **passive protection**.

Recently you can find on the market many types of panes, realized in different plastics without pre-breaking erasure or with false erasure which can deceive you. These are only rebates of thickness realized when the plastic pane is initially extruded; they don't give any real benefit when you break the pane.
Special formula Blindo Light®, the base of Safe Crash® pane, gives the pane a special characteristic that, also in case of breaking outside of the **pre-breaking-sections**, this breaking is perpendicular to surface (*biscuit-breaking*).



On the other side, normal plastics, and glass also, breaks slantwise to surface (*razor-breaking*).



Finally, Safe Crash® pane with erasure special reworking will break following the pre-breaking lines while rebate from extrusion of other alternative pane, will determine the beginning of breaking but, after this, the glass will break randoming.

Furthermore, when you hit a non-original Safe Crash® you can break it but causing an elastic movement which is very dangerous in the "return phase", making this action still more dangerous then in the past, when a glass pane was used.

As Safe Crash® is only Safe Crash®!



Sheets

rack® system

www.racksystem.it

Rack System invented and patented Safe Crash.
The transparent safety sheet has a predetermined breaking point so it breaks safely and provides protection against harmful UV rays.

The specially formulated material, impervious to external agents and corrosion, is called Blindo Light, of which Rack System holds an international patent.
Our modern containers and boxes are also made using a Blindo Light base combined with elastic additives and special pigments.

The only EN671/1-671/2 section 8.1, 9.1, 9.2 - UNI5867-75 certified safety sheet, used also as an accessory product.

BLINDO LIGHT PRODUCTS PROVIDE TRANSPARENCY, SAFETY, AND PROTECTION.



ALLOWS FOR VISUAL INSPECTION OF EQUIPMENT, SHATTERS SAFELY AND PROVIDES PROTECTION AGAINST HARMFUL UV RAYS

SAFE CRASH SHEET

Screen-printed anti-UV safe crash sheet. EN 671/2 Certified. (European Patent)

STD print example



New look print example

Barcode	Description	Dimension	Price
8 032621 830348	Safe Crash Sheet for our CL45E - CI45E boxes	292x500	€ 15.00
8 032621 830348	Safe Crash Sheet for our CLP45 box	295x535	€ 15.40
8 032621 830348	Safe Crash Sheet for our CL45I box	330x530	€ 16.50
8 032621 830348	Safe Crash Sheet for our CL70E - CI70E boxes	422x570	€ 21.60
8 032621 830348	Safe Crash Sheet for our CL70I box	385x535	€ 18.70
8 032621 830348	Safe Crash Sheet for our UNI 45 Testa Rossa box	328x535	€ 16.60
8 032621 830348	Safe Crash Sheet for UNI 70 Testa Rossa box	425x575	€ 21.60
8 032621 830348	Safe Crash Sheet for CLAM2 box	440x500	€ 19.80
8 032621 830348	Safe Crash Sheet for CLAM3 box	745x500	€ 30.60
8 032621 830348	Safe Crash Sheet for PK45 box and UNI45 Normokit frame	330x404	€ 15.20
8 032621 830348	Safe Crash Sheet for PK70 box and UNI70 Normokit frame	389x506	€ 20.00
8 032621 830225	Safe Crash Sheet for our CSL2460 - CIX 2460 boxes	240x515	€ 13.30
8 032621 830249	Safe Crash Sheet for our CSL5912 - CIX 5912 boxes	240x715	€ 16.40
8 032621 830348	Safe Crash Sheet for our EXP045 box	180x310	€ 8.00
8 032621 830348	Safe Crash Sheet for our EXP070 box	243x375	€ 10.70
8 032621 830270	Safe Crash Sheet for our CC box	110x110	€ 2.10
8 032621 830348	Safe Crash Sheet	116x119	€ 2.40
8 032621 830348	Safe Crash Sheet	150x810	€ 13.30
8 032621 830348	Safe Crash Sheet	210x530	€ 11.90
8 032621 830348	Safe Crash Sheet	250x670	€ 16.90
8 032621 830348	Safe Crash Sheet	250x770	€ 17.50
8 032621 830348	Safe Crash Sheet	290x500	€ 14.80
8 032621 830348	Safe Crash Sheet for our TM45 box	258x355	€ 10.70

Barcode	Description	Dimension	Price
8 032621 830348	Safe Crash Sheet	292x495	€ 14.80
8 032621 830348	Safe Crash Sheet	300x524	€ 15.80
8 032621 830348	Safe Crash Sheet	306x530	€ 15.80
8 032621 830348	Safe Crash Sheet	336x545	€ 16.90
8 032621 830348	Safe Crash Sheet	340x515	€ 16.40
8 032621 830348	Safe Crash Sheet	345x545	€ 17.50
8 032621 830348	Safe Crash Sheet	347x535	€ 17.50
8 032621 830348	Safe Crash Sheet	350x527	€ 17.50
8 032621 830348	Safe Crash Sheet	380x524	€ 18.20
8 032621 830348	Safe Crash Sheet	388x524	€ 18.20
8 032621 830348	Safe Crash Sheet	415x560	€ 21.00
8 032621 830348	Safe Crash Sheet	420x570	€ 21.60
8 032621 830348	Safe Crash Sheet	550x810	€ 35.70
8 032621 830348	Safe Crash Sheet	610x610	€ 30.60
8 032621 830348	Safe Crash Sheet	620x670	€ 33.80
8 032621 830348	Safe Crash Sheet	635x580	€ 30.60

STD print example

Fire equipment print example

SMOKY SAFE CRASH SHEET

Screen-printed smoky safe crash sheet. (European Patent) EN 671/2 Certified

Barcode	Description	Dimension	Price
8 032621 837231	Smoky Safe Crash Sheet for our CL45E - CI45E boxes	292x500	€ 14.80
8 032621 837231	Smoky Safe Crash Sheet for our CL45E - CI45E boxes	295x535	€ 15.40
8 032621 837231	Smoky Safe Crash Sheet for our CL45I box	330x530	€ 16.50
8 032621 837231	Smoky Safe Crash Sheet for our CL70E - CI70E boxes	422x570	€ 21.60
8 032621 837231	Smoky Safe Crash Sheet for our CL70I box	385x530	€ 18.70
8 032621 837231	Smoky Safe Crash Sheet for our UNI45 Testa Rossa box	328x535	€ 16.60
8 032621 837231	Smoky Safe Crash Sheet for UNI70 Testa Rossa box	425x575	€ 21.60
8 032621 837231	Smoky Safe Crash Sheet for CLAM2 box	440x500	€ 19.70
8 032621 837231	Smoky Safe Crash Sheet for CLAM3 box	745x500	€ 30.60
8 032621 837231	Smoky Safe Crash Sheet for our CSL2460 - CIX2460 boxes	240x515	€ 13.30
8 032621 837231	Smoky Safe Crash Sheet for our CSL5912 - CIX5912 boxes	240x715	€ 16.40
8 032621 837231	Smoky Safe Crash Sheet for our CC box	110x110	€ 2.10
8 032621 837231	Smoky Safe Crash Sheet for UNI45 PK hydrant box - UNI45 Normokit frame	330x404	€ 15.10
8 032621 837231	Smoky Safe Crash Sheet for UNI70 PK hydrant box - UNI70 Normokit frame	389x506	€ 19.90
8 032621 837231	Smoky Safe Crash Sheet for our EXP045 box	180x310	€ 8.00
8 032621 837231	Smoky Safe Crash Sheet for our EXP045 box	243x375	€ 10.70

SAFE CRASH SHEET

Screen-printed anti-UV safe crash sheet. EN 671/2 Certified. (European Patent)

Barcode	Description	Dimension	Price
8 032621 830348	Safe Crash Sheet for TSA 45 box	328x535	€ 16.60
8 032621 830348	Safe Crash Sheet for TSA 70 box	425x575	€ 19.90

BLINDO LIGHT PROTECTION SHEET

Screen-printed anti-UV shatterproof sheet

Barcode	Description	Dimension	Price
8 032621 830423	Blindo Light Protection Sheet (for our CL45E – CI45E boxes)	292x495	€ 13.30
8 032621 830423	Blindo Light Protection Sheet (for our CL45E - CI45E boxes)	295x535	€ 12.90
8 032621 830423	Blindo Light Protection Sheet (for our CL45I box)	330x530	€ 14.20
8 032621 830423	Blindo Light Protection Sheet (for our CL70E - CI70E boxes)	422x570	€ 18.50
8 032621 830423	Blindo Light Protection Sheet (for our CL70I box)	385x530	€ 16.00
8 032621 830423	Blindo Light Protection Sheet (for our UNI 45 Testa Rossa box)	328x535	€ 14.30
8 032621 830423	Blindo Light Protection Sheet (for UNI 70 Testa Rossa box)	425x575	€ 18.50
8 032621 830423	Blindo Light Protection Sheet (for CLAM2 box)	440x500	€ 17.10
8 032621 830423	Blindo Light Protection Sheet (for CLAM3 box)	745x500	€ 26.40
8 032621 830423	Blindo Light Protection Sheet (for our CSL2460 - CIX2460 boxes)	240x515	€ 11.50
8 032621 830423	Blindo Light Protection Sheet (for our CSL5912 - CIX5912 boxes)	240x715	€ 14.20
8 032621 830423	Blindo Light Protection Sheet (for CC box)	110x110	€ 1.90
8 032621 830423	Blindo Light Protection Sheet for UNI45 PK hydrant box- UNI45 Normokit Frame	330x404	€ 13.00
8 032621 830423	Blindo Light Protection Sheet for UNI70 PK hydrant box- UNI70 Normokit Frame	389x506	€ 17.20
8 032621 830423	Blindo Light Protection Sheet for our EXP045 box	180x310	€ 8.00
8 032621 830423	Blindo Light Protection Sheet for our EXP070 box	243x375	€ 10.70

SHATTERPROOF SHEET

Smoky shatterproof sheet, screen-printed.

Barcode	Description	Dimension	Price
8 032621 830423	Smoky shatterproof sheet (for our CL45E – CI45E boxes)	292x495	€ 13.30
8 032621 830423	Smoky shatterproof sheet (for our CL45E - CI45E boxes)	295x535	€ 12.90
8 032621 830423	Smoky shatterproof sheet (for our CL45I box)	330x530	€ 14.20
8 032621 830423	Smoky shatterproof sheet (for our CL70E - CI70E boxes)	422x570	€ 18.50
8 032621 830423	Smoky shatterproof sheet (for our CL70I box)	385x530	€ 16.00
8 032621 830423	Smoky shatterproof sheet (for our UNI45 Testa Rossa box)	328x535	€ 14.30
8 032621 830423	Smoky shatterproof sheet (for UNI70 Testa Rossa box)	425x575	€ 18.50
8 032621 830423	Smoky shatterproof sheet (for CLAM2 box)	440x500	€ 17.10
8 032621 830423	Smoky shatterproof sheet (for CLAM3 box)	745x500	€ 26.40
8 032621 830423	Smoky shatterproof sheet (for our CSL2460 - CIX2460 boxes)	240x515	€ 11.50
8 032621 830423	Smoky shatterproof sheet (for our CSL5912 - CIX5912 boxes)	240x715	€ 14.20
8 032621 830423	Smoky shatterproof sheet (for our CC box)	110x110	€ 1.90
8 032621 830423	Smoky Safe Crash Sheet for UNI45 PK hydrant box - UNI45 Normokit frame	330x404	€ 13.00
8 032621 830423	Smoky Safe Crash Sheet for UNI70 PK hydrant box - UNI70 Normokit frame	389x506	€ 17.20
8 032621 830423	Smoky shatterproof sheet for our EXPO45 box	180x310	€ 8.00
8 032621 830423	Smoky shatterproof sheet for our EXPO70 box	243x375	€ 10.70

TRIMMING KNIFE FOR SAFE CRASH AND BLINDO LIGHT PROTECTION SHEETS

Handy for trimming the safety sheets for maintenance tasks or installation in the box doors.

Barcode	Description	Dimension	Price
8 032621 830522	SCKUT	Trimming knife for Safe Crash sheet	€ 28.80

BLADES

Pack of trimming knife blades for Safe Crash and Blindo Protection sheets

Barcode	Description	Dimension	Price
8 032621 830539	LAKUT	Trimming knife blade pack	€ 14.50

Cabinets, Boxes, Frames and Accessories

rack® system

www.racksystem.it

CABINETS, BOXES, FRAMES AND ACCESSORIES

EUROPEAN STANDARD: APRIL 1996 UNI EN671/2
Reference to Italian standards:
ISO 7-1 UNI ISO 7-1
ISO 3864 UNI 7543-1, UNI 7543-2
ISO 9227 UNI ISO 9227
ISO DIS 4892-2,2 UNI ISO 4892

GENERAL INFORMATION

Boxes and cabinets must be equipped with a door and may be closed with a lock. The boxes with locks must be equipped with an emergency opening device protected with breakable and transparent materials only. The on-off valve must be positioned so that there is at least 35mm between each side of the box and the outside diameter of the handwheel, both when in a completely open and closed position.
NOTE: if the emergency opening device is protected by a sheet of safety glass, this sheet must break without leaving jagged or sharp edges that could cause injuries to users. Boxes must not have sharp edges that could damage the equipment or cause injuries to users.

BOXES

The boxes can also be used to hold other fire equipment as long as the box is of adequate size and the other equipment does not prevent rapid access to the valve and hoses. The door of the box must be able to open about 180° to allow for unrolling the hoses in any direction. For use in special climatic conditions it may be necessary to adapt the boxes with ventilation slots or holes.

OPENING DEVICE

An opening device must be provided to allow for periodic inspections and maintenance tasks. The device must have the possibility to be equipped with a safety seal.
NOTE: the strength required to break the safety seal must be between 20 and 40 N and the opening device must be reasonably difficult to operate to prevent tampering or theft.

C TYPE BOXES (WALL MOUNT)

C type boxes must have water drainage holes on the bottom.



PK OUTDOOR SERIES

Lock with triangle key

Cylinder lock with key.

BL Side panel

CR Side panel

PK 45 BL

8 032621 830683

Outdoor/wall mount UNI45 hydrant box mod. PK45BL, red with Easy Break dial latch, drip tray, and Safe Crash sheet.

Euro 69.50

with assembly kit
Euro 66.10

PK 45 RF

8 032621 830713

Outdoor/wall mount UNI45 hydrant box mod. PK45RF, red with Easy Break dial latch, drip tray and red opaque sheet.

Euro 69.50

with assembly kit
Euro 66.10

PK 45 TR

8 032621 830720

Outdoor/wall mount UNI45 hydrant box mod. PK45TR, red with cylinder lock and triangle key, drip tray, and Safe Crash sheet

Euro 80.50

with assembly kit
Euro 77.20

PK 45 CH

8 032621 830737

Outdoor/wall mount UNI45 hydrant box mod. PK45CH, red with cylinder lock and key, drip tray, and Safe Crash sheet

Euro 74.90

with assembly kit
Euro 71.50

PK 45 CR

8 032621 830805

Outdoor/wall mount UNI45 hydrant box mod. PK45CR, “quick change” red with Easy Break dial latch, drip tray and Safe Crash sheet.

Euro 72.10

with assembly kit
Euro 68.20

PK 45 CR RF

8 032621 830836

Outdoor/wall mount UNI45 hydrant box mod. PK45CRRF, “quick change” red with Easy Break dial latch, drip tray and red opaque sheet.

Euro 72.10

with assembly kit
Euro 68.20

PK 45 CR TR

8 032621 830843

Outdoor/wall mount UNI45 hydrant box mod. PK45CRTR, “quick change”, red with cylinder lock and triangle key, drip tray, and Safe Crash sheet

Euro 83.30

with assembly kit
Euro 79.40

PK 45 CR CH

8 032621 830850

Outdoor/wall mount UNI45 hydrant box mod. PK45CRCH, “quick change”, red with cylinder lock and triangle key, drip tray, and Safe Crash sheet

Euro 77.70

with assembly kit
Euro 73.80

SC 330x404

8 032621 830324

Safe Crash Blindo Light anti-UV Sheet 330 x 404 mm for PK45 boxes.

Euro 15.20

PK 70 BL

8 032621 830744

Outdoor/wall mount UNI70 hydrant box mod. PK70BL, red with Easy Break dial latch, drip tray, and Safe Crash sheet.
Euro 100.00

with assembly kit
Euro 95.50

PK 70 RF

8 032621 830775

Outdoor/wall mount UNI70 hydrant box mod. PK70RF, red with Easy Break dial latch, drip tray and red opaque sheet.
Euro 100.00

with assembly kit
Euro 95.50

PK 70 TR

8 032621 830782

Outdoor/wall mount UNI70 hydrant box mod. PK70TR, red with cylinder lock and triangle key, drip tray, and Safe Crash sheet.
Euro 110.90

with assembly kit
Euro 106.60

Lock with triangle key

PK 70 CH

8 032621 830799

Outdoor/wall mount UNI70 hydrant box mod. PK70CH, red with cylinder lock and key, drip tray, and Safe Crash sheet.
Euro 105.40

with assembly kit
Euro 100.90

PK 70 CR

8 032621 830867

Outdoor/wall mount UNI70 hydrant box mod. PK70CR, “quick change” red with Easy Break dial latch, drip tray and Safe Crash sheet.
Euro 103.80

with assembly kit
Euro 97.60

Cylinder lock with key.

PK 70 CR RF

8 032621 830898

Outdoor/wall mount UNI70 hydrant box mod. PK70CRRF, “quick change” red with Easy Break dial latch, drip tray and red opaque sheet.
Euro 103.80

with assembly kit
Euro 97.60

PK 70 CR TR

8 032621 830911

Outdoor/wall mount UNI70 hydrant box mod. PK70CRTR, “quick change”, red with cylinder lock and triangle key, drip tray, and Safe Crash sheet
Euro 114.90

with assembly kit
Euro 108.70

BL Side panel

CR Side panel

PK 70 CR CH

8 032621 830904

Outdoor/wall mount UNI70 hydrant box mod. PK70CRCH, “quick change”, red with cylinder lock and key, drip tray, and Safe Crash sheet
Euro 109.40

with assembly kit
Euro 103.20

SC 389x506

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 389 x 506 mm for PK70 boxes.
Euro 20.00

MODULAR SYSTEM CABINET “HYDRANT EQUIPMENT”

Installation on pole and wall for external use, used to store hydrant equipment, manufactured in compliance with Law 626/ 94 – European Directive n. 89/391/EEC, UNI 10779 compliant, EN 671/2 certified by CSQ-IMQ and by RINA (Registro Italiano Navale). This innovative high-tech product has been designed to provide a safe and effective solution when responding to a fire emergency. Made of red Blindo Light ® material (100% recyclable), impervious to deterioration caused by UV rays and particularly resistant against collisions, equipped with:
- a package with four inserts, screws, and seal - assembly instructions - steel back panel - n.1 internal shelf - specially designed hose cradle for 2 fire hoses - reinforced base.
This product can be supplied assembled or in a handy assemble kit: to specify in order.
Dimensions: B550 x A685 x P280 mm Weight: 6,20 kg.

Barcode	Code	Description	Price
8 032621 830935	AMK2RRCI	Opening with sealable door panel with dial latch and opaque sheet.	€ 115.80
8 032621 830942	ATK2TRCI	Opening with sealable door panel with cylinder lock and triangle key, complete with Safe Crash ® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut- steel back panel.	€ 115.80
8 032621 830942	ATK2TRCI/S	Opening with sealable door panel with cylinder lock with triangle key, complete Safe Crash sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut - steel back panel. In assembly kit.	€ 109.90

HYDRANT EQUIPMENT BOX

8 032621 833356	CIRF	Hydrant equipment box with height-adjustable shelf	€ 194.80

SERIES TAURUS AND SHEET METAL

TSA 45

8 032621 838252

Outdoor/wall mount UNI45 hydrant box mod. Testa Rossa New Edition Slim made of red sheet metal with red Blindo Light frame.
Euro 53.90

SC 328x535

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 328 x 535 mm.
Euro 16.60

SUBJECT TO AVAILABILITY

EXPO 45

8 032621 838115

Outdoor/wall mount UNI45 hydrant box mod. TSAEXPO2015 made of RAL 3000 red painted sheet metal with dial latch and Safe Crash sheet
Euro 49.50

SC 180x310

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 165 x 290 mm.
Euro 8.00

EXPO 45 RF

8 032621 838122

Outdoor/wall mount UNI45 hydrant box mod. TSAEXPO2015 made of RAL 3000 red painted sheet metal with dial latch and blind door.
Euro 49.50

EXPO 45I

8 032621 838139

Outdoor/wall mount UNI45 hydrant box mod. TSAEXPO2015 made of stainless steel with dial latch and Safe Crash sheet.
Euro 113.80

SC 180x310

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 165 x 290 mm.
Euro 8.00

EXPO 45I RF

8 032621 838146

Outdoor/wall mount UNI45 hydrant box mod. TSAEXPO2015 made of stainless steel with dial latch and blind door.
Euro 113.80

CL 45 E

8 032621 830980

UNI45 outdoor hydrant box made of red painted sheet metal
Euro 65.70

As an alternative to this model, we recommend mod. TSA 45 or EXPO 45: cost-effective solutions providing superior quality.

SC 292x500

8 032621 830348

Safe Crash Blindo Light Sheet 292 x 500 mm.
Euro 15.00

CLP 45

8 032621 838191

Sheet metal wall mount box with aluminium frame
Euro 63.70

SC 295x535

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 295 x 535 mm.
Euro 15.40

TSA 45 I

8 032621 838382

UNI45 hydrant box Mod. Testa Rossa Super Inox made of stainless steel. BL painted cabinet door.
Euro 123.00

SC 328x535

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 328 x 535 mm.
Euro 16.60

SUBJECT TO AVAILABILITY

CI 45 E

8 032621 830997

Stainless steel box for outdoor use.
Euro 162.90

SC 292x500

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 292 x 500 mm.
Euro 15.00

TSA 70

8 032621 838269

Outdoor/wall mount UNI70 hydrant box mod. TSA made of red painted sheet metal with red Blindo Light frame.
Euro 68.10

SC 425x575

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 425 x 575 mm.
Euro 21.60

TSA 70 EXPO 2015

8 032621 830270

UNI70 outdoor hydrant box made of red painted sheet metal.
Euro 89.00

SC 243x375

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet for TSA 70 EXPO 2015.
Euro 10.70

CLP 70

8 032621 838221

Sheet metal wall mount box with aluminium frame.
Euro 86.60

SC 380x688

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 380 x 688 mm.
Euro 22.50

CL 70 E

8 032621 831024

UNI70 outdoor hydrant box made of red painted sheet metal.
Euro 80.60

As an alternative to this model, we recommend mod. TSA 70 or EXPO 70: cost-effective solutions providing superior quality.

SC 422x570

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 422 x 570 mm.
Euro 21.60

CI 70 E

8 032621 831055

UNI70 Stainless steel box for outdoor use
Euro 185.40

As an alternative to this model, we recommend mod. TSA INOX or TSA EXPO2015 INOX: cost-effective solutions providing superior quality.

SC 422x570

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 422 x 570 mm.
Euro 21.60

TSA 70 INOX

8 032621 838399

UNI70 Stainless steel box for outdoor use mod. Testa Rossa Inox.
BL painted cabinet door.
Euro 168.60

SC 425x575

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 425 x 575 mm.
Euro 21.60

TSA 70 EXPO 2015 INOX

8 055118551007

UNI70 Stainless steel hydrant box for outdoor use
Euro 198.00

SC 243x375

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet for TSA 70 EXPO 2015.
Euro 10.70

PK SERIES MADE IN ITALY

PK 45 INK

8 032621 831116

UNI45 recessed hydrant box mod. PK45INK, red with Easy Break dial latch, drip tray, and Safe Crash sheet.
Euro 67.50

PK 45 INK RF

8 032621 831130

UNI45 recessed hydrant box mod. PK45INKRF, red with Easy Break dial latch, drip tray, and red opaque sheet.
Euro 67.50

SC 330x404

8 032621 830324

Safe Crash Blindo Light anti-UV Sheet 330 x 404 mm.
Euro 15.20

PK 45 NR

NormoKIT 626

8 032621 831215

Frame for UNI45 recessed hydrant box mod. PK45NR, red with Easy Break dial latch and Safe Crash sheet.
Euro 47.50

SC 330x404

8 032621 830324

Safe Crash Blindo Light anti-UV Sheet 330 x 404 mm.
Euro 15.20

SAFETY SEALS



CORNER PLUG COVERS

PK 45 NG

NormoKIT 626

8 032621 831222

Frame for UNI45 recessed hydrant box mod. PK45NG , grey with Easy Break dial latch and Safe Crash sheet.
Euro 45.40

SC 330x404

8 032621 830324

Safe Crash Blindo Light anti-UV Sheet 330 x 404 mm.
Euro 15.20

SERIES TAURUS AND SHEET METAL

TSA 45 INK

8 032621 839631

UNI45 recessed hydrant box mod. Testa Rossa Ink New Edition Slim CR made of red plastic with red Blindo Light frame.
Euro 45.60

SC 328x535

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 328 x 535 mm.
Euro 16.60

TM 45 INK RF

8 032621 839952

UNI45- recessed hydrant box made of red sheet metal box mod. Taurus Midium Ink with Easy Break dial latch, blind door.
Euro 81.20

TM 45 INK

8 032621 839938

UNI45- recessed hydrant box made of red sheet metal box mod. Taurus Midium Ink with Easy Break dial latch, drip tray, and Safe Crash sheet.
Euro 81.20

SC 258x355

8 032621 830324

Safe Crash Blindo Light anti-UV Sheet 258 x 355 mm.
Euro 10.70

CL 45 I

8 032621 831000

UNI45 recessed hydrant box made of sheet metal.
Euro 35.30

SC 330x530

8 032621 830348

Safe Crash Blindo Light Sheet 330 x 530 mm.
Euro 16.50

PK AND SHEET METAL SERIES MADE IN ITALY

PK 70 INK

8 032621 831161

Red UNI 70 recessed hydrant box with Easy Break dial latch, drip tray, and Safe Crash sheet.
Euro 96.50

SC 389x506

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 389 x 506 mm.
Euro 20.00

PK 70 NR

NormoKIT 626

8 032621 831284

Red frame for UNI 70 recessed hydrant box with Easy Break dial latch, and Safe Crash sheet.
Euro 57.70

SC 389x506

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 389 x 506 mm.
Euro 20.00

PK 70 NG

NormoKIT 626

8 032621 831291

Grey frame for UNI 70 recessed hydrant box with Easy Break dial latch, and Safe Crash sheet.
Euro 54.50

SC 389x506

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 389 x 506 mm.
Euro 20.00

CL 70 I

8 032621 831062

UNI70 recessed hydrant box made of sheet metal.
Euro 62.40

SC 385x535

8 032621 830348

Safe Crash Blindo Light anti-UV Sheet 385 x 535 mm.
Euro 19.70

FIRE HOSE HOLDER STANDS

Single tube pedestal type stand made of RAL 3000 red painted steel.
Dimensions: 350x800x185 mm.

Barcode	Code	Price
8 032621 830966	PISICO	€ 57.10



RAL 3000 red painted pedestal stand, made of two steel tubes, separated to allow space for the water and power supply to make it easier to identify the hydrant system in case of emergency.
Dimensions: 395x800x183 mm.

Barcode	Code	Price
8 032621 830959	PIDOCO 2	€ 76.80

Lateral stand made of stainless steel.
Dimensions: 350x800x160 mm.

Barcode	Code	Price
8 032621 830973	PILAX	€ 114.00

Lateral stand made of RAL 3000 red painted sheet metal.
Dimensions: 350x800x160 mm.

Barcode	Code	Price
8 032621 830287	PIRED	€ 57.10

MODULAR SYSTEM CABINET

Wall mount type for outdoor use, manufactured in compliance with Law 626/ 94 - European Directive n. 89/391/EEC, UNI 10779 compliant, EN 671/2 certified by CSQ-IMQ and by RINA (Registro Italiano Navale).This innovative high-tech product has been designed to provide a safe and effective solution when responding to a fire emergency.
Made of red Blindo Light ® material (100% recyclable), impervious to deterioration caused by UV rays and particularly resistant against collisions, equipped with:
- package with three inserts and seal - assembly instructions – hooks – steel back panel
This product can be supplied assembled or in a handy assembly kit: to specify in order.
Dimensions: B450 x A520 x P196 mm Weight: 4,00 kg.

Available with the words "PPE" or "Fire Equipment" printed on it.

Barcode	Code	Description	Price
8 032621 830546	ATK1EB	Opening with sealable door with Easy Break® disk latch, complete with Safe Crash® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut.	€ 79.40
8 032621 830546	ATK1EB/S	Disassembled	€ 76.10
8 032621 830591	ATK1CH	Opening with door panel equipped with cylinder lock and keys, complete with Safe Crash ® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut	€ 84.90
8 032621 830591	ATK1CH/S	Disassembled	€ 81.60
8 032621 830584	ATK1TR	Opening with sealable panel with cylinder lock with triangle key, complete with Safe Crash ® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut	€ 90.40
8 032621 830584	ATK1TR/S	Disassembled	€ 87.30
8 032621 830348	SC	Safe Crash Sheet for 330x404 for PK45 box and UNI45 Normakit frame	€ 15.20

STD print example

MODULAR SYSTEM CABINET

Wall mount type for outdoor use, manufactured in compliance with Law 626/ 94 - European Directive n. 89/391/EEC, EN 671/2 certified by CSQ-IMQ and by RINA (Registro Italiano Navale). This innovative high-tech product has been designed to provide a safe and effective solution when responding to a fire emergency.
Made of red Blindo Light ® material (100% recyclable), impervious to deterioration caused by UV rays and particularly resistant against collisions, equipped with:
- package with four inserts and seal - assembly instructions – 2 internal shelves – steel back panel
This product can be supplied assembled or in a handy assemble kit: to specify in order.

Dimensions: B550 x A685 x P280 mm Weight: 6,20.

Barcode	Code	Description	Price
8 032621 830607	ATK2EB	Opening with sealable door panel with Easy Break® dial latch complete with Safe Crash® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut	€ 115.80
8 032621 830607	ATK2EB/S	Disassembled	€ 109.90
8 032621 830676	ATK2CH	Opening with door panel equipped with cylinder lock and keys, complete with Safe Crash® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut	€ 121.40
8 032621 830676	ATK2CH/S	Disassembled	€ 115.40
8 032621 830669	ATK2TR	Opening with sealable door panel with cylinder lock with triangle key, complete with Safe Crash ® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut	€ 127.00
8 032621 830669	ATK2TR/S	Disassembled	€ 121.00
8 032621 830348	SC	Safe Crash Sheet for 389x506 for PK70 boxand UNI70 Normokit frame	€ 20.00
8 032621 831086	ATK2CHO	Opening with door panel equipped with with cylinder lock and keys, complete with opaque sheet	€ 121.40
8 032621 831086	ATK2CHO/S	Disassembled	€ 115.40
8 032621 837767	ATK2EBB	Cabinet for fire-fighting team connection	€ 177.40

SIDE-BY-SIDE UNITS

In compliance with regulatory standards and manufactured in compliance with Italian Law 626.
Available assembled or in a quick and easy assembly kit.

MODULAR SYSTEM CABINET FIRST AID BOX IN COMPLIANCE WITH LAW 626/94 – DM 388/03

Modular system cabinet suitable for wall mounted first aid boxes, manufactured in compliance with Italian law 626/94 – European Directive 89/931/ECC, no sharp corners and dangerous projections. This innovative high-tech product has been designed to provide a safe and effective solution when responding to a fire emergency. Made of white Blindo Light (100% recyclable), impervious to deterioration caused by UV rays and particularly resistant against collisions. The material used to manufacture the boxes also includes mineral additives and is therefore free from electrostatic charges so it does not attract dust. It is equipped with:
- package of plugs, screws, and seal, assembly instructions, n. 2 internal white shelves, steel back panel painted white, first aid box sign 24x27 cm. The box provides excellent storage conditions for first aid supplies so they stay in good working order. The version with a sealable lock with a dial latch is for rapid response supplies. This product can be supplied assembled or in a handy assembly kit with the safety sheet made of patented transparent Blindo Light ® anti-UV material and is certified by CSI in accordance with EN 4892-2 / UNI 5687-73 and UNI 9227 standards and is printed with pictograms and words in compliance with Legislative Decree 493 of 14/08/1996 OJ 23/09/1996 as per directive 92/58/EEC or white opaque ABS plastic sheet with printed pictograms and words in compliance with Legislative Decree 493 of 14/08/1996 OJ 23/09/1996 as per European directive 92/58/ECC. Please specify in order.

Dimensions of modular system cabinet: B450 x A520 x P196 mm
Empty weight 4,00 kg.

Barcode	Code	Description	Price
8 032621 838825	ATK1PSCH	Opening with panel door, cylinder lock and pair of keys, complete with Blindo Light ® sheet. First aid supply kit (see photo All. 1) not included	€ 87.70
8 032621 838894	ATK1PSCH/C	As described above but with the first aid supply kit (Att.1) included in carton box packaging.	€ 182.30
8 032621 830294	ATK1PSCHO	Opening with panel door, cylinder lock and pair of keys, complete with white ABS sheet. First aid supply kit (see photo All. 1) not included	€ 87.70
8 032621 838979	ATK1PSCHO/C	As described above but with the first aid supply kit (Att.1) included in carton box packaging.	€ 182.30
8 032621 838818	ATK1PSROO	Opening with panel door, sealable latch dial, complete with Blindo Light ® sheet. First aid supply kit (see photo All. 1) not included 1	€ 82.40
8 032621 838887	ATK1PSROO/C	As described above but with the first aid supply kit (Att.1) included in carton box packaging.	€ 177.20
8 032621 838986	ATK1PSRO	Opening with panel door, sealable latch dial, complete with white ABS sheet. First aid supply kit (see photo All. 1) not included	€ 82.40
8 032621 838993	ATK1PSRO/C	As described above but with the first aid supply kit (Att.1) included in carton box packaging.	€ 177.20
8 032621 838863	INDI47	"First Aid Kit" sign made of high impact polystyrene, shockproof, scratchproof with special antiglare colours in compliance with Legislative Decree 493 of 14/08/96 OJ 23/09/96 and UNI 10779:2002, size: 240x270	€ 3.30
8 032621 838870	BLPS	Safety sheet manufactured in patented transparent Blindo Light ® anti-UV, CSI certified.	€ 15.20
8 032621 838962	LBPS	Safety sheet manufactured in white ABS, screen printed with symbols and words on use of fire and safety equipment.	€ 13.80
8 032621 838832	KITPSALL1	First aid supply kit (All.1) to place inside the rapid response modular cabinet system contains: - 1 copy of Ministerial Decree 388 of 15/07/03; - 5 pairs of sterile gloves; - 1 mask with splashguard visor; - 3 500 ml bottles of sterile saline solution, EC; - 2 500 ml bottles of disinfectant with10% Povidone-iodine PMC iodine; - 10 packets of 10 x 10 cm sterile gauze pads; - 2 packets of 18 x 40 cm sterile gauze pads; - 2 40 x 60 cm sterile bandages DIN 13152-BR; - 2 sterile tweezers; - 1 pack of absorbent cotton; - 1 box of elastic net bandage; - 2 PLASTOSAN 10 assorted plasters; - 2 rolls of adhesive plasters – 5m x 2.5 cm; - 1 pair of lister bandage scissors, 14,5 cm DIN 58279; - 3 tourniquets; - 2 disposable instant ice packs; - 2 sanitary waste bags 250 x 350 mm; - 1 CE certified clinical thermometer with case; - 1 PERSONAL Sphygmomanometer with stethoscope; - 1 MULTILINGUAL first aid booklet.	€ 108.60

SMALL DOCUMENT STORAGE BOXES

MADE IN ITALY

Made of grey or red ABS with screen printing on the lid. Complete with cylinder lock with keys and fixing inserts or with knob.
Dimensions: 300 x 365 x 50 mm Weight: 0,750 *
Holds:

Barcode	Code	Description	Price
8 032621 831437	PDABS1	Fire-fighting equipment systems and staff training register, Presidential Decree n. 37 of 12.1.98 , Ministerial Decree 10.3.98	€ 43.10
8 055118553896	PDABS1M	Fire-fighting equipment systems and staff training register, Presidential Decree n. 37 of 12.1.98 , Ministerial Decree 10.3.98. With knob.	€ 43.10
8 032621 831444	PDABS2	Autocontrol manual and periodic checks logbook regarding HACCP requirements, Legislative Decree 155/97. Made of Grey ABS	€ 43.10
8 055118553902	PDABS2M	Autocontrol manual and periodic checks logbook regarding HACCP requirements, Legislative Decree 155/97. Made of Grey ABS, with knob	€ 43.10
8 032621 831451	PDABS3	Documents for elevator rooms. Made of red ABS with screen printing on the front panel.	€ 43.10
8 055118553919	PDABS3M	Documents for elevator rooms. Made of red ABS with screen printing on the front panel. With knob.	€ 43.10
8 032621 831468	PDABS4	Documents for boiler room.	€ 43.10
8 055118553926	PDABS4M	Documents for boiler room. With knob.	€ 43.10
8 032621 831475	PDABS5	15 Sprinkler heads and wrench, UNI 9489 compliant (sprinkler bulbs and wrenches not included)	€ 52.30
8 055118553933	PDABS5M	15 Sprinkler heads and wrench, UNI 9489 compliant (sprinkler bulbs and wrenches not included). With knob.	€ 52.30
8 032621 831482	PDABS6	Company safety documents.	€ 43.10
8 055118553940	PDABS6M	Company safety documents. With knob.	€ 43.10
8 055118552042	PDABS7	Document holder.	€ 43.10
8 055118553957	PDABS7M	Document holder. With knob.	€ 43.10

Personalization is available on request.

PDABS1

PDABS2

PDABS3

PDABS5

LARGE DOCUMENT STORAGE BOXES MADE IN ITALY

PD2ABS1

PD2ABS2

PD2ABS4

PD2ABS5

Made of grey or red ABS with screen printing on the lid.
Complete with cylinder lock with keys and fixing inserts or with knob.
Dimensions: 355 x 390 x 60 mm Weight: 0,900 kg
Holds:

Barcode	Code	Description	Price
8 032621 831499	PD2ABS1	Fire-fighting equipment systems and staff training register, Presidential Decree n. 37 of 12.1.98 , Ministerial Decree 10.3.98	€ 44.20
8 055118553964	PD2ABS1M	Fire-fighting equipment systems and staff training register, Presidential Decree n. 37 of 12.1.98 , Ministerial Decree 10.3.98. With knob.	€ 44.20
8 032621 831505	PD2ABS2	Autocontrol manual and periodic checks logbook regarding HACCP requirements, 155/97. Made of grey ABS.	€ 44.20
8 055118553971	PD2ABS2M	Autocontrol manual and periodic checks logbook regarding HACCP requirements, Legislative Decree 155/97. Made of grey ABS. With knob.	€ 44.20
8 032621 831512	PD2ABS3	Documents for elevator rooms. Made of red ABS with screen printing on the front panel.	€ 44.20
8 055118553988	PD2ABS3M	Documents for elevator rooms. Made of red ABS with screen printing on the front panel. With knob.	€ 44.20
8 032621 831529	PD2ABS4	Documents for boiler room.	€ 44.20
8 055118553995	PD2ABS4M	Documents for boiler room. With knob.	€ 44.20
8 032621 831536	PD2ABS5	36 Sprinkler heads and wrench, UNI 9489 compliant (sprinkler bulbs and wrenches not included).	€ 54.50
8 055118554008	PD2ABS5M	36 Sprinkler heads and wrench, UNI 9489 compliant (sprinkler bulbs and wrenches not included). With knob.	€ 54.50
8 032621 831543	PD2ABS6	Company safety documents.	€ 44.20
8 055118554015	PD2ABS6M	Company safety documents. With knob.	€ 44.20
8 032621 831550	PD2ABS7	Nautical and vessel documents and on-board accessories.	€ 44.20
8 055118554022	PD2ABS7M	Nautical and vessel documents and on-board accessories. With knob.	€ 44.20
8 055118552059	PD2ABS8	Document holder.	€ 44.20
8 055118554039	PD2ABS8M	Document holder. With knob.	€ 44.20

Personalization is available on request.

FIRE EQUIPMENT REGISTER

8 032621 831567

Composed of 88 numbered pages for the management of equipment and fire fighting system maintenance and staff training.
Presidential Decree 12.1.98 n° 37 Ministerial Decree 10.3.98.
Euro 21.90

CC

8 032621 831574

Made of red PP complete with Safe Crash® sheet, 3 key hooks and due wall inserts. Supplied in individual cardboard box in packages of 100 units.
Euro 9.40

SIGI

8 032621 831581

Packet of 100 seals.
Euro 35.20

GOCCPK45

8 032621 831628

Red plastic hose protector cradle for UNI45 and UNI70.
Euro 4.60



GOCC45

8 032621 831635

Red plastic hose protector cradle.
Euro 3.90

BASE

8 032621 831642

Fire extinguisher stand to place inside double extinguisher boxes.
Euro 32.30

RIPI

8 032621 831659

Internal shelf for cabinets.
Euro 14.70

CHITG

8 032621 831666

Screw lock with key.
Euro 7.60

CHSR

8 032621 831673

Key with cylinder lock.
Euro 7.60

CHITR

8 032621 831680

Triangle key with 6mm cylinder.
Euro 17.80

Fire Extinguisher Boxes, Fire Extinguishers

rack® system

www.racksystem.it

EXTINGUISHER ACCESSORIES AND FIRE - SAFETY EQUIPMENT BOXES

As we all know, extinguishers are the most widespread emergency equipment which are able to effectively combat fire if used in the early stages of a fire.

It is important that an extinguisher is easy and quick to get to in an emergency.
Therefore, it should be installed on a wall or suitable stand or container/box in a stable manner and in a good position.
The handgrip should not be higher than 1.5 m from the ground, easy to see, access, and reach, protected against collision and overheating. It must be properly marked and, if a water or foam type, protected from freezing.
The functional elements of extinguishers must be stored to prevent tampering and improper use.

It doesn't take much to trigger a fire…
Today, the person responsible of every single structure (house, office, laboratory, company, hospital, school, public office, etc.) can be held both civilly and criminally liable in the event of a fire or accident.
If it's true that the quality of life and civility of a country are measured also by safety levels, Rack System is certain that the new legislation implemented in all European countries will bring greater awareness to this delicate issue by introducing fire protection systems inside households and in automobiles.

The handy SAVE LIFE® kits help you put out fires in the initial stage with the handy fire blanket and powerful extinguisher.

Our boxes can be used to hold different types of tools, accessories, and fire and safety equipment and keeps them in good condition.

1-2 Kg FIRE EXTINGUISHER BOXES

Fire extinguisher box made of red ABS with screen printing.
Complete with black EPDM fasteners.
Ideal for homes and cars.

Barcode	Code	Description	Price
8 032621 831703	RR1	Dimensions: 172 x 418 x 105 mm Weight: 0,41 Kg With handle. Ideal for cars, boats, and campers	€ 17.80
8 032621 831710	RR2	Dimensions: 182 x 382 x 146 mm Weight: 0,43 Kg. Ideal for cars, boats, and campers	€ 23.30
8 032621 831727	RR2M	Dimensions: 152 x 486 x 130 mm Weight: 0,66 Kg. With handle, ideal for cars, boats, and campers	€ 23.30

Fire extinguisher box made of red ABS material and shockproof transparent cover made of anti-UV Blindo Light material, complete with black EPDM fasteners.
Ideal for homes and cars.

Barcode	Code	Description	Price
8 032621 831734	TR1	Dimensions: 172 x 418 x 105 mm Weight: 0,41 Kg. With handle, ideal for cars, boats, and campers	€ 20.00
8 032621 831741	TR2	Dimensions: 182 x 382 x 146 mm Weight: 0.43 Kg. Ideal for homes, boats, and campers	€ 25.60
8 032621 831758	TR2M	Dimensions: 152 x 486 x 130 mm Weight: 0,66 Kg. With handle, ideal for cars, boats, and campers	€ 25.60

Fire extinguisher box with shockproof transparent anti-UV Blindo Light base and cover, complete with black EPDM fasteners.
Ideal for boats and campers.

Barcode	Code	Description	Price
8 032621 831765	BB1	Dimensions: 172 x 418 x 105 mm Weight: 0,41 Kg. With handle, ideal for cars, boats, and campers (extinguisher not included)	€ 22.20
8 032621 831772	BB2	Dimensions: 182 x 382 x 146 mm Weight: 0,43 Kg. Ideal for homes, boats, and campers (extinguisher not included)	€ 27.90
8 032621 831789	BB2M	Dimensions: 152 x 486 x 130 mm Weight: 0,66 Kg. With handle, ideal for cars, boats, and campers (extinguisher not included)	€ 27.90

SAVE LIFE CAR

Handy Kit in a case with handle made of shockproof material the protects the stored contents from UV rays, salty air, and oxidation,
1 ABC powder extinguisher of 1 Kg., RINA approved or, in alternative, EN3 approved
1 CE* certified fluorescent bib
1 warning flag with light reflecting strip

*(new highway code requirement)

Barcode	Code	Price
8 032621 831796	SLC	€ 65.40
8 032621 838375	SLC1 without extinguisher	€ 35.10

SAVE LIFE BASE

Handy Kit in a shockproof case that protects the stored contents from UV rays, salty air, and oxidation. Contents:
1 ABC powder extinguisher of 1 Kg., in alternative EN3 approved
1 flame-retardant 90 x90 cm blanket. CE Certified and CSI EN 1869-1997 approved

Barcode	Code	Price
8 032621 831802	SLB	€ 87.50
8 032621 838238	SL1 without extinguisher	€ 47.50

SAVE LIFE SUPERIOR

Handy Kit in a shockproof case that protects the stored contents from UV rays, salty air, and oxidation. Contents:
1 ABC powder extinguisher of 2 Kg., RINA approved
1 flame-retardant 90 x90 cm blanket. CE Certified and CSI EN 1869-1997 approved

Barcode	Code	Price
8 032621 831819	SLS	€ 116.60
8 032621 838245	SL2 without extinguisher	€ 73.70

KIT "OFFICE"

Handy kit with:
1 2Kg CO_2 extinguisher
1 fire blanket

Barcode	Code	Price
8 032621 838153	K-OFF	€ 175.00

KIT AUTO

Handy kit in a bag with:
1 ABC 1 Kg powder extinguisher, RINA approved
1 EN471 high visibility fluorescent safety vest
1 warning flag with light reflecting strip

Barcode	Code	Price
8 032621 838320	KIT AUTO	€ 59.40

KIT "CAMION"

Handy Kit in a shockproof case that protects the stored contents from UV rays, salty air, and oxidation. Contents:
- 1 ABC 2 Kg powder extinguisher, RINA approved
- 1 fluorescent safety vest with CE certification
- 1 warning flag with light reflecting strip

Barcode	Code	Price
8 032621 838344	TRUCKMAN	€ 105.50
8 032621 838702	TRUCKMAN/S (without extinguisher)	€ 65.90

RR FIRE EXTINGUISHER BOX MADE IN ITALY

Manufactured in ABS with red base and lid, complete with EPDM fasteners, CSI certified for indoor and outdoor use.

Barcode	Code	Description	Weight (kg)	Price
8 032621 831833	RR6T	313x618x200	1,3	€ 41.10
8 032621 831871	RR9T	350x685x220	1,38	€ 46.10
8 032621 831901	RR12T	370x835x245	1,7	€ 53.90

TR FIRE EXTINGUISHER BOX MADE IN ITALY

Red ABS base and shockproof, anti-UV lid made of transparent Blindo Light ® material that protects the stored contents from UV rays, salty air, and oxidation. Complete with EPDM fasteners, CSI certified for indoor and outdoor use.

Barcode	Code	Description	Weight (kg)	Price
8 032621 831840	TR6T	313x618x200	1,35	€ 58.90
8 032621 831888	TR9T	350x685x220	1,41	€ 61.60
8 032621 831918	TR12T	370x835x245	1,75	€ 71.50

Available on request with black base.

Personalization available with either screen printing or embossed on the plastic print.



BB FIRE EXTINGUISHER BOX
MADE IN ITALY

Base and lid made of shockproof, anti-UV Blindo Light ® material that protects the stored contents from UV rays, salty air, and oxidation. Complete with EPDM fasteners, CSI certified for indoor and outdoor use.

Barcode	Code	Description	Weight (kg)	Price
8 032621 831857	**BB6T**	313x618x200	1,35	**€ 63.30**
8 032621 831895	**BB9T**	350x685x220	1,41	**€ 67.60**
8 032621 831925	**BB12T**	370x835x245	1,75	**€ 79.90**

FIRE EXTINGUISHER BOX SPECIAL *NN* SERIES MADE IN ITALY

For ship use only (no vehicles).
CSI certified with black shockproof ABS base and lid, complete with EPDM fasteners.
Reinforced bottom with iron fire extinguisher bracket suitable for any diameter, complete with two black fabric straps to hold the extinguisher securely in position. It also protects the products the stored contents from salty air and oxidation. Features a metal safety latch on the bottom provided for a lock (lock not included).

Barcode	Code	Description	Weight (kg)	Price
8 032621 831932	**STK6NN**	313x618x200	2,6	**€ 78.70**
8 032621 831949	**STK9NN**	350x685x220	3,1	**€ 82.60**
8 032621 831956	**STK12NN**	370x835x245	3,4	**€ 91.60**

FIRE EXTINGUISHER BOX SPECIAL *TN* SERIES MADE IN ITALY

For ship use only (no vehicles).
Black shockproof ABS base, lid made of transparent shockproof anti-UV Blindo Light ® complete with EPDM fasteners. CSI certified.
Reinforced bottom with iron fire extinguisher bracket suitable for any diameter, complete with two black fabric straps to hold the extinguisher securely in position. It protects the stored contents from salty air and oxidation. Features a metal safety latch on the bottom for a lock (not included).
For indoor and outdoor use. Extinguisher not included.

Barcode	Code	Description	Weight (kg)	Price
8 032621 831963	STK6TN	313x618x200	2,6	€ 89.30
8 032621 831970	STK9TN	350x685x220	3,2	€ 95.50
8 032621 831987	STK12TN	370x835x245	3,5	€ 108.70

PAINTED STEEL BRACKET (discontinued item)

Extinguisher holder with holes for securing, equipped with strap and closing device to safely secure the tank inside boxes.

Barcode	Code	Description	Price
8 032621 832007	SUPPAF	For types with 180 mm diameter base	€ 13.90
8 032621 831093	SUPPAT	For types with 200 mm diameter base	€ 16.80

SUPPORT BASE (discontinued item)

Extinguisher holder made of painted steel featuring fastening holes.

Barcode	Code	Description	Price
8 032621 832014	SUPPBP	With 180 mm diameter base	€ 21.60
8 032621 832021	SUPPBG	With 200 mm diameter base	€ 25.40

FABRIC BELTS (discontinued item)

Barcode	Code	Description	Price
8 032621 832038	FEET	Fabric belts used to secure the extinguisher to the holder, equipped with buckle to adjust tension.	€ 6.30

RT FIRE EXTINGUISHER BOX

Especially suitable for trucks, this box is made of polyethylene with a black base and red lid, complete with safety belt.

Barcode	Code	Description	Price
8 032621 830058	RT6KG	For 6 Kg. extinguishers	€ 108.80
8 032621 830102	RT9/12KG	For 9/12 Kg. extinguishers	€ 134.70
8 032621 830119	RT6KG2	For 2 6 Kg. extinguishers	€ 150.20

IN FIRE EXTINGUISHER BOX

Especially suitable for trucks, this box is made of injection-molded polyethylene with a black base and red lid, complete with safety belt.

Barcode	Code	Description	Price
8 032621 830126	IN6KG	For 6 Kg. extinguishers	€ 81.90

AEK FIRE EXTINGUISHER BOX

Wall mount type for outdoor use, manufactured in compliance with Law 626/ 94 - European Directive n. 89/391/EEC, EN 671/2 certified by CSQ-IMQ and by RINA (Registro Italiano Navale). This innovative high-tech product has been designed to provide a safe and effective solution when responding to a fire emergency.
Made of red Blindo Light ® material (100% recyclable), impervious to deterioration caused by UV rays and particularly resistant against collisions, equipped with:
- package with four inserts, screws, and seal - assembly instructions – steel back panel.
This product can be supplied assembled or in a handy assemble kit: to specify in order.
Dimensions: B550 x A680 x P275 mm Weight: 6,20 kg

Barcode	Code	Description	Price
8 032621 830621	AEK2EB	Fire extinguisher box made of red shockproof anti-UV Blindo Light® PP with galvanized steel back panel. Complete with Safe Crash ® sheet and Easy Break ® dial latch with reinforced bottom.	€ 128.10
8 032621 830621	AEK2EB/S	Unassembled	€ 121.90

CSL FIRE EXTINGUISHER BOX

Front panel includes opening for safety sheet and is painted RAL 3000 red (Safe Crash® sheet not included).

Barcode	Code	Description	Price
8 032621 832052	CSL 2460	For 6 Kg. extinguishers 319x604x249 mm	€ 68.90
8 032621 830225	SC 240X515	Safe Crash replacement sheet	€ 13.30
8 032621 832069	CSL 5912	For 9/12 Kg. extinguishers 319x803x249 mm	€ 84.90
8 032621 830249	SC 240X715	Safe Crash replacement sheet	€ 16.40

CIX FIRE EXTINGUISHER BOXES

Stainless steel door with opening for safety sheet (Safe Crash ® sheet not included).

Barcode	Code	Description	Price
8 032621 832076	CIX 2460	For 6 Kg. extinguishers 319x604x249 mm	€ 141.50
8 032621 830225	SC 240x515	Safe Crash replacement sheet, 6 Kg.	€ 13.30
8 032621 832083	CIX 5912	For 9/12 Kg. extinguishers 319x803x249 mm	€ 212.00
8 032621 830249	SC 240x715	Safe Crash replacement sheet, 9/12 Kg.	€ 16.40

TAURUS MONTECARLO

Red painted fire extinguisher box with cabinet door and Safe Crash ® sheet. Complete with Easy Break ® dial latch.

Barcode	Code	Description	Price
8 032621 830300	MCL6KG	For 6 Kg. extinguishers dim. 310x625x225 mm	€ 58.60
8 032621 830317	MCL9/12KG	For 9/12 Kg. extinguishers dim. 314x802x230 mm	€ 72.80

TAURUS MONTECARLO INOX

Stainless steel fire extinguisher box with cabinet door and Safe Crash ® sheet. Complete with Easy Break ® dial latch.

Barcode	Code	Description	Price
8 032621 830324	MCLX6KG	For 6 Kg. extinguishers dim. 310x625x225 mm	€ 128.30
8 032621 830331	MCLX9/12KG	For 9/12 Kg. extinguishers dim. 314x802x230 mm	€ 158.00

TAURUS MARANELLO

Fire extinguisher box made of red painted sheet metal with closed cabinet door and Blindo Light vision panel. Complete with dial latch.

Barcode	Code	Description	Price
8 032621 830355	MRN6KG	For 6 Kg. extinguishers dim. 310x625x225 mm	€ 58.60
8 032621 830362	MRN9/12KG	For 9/12 Kg. extinguishers dim. 314x802x230 mm	€ 72.80

TAURUS MARANELLO INOX

Stainless steel fire extinguisher box with closed cabinet door and Blindo Light vision panel. Complete with dial latch.

Barcode	Code	Description	Price
8 032621 830379	MRNX6KG	For 6 Kg. extinguishers dim. 310x625x225 mm	€ 128.30
8 032621 830386	MRNX9/12KG	For 9/12 Kg. extinguishers dim. 314x802x230 mm	€ 158.00

MASK CASE

Made of shockproof anti-UV Blindo Light ® material, complete with black EPDM ties.

Barcode	Code	Description	Price
8 032621 837668	PMPP	Mask case dimensions: 400 x 250 x 170 mm. Weight: 1,30 Kg	€ 53.30

SELF-CONTAINED BREATHING APPARATUS AND MASK CASE

Red ABS base and shockproof, transparent Blindo Light ® lid that protects the stored contents from UV rays, salty air, and oxidation. Complete with EPDM fasteners, CSI certified, for indoor and outdoor use.
Dimensions: 370 x 835 x 245 mm Weight: 1,7 kg
(self-contained breathing apparatus not included)

Barcode	Code	Price
8 032621 832045	TR12 AR	€ 77.00

MODULAR SYSTEM CABINET FOR FIRE-FIGHTING TEAM EQUIPMENT

Opening with sealable door with Easy Break ® disk latch and key, complete with Safe Crash ® sheet which has a predetermined breaking point, so it breaks safely with no danger of getting cut.
Complete with 2 bags for the fire-fighting team which fit perfectly in the cabinet (empty bag)

Barcode	Code	Price
8 032621 837767	ATK2EBB	€ 177.40

FIRE-FIGHTING TEAM RED ANGELS BAG

Fabric bag suitable for holding equipment for the fire-fighting team.
Fits inside the modular cabinet system.

Barcode	Code	Description	Price
8 032621 837460	BS45	Dimensions: 55 x 34 x 28 cm	€ 49.30

BLACK

Barcode	Code	Description	Price
8 032621 830010	CENEWN	"Elegant" series: black extinguisher stand with post and "basic" flag-type sign	€ 46.10
8 032621 830027	CENEWNP	"Elegant" series: black extinguisher stand with post and "panoramic" flag-type sign	€ 51.90
8 055118550932	CENEWNX	"Elegant" series: black extinguisher stand with post and "plex" flag-type sign	€ 63.90
8 055118550963	CENEWBN	Black fire extinguisher stand, base only (without pole and sign)	€ 32.50

RED

Barcode	Code	Description	Price
8 032621 830034	CENEWR	"Elegant" series: red extinguisher stand with post and "basic" flag-type sign	€ 46.10
8 032621 830041	CENEWRP	"Elegant" series: red extinguisher stand with post and "panoramic" flag-type sign	€ 51.90
8 055118550949	CENEWRX	"Elegant" series: red fire extinguisher stand with post and "plex" flag-type sign	€ 63.90
8 055118550970	CENEWBR	Red fire extinguisher stand, base only (without pole and sign)	€ 32.50

Plex card detail

Hook detail

SILVER

Barcode	Code	Description	Price
8 032621 830089	CENEWS	"Silver" series extinguisher stand with post and "basic" flag-type sign	€ 66.30
8 032621 830065	CENEWSP	"Silver" series extinguisher stand with post and "panoramic" flag-type sign	€ 70.10
8 055118550956	CENEWSX	"Silver" series extinguisher stand with post and "plex" flag-type sign	€ 80.20
8 055118550987	CENEWBS	Silver fire extinguisher stand, base only (without pole and sign)	€ 46.40

CHROME

Barcode	Code	Description	Price
8 055118550925	CENEWCR	"Chrome" series extinguisher stand with post and "plex" sign	€ 89.00
8 055118550994	CENEWBC	Chrome fire extinguisher stand, base only (without pole and sign)	€ 62.30

EXTINGUISHERS AND ACCESSORIES

As we all know, extinguishers are the most widespread emergency equipment which are able to effectively combat fire if used in the early stages of a fire.

It is important that a fire extinguisher is easy and quick to get to in an emergency.
Therefore, it should be installed on a wall or suitable stand or container/box in a stable manner and in a good position.
Its handgrip should not be higher than 1.5 m from the ground. It must be easy to see, access, and reach, protected against collision and overheating, and, if a water or foam type, protected from freezing. The functional elements of extinguishers must be stored to prevent tampering and improper use.
The correct use of fire extinguishers depends heavily on user training and instruction along with periodic hands-on training. It is important to stand at the right distance from a fire in order to attack the fire with the extinguisher aimed properly.

CHOOSE THE CORRECT TYPE OF EXTINGUISHER

Fire classes are identified with the symbols shown below. These symbols are indicated on the instruction booklet of the extinguisher in order to highlight the characteristics of the extinguishing agent it contains.

FIRE CLASSES:

Type	Water	Foam Water+Additive	CO_2	ABC POWDER	WET Chemical
Wood, paper, plastic	✔	✔		✔	
Flammable liquids		✔	✔	✔	
Flammable gases				✔	
Metals				Special powder only	
Electrical equipment			✔	✔	
Cooking oils and fats					✔

PORTABLE ABC POWDER FIRE EXTINGUISHER

Pressure type, CE certification.
Class 8A 34BC, steel tank. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
1 Kg	8 032621 830157 › RDF	**PK1 RD - F** (with iron wire bracket)	€ 27.80
1 Kg	8 032621 835992	**PK1** (with aluminium tank, RINA cert.)	€ 48.20
1 Kg	8 055118551083	**PK1 RD MED**	€ 28.80

Pressure type, CE certification.
Class 13A 89BC, steel tank. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
2 Kg	8 032621 830188 › RDF	**PK2 RD - F** (with iron wire bracket)	€ 34.80
2 Kg	8 032621 836005	**PK2** (with aluminium tank, RINA cert.)	€ 76.40
2 Kg	8 055118551090	**PK2 RD MED**	€ 35.80

Pressure type, CE certification.
Class 21A 144 BC.

Holding capacity	Barcode	Code	Price
4 Kg	8 032621 836012	**PK4** (with plastic bracket)	€ 69.80



Pressure type, CE certification.
Class 34A 233BC, steel tank and plastic bracket. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
6 Kg	8 032621 830195 › RDF	**PK6 RD - F** (with iron wire bracket)	€ 52.70
6 Kg	8 055118551106	**PK6 RD MED**	€ 53.70
6 Kg	8 032621 835572	**PK6 - 55A** (CLASS 55A 233 BC, steel tank)	€ 79.00

Pressure type, CE certification.
Complete with plastic bracket. Class 55A 233BC.

Holding capacity	Barcode	Code	Price
9 Kg	8 032621 836036	**PK9** (with steel tank)	€ 84.10



Pressure type, CE certification.
Complete with plastic bracket. Class 55A 233BC.

Holding capacity	Barcode	Code	Price
12 Kg	8 032621 836043	**PK12** (with steel tank)	€ 91.40

STEEL CARBON DIOXIDE EXTINGUISHERS

Pressure type, approved by the Italian Ministry of Interior with CE certification suitable for class A and B fires. Complete with plastic bracket. Class 55B. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
2 Kg	8 032621 836074	KK2	€ 155.60
2 Kg	8 055118552066	KK2 - RS ACC	€ 90.00
2 Kg	8 055118551113	KK2 - RS ACC MED	€ 91.00

Pressure type, approved by the Italian Ministry of Interior with CE certification suitable for class A and B fires. Complete with plastic bracket. Class 113B. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
5 Kg	8 032621 836081	KK5	€ 243.50
5 Kg	8 055118552080	KK5 - RS ACC	€ 110.00
5 Kg	8 055118551137	KK5 - RS ACC MED	€ 111.00

ALUMINIUM CARBON DIOXIDE EXTINGUISHERS

Pressure type, approved by the Italian Ministry of Interior with CE certification suitable for class A and B fires. Complete with plastic bracket. Class 70B. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
2 Kg	8 032621 830201 › RD	KK2 RD	€ 112.10
2 Kg	8 055118552073	KK2 - RS ALL	€ 107.00
2 Kg	8 055118551120	KK2 - RS ALL MED	€ 108.00

Pressure type, approved by the Italian Ministry of Interior with CE certification suitable for class A and B fires. Complete with plastic bracket. Class 113B. UNI EN3 - CE.

Holding capacity	Barcode	Code	Price
5 Kg	8 032621 830218 › RD	KK5 RD	€ 158.10
5 Kg	8 055118552097	KK5 - RS ALL	€ 148.00
5 Kg	8 055118551144	KK5 - RS ALL MED	€ 149.00



PORTABLE WATER FIRE EXTINGUISHERS

Pressure type, approved by the Italian Ministry of Interior with CE certification suitable for class A and B fires. Complete with plastic bracket. Class 27A 233B.

Holding capacity	Barcode	Code	Price
6 Lt	8 032621 836050	WK6	€ 141.30

Holding capacity	Barcode	Code	Price
9 Lt	8 032621 836067	WK9	€ 213.20

WHEELED ABC POWDER EXTINGUISHERS

CE Certified, suitable for environments where fires may reach dangerous proportions. Equipped with tank/cylinder holder frame, complete with wheels for easy handling.



Barcode	Code	Class	Price
8 032621 836104	PK30	A-B1-C	€ 383.40
8 032621 836128	PK50	A-B1-C	€ 471.20
8 032621 836135	PK100	A-B1-C	€ 873.30

WHEELED CARBON DIOXIDE EXTINGUISHERS

Approved by the Italian Ministry of Interior and CE Certified, suitable for environments where fires may reach dangerous proportions. Equipped with tank/cylinder holder frame, complete with wheels for easy handling.



Barcode	Code	Class	Price
8 032621 836159	KK18	B8-C	€ 918.60
8 032621 836166	KK27	B8-C	€ 886.80
8 032621 830256	KK54	B8-C	€ 1,840.00

WHEELED FOAM EXTINGUISHERS

CE Certified, suitable for environments where fires may reach dangerous proportions. Equipped with tank/cylinder holder frame, complete with wheels for easy handling.



Barcode	Code	Class	Price
8 032621 836111	FK50	A-B4	€ 805.40
8 032621 836142	FK100	A-B4	€ 1,392.20



AUTOMATIC STORED PRESSURE EXTINGUISHERS

With guaranteed operation at 68°C.
Powder suitable for class A, B, and C.

Barcode	Code	Price
8 032621 836173	PKA6	€ 98.80
8 032621 836180	PKA10	€ 108.30

EXTINGUISHER COVERS

Made of waterproof material. Used to protect extinguishers from the corrosive action of extinguishing agents and UV rays.

Barcode	Code	Description	Price
8 032621 836203	COPERTEP/69	6/9 Kg portable extinguishers	€ 11.50
8 032621 838214	COPERTEP/12	12 Kg portable extinguishers	€ 13.40
8 032621 836210	COPERTEC/30	30 Kg Wheeled extinguishers	€ 65.90
8 032621 835756	COPERTEC/50	50 Kg Wheeled extinguishers	€ 94.10

SO YOU DON'T DISCOVER... WHEN IN NEED...
THAT YOUR EXTINGUISHER HAS DISAPPEARED!

ART. CEP/D

Fire extinguisher box made of shockproof anti-UV Blindo Light material with screen printed cover for Alarm kit.
Available in sizes for 6-9-12 Kg
Refer to the PE BB series for prices.

ART. DOLPHIN 1359

Theft alarm for extinguishers made of red shockproof Blindo Light material with hanging hook art. G/PE.
Euro 28.00

ART. D-BAT 1366

Packet of 12 Super Alkaline long life batteries.
Euro 89.00

Nozzles, Fire Hoses

rack®
system

www.racksystem.it

rack system®

FOR THOSE WHO DEMAND MORE THAN THE USUAL HOSE…

PATRIOT® CHECK OUT THESE HOSES FOR REAL PROS!

Original Patriot has this mark

PATRIOT®

and are really 15 bar.

BEWARE OF FAKES

RECENTLY, HOSES THAT LOOK THE SAME HAVE APPEARED ON THE MARKET BUT ARE OF VERY POOR QUALITY!

PATRIOT®

PATRIOT TRICOLOUR

PATRIOT WHITE

MED certified

Barcode	Code	Description	Price
8 032621 832328	PATRIOT4515 WPATRIOT4515	Tricolour hose UNI45 certified, fire department fitting 15 m White hose UNI45 certified, fire department fitting 15 m	€ 68.80 € 62.00
8 032621 832335	PATRIOT4520 WPATRIOT4520	Tricolour hose UNI45 certified, fire department fitting 20 m White hose UNI45 certified, fire department fitting 20 m	€ 84.60 € 76.20
8 032621 832342	PATRIOT4525 WPATRIOT4525	Tricolour hose UNI45 certified, fire department fitting 25 m White hose UNI45 certified, fire department fitting 25 m	€ 102.00 € 91.80
8 032621 838276	PATRIOT4530 WPATRIOT4530	Tricolour hose UNI45 certified, fire department fitting 30 m White hose UNI45 certified, fire department fitting 30 m	€ 121.80 € 109.70
8 032621 832380	PATRIOT4515N WPATRIOT4515N	Tricolour hose UNI45 certified, UNI 804 fitting 15 m White hose UNI45 certified, UNI 804 fitting 15 m	€ 75.90 € 74.90
8 032621 832397	PATRIOT4520N WPATRIOT4520N	Tricolour hose UNI45 certified, UNI 804 fitting 20 m White hose UNI45 certified, UNI 804 fitting 20 m	€ 100.40 € 90.40
8 032621 832311	PATRIOT4525N WPATRIOT4525N	Tricolour hose UNI45 certified, UNI 804 fitting 25 m White hose UNI45 certified, UNI 804 fitting 25 m	€ 116.40 € 104.80
8 032621 838290	PATRIOT4530N WPATRIOT4530N	Tricolour hose UNI45 certified, UNI 804 fitting 30 m White hose UNI45 certified, UNI 804 fitting 30 m	€ 119.50 € 124.70

WIT

Barcode	Code	Description	Price
8 032621 838498	WIT4515E	White hose, UNI45 certified, fire department fitting 15 m	€ 59.50
8 032621 838504	WIT4520E	White hose, UNI45 certified, fire department fitting 20 m	€ 72.70
8 032621 838511	WIT4525E	White hose, UNI45 certified, fire department fitting 25 m	€ 88.50
8 032621 838337	WIT4530E	White hose, UNI45 certified, fire department fitting 30 m	€ 113.80
8 032621 832410	WIT4515ENR	White hose, UNI45 certified, UNI 804 fitting 15 m	€ 71.30
8 032621 832427	WIT4520ENR	White hose, UNI45 certified, UNI 804 fitting 20 m	€ 85.80
8 032621 832434	WIT4525ENR	White hose, UNI45 certified, UNI 804 fitting 25 m	€ 100.30
8 032621 838627	WIT4530ENR	White hose, UNI45 certified, UNI 804 fitting 30 m	€ 126.20

PATRIOT®

Barcode	Code	Description	Price
8 032621 832359	PATRIOT7015 WPATRIOT7015	Tricolour hose UNI70 certified, fire department fitting 15m White hose UNI70 certified, fire department fitting 15 m	€ 112.40 € 101.20
8 032621 832366	PATRIOT7020 WPATRIOT7020	Tricolour hose UNI70 certified, fire department fitting 20m White hose UNI70 certified, fire department fitting 20 m	€ 138.40 € 124.70
8 032621 832373	PATRIOT7025 WPATRIOT7025	Tricolour hose UNI70 certified, fire department fitting 25 m White hose UNI70 certified, fire department fitting 25 m	€ 167.70 € 151.00
8 032621 838283	PATRIOT7030 WPATRIOT7030	Tricolour hose UNI70 certified, fire department fitting 30 m White hose UNI70 certified, fire department fitting 30 m	€ 199.30 € 179.50
8 032621 838467	PATRIOT7015N WPATRIOT7015N	Tricolour hose UNI70 certified, UNI 804 fitting 15 m White hose UNI70 certified, UNI 804 fitting 15 m	€ 124.70 € 112.30
8 032621 838474	PATRIOT7020N WPATRIOT7020N	Tricolour hose UNI70 certified, UNI 804 fitting 20 m White hose UNI70 certified, UNI 804 fitting 20 m	€ 153.80 € 138.40
8 032621 838481	PATRIOT7025N WPATRIOT7025N	Tricolour hose UNI70 certified, UNI 804 fitting 25 m White hose UNI70 certified, UNI 804 fitting 25 m	€ 178.00 € 162.10
8 032621 838306	PATRIOT7030N WPATRIOT7030N	Tricolour hose UNI70 certified, UNI 804 fitting 30 m White hose UNI70 certified, UNI 804 fitting 30 m	€ 216.00 € 194.50

UNI70 PATRIOT TRICOLOUR

UNI70 PATRIOT WHITE

WIT

Barcode	Code	Description	Price
8 032621 838528	WIT7015E	White hose, UNI70 certified, fire department fitting 15 m	€ 96.30
8 032621 838535	WIT7020E	White hose, UNI70 certified, fire department fitting 20 m	€ 132.50
8 032621 832403	WIT7025E	White hose, UNI70 certified, fire department fitting 25 m	€ 143.80
8 032621 833202	WIT7030E	White hose, UNI70 certified, fire department fitting 30 m	€ 180.10
8 032621 832441	WIT7015ENR	White hose, UNI70 certified, UNI 804 fitting 15 m	€ 108.10
8 032621 832458	WIT7020ENR	White hose, UNI70 certified, UNI 804 fitting 20 m	€ 144.90
8 032621 832465	WIT7025ENR	White hose, UNI70 certified, UNI 804 fitting 25 m	€ 155.60
8 032621 833219	WIT7030ENR	White hose, UNI70 certified, UNI 804 fitting 30 m	€ 189.80

Goldfinger S Nozzle Patent

"GOLDFINGER S" NOZZLE

Fire hose nozzle with closed/mist/ open spray operation, EN UNI n. 671/2 certified, made of "Robrax" nylon with UNI 811 compliant fittings.

MADE IN ITALY

Barcode	Code	Description	Fig.	Price
8 032621 837224	GDL45-SOT	Goldfinger red body Brass fitting	A	€ 40.80
8 032621 839242	GDL45-SRBX	Goldfinger red body Neutral Robrax fitting	B	€ 30.20
8 032621 839976	GDL45-SRBX-N	Goldfinger red body Black Robrax fitting	C	€ 30.20
8 032621 839259	GDL45-SBK	Goldfinger black body Aluminium fitting	D	€ 24.10
8 032621 839303	GDL45-STB	"Total Black" Goldfinger black body Black Robrax fitting	E	€ 30.20

ORIGINAL "GOLDFINGER"

Fire hose nozzle with closed/mist/ open spray operation, EN UNI n. 671/2 certified, made of 25 micron anodized aluminium with UNI 811 fitting and brass nozzle, especially suitable for hydrant boxes.

Barcode	Code	Description	Price
8 032621 832120	GLDFNGOT45	UNI45 brass fire hose nozzle diam. 12 mm Brass fitting	€ 40.80
8 032621 832137	GLDFNGOT70	UNI70 brass fire hose nozzle diam. 16 mm Aluminium fitting	€ 70.90

ORIGINAL "GOLDFINGER N"

Fire hose nozzle with closed/mist/ open spray operation, EN UNI n. 671/2 certified, made of anodized aluminium with UNI 811 fitting and black plastic nozzle, especially suitable for hydrant boxes.

Barcode	Code	Description	Price
8 032621 832144	GLDFNGNY45	UNI 45 fire hose nozzle, plastic diam. 12 mm Brass fitting	€ 30.20
8 032621 832151	GLDFNGNY70	UNI 70 fire hose nozzle, plastic diam. 16 mm Aluminium fitting	€ 51.70

N.B.: GLDFNGNY45 is subject to availability.

"ALLUMIX" NOZZLE

Fire hose nozzle with closed/mist/ open spray operation, EN UNI n. 671/2 certified, made of anodized aluminium.

Barcode	Code	Description	Price
8 032621 832175	EU ALLUMIX45	UNI 45 Fire hose nozzle, fixed, diam. 12 mm Aluminium fitting (A)	€ 48.00
8 032621 832182	EU ALLUMIX70	UNI70 brass fire hose nozzle diam. 16 mm Aluminium fitting	€ 89.30
8 032621 832199	EU ALLUWN45	UNI 45 Fire hose nozzle, interchangeable diam. 12 mm Aluminium fitting (C)	€ 60.00
8 032621 835572	ALLUWN45 ASIA	UNI 45 Fire hose nozzle, interchangeable diam. 12 mm Aluminium fitting (D)	€ 57.00
8 032621 835589	ALLUWN70 ASIA	UNI 70 Fire hose nozzle, interchangeable diam. 16 mm Aluminium fitting	€ 91.00
8 032621 832205	EU ALLUWN70	UNI 70 Fire hose nozzle, interchangeable diam. 16 mm Aluminium fitting	€ 117.00
8 032621 832212	ALLPLUS45	UNI 45 Fire hose nozzle with fog, nozzle diam. 12 mm Aluminium fitting	€ 113.80
8 032621 832229	ALLPLUS70	UNI 70 Fire hose nozzle with fog, nozzle diam. 16 mm Aluminium fitting (B)	€ 208.80



"COMPACT" NOZZLE

Fire hose nozzle with multi-effect spray jet, EN 671/2 certified, especially suitable for hydrant boxes, available with or without EN 811 fittings. Made of shockproof ABS resin which is highly resistant to corrosion and weather conditions, and easy to handle even after long periods
of inactivity. The connection has normalized threads.
Dimensions: 150 mm h weight 310 gr.

Barcode	Code	Description	Price
8 032621 832243	COMPACT	UNI 45 standard fitting provided in the threading	€ 12.70
8 032621 832250	COMPACTO	UNI 45 brass fitting, EN UNI 811 compliant	€ 18.20
8 032621 834933	COMPACT-I	New Compact Made in Italy std. fitting	€ 19.00
8 032621 835473	COMPACTO-I	New Compact made in Italy UNI811 brass fitting	€ 24.50



NEW

"MILAN" NOZZLE

Fire hose nozzle with multi-effect spray jet, EN 671/2 certified, especially suitable for hydrant boxes, available with or without EN 811 fittings. Made of shockproof ABS resin which is highly resistant to corrosion and weather, easy to handle even after long periods
of inactivity. The connection has normalized threads.
Dimensions: 300 mm h weight 400 gr.

Barcode	Code	Description	Price
8 032621 832267	MILAN	UNI 45 standard fitting provided in the threading	€ 20.60
8 032621 832274	MILANO	UNI 45 brass fitting, EN 811 compliant	€ 26.40

ANAKONDA HOSES

Made in

Barcode	Code	Description	Price
8 032621 832571	ANAKONDA 15	UNI 25 semi-rigid hose, 15 m	€ 98.90
8 032621 832588	ANAKONDA 20	UNI 25 semi-rigid hose, 20 m	€ 131.80
8 032621 832595	ANAKONDA 25	UNI 25 semi-rigid hose, 25 m	€ 165.00
8 032621 832601	ANAKONDA 30	UNI 25 semi-rigid hose, 30 m	€ 197.70

COLLECTOR

Barcode	Code	Description	Price
8 032621 833158	VALSFE1	White collector with ball valve for hose reel	€ 36.80

Grand Hotel Nozzle Patent

"NASPI" NOZZLE

Fire hose nozzle for DN 25 hose reels.

Barcode	Code	Description	Price
8 032621 832281	HOTEL25 (A)	Triple effect nozzle with DN 25 aluminium fittings	€ 38.50
8 032621 832298	GHOTEL25 (B)	DN 25 adjustable multi-effect nozzle	€ 11.60
8 032621 839983	GHOTEL10 (C)	DN 25 adjustable multi-effect nozzle diam. 10 mm	€ 12.70

Alarms and Detectors

rack® system

www.racksystem.it

ALARMS AND DETECTORS

Legislative decree n. 493 of 14/08/1996
Implementation of Directive 92/58/EEC concerning minimum requirements with regard to signals and signs for occupational health and safety
Annex IV
Fire detection and alarm provisions

4.1 – *Objective*
The objective of the provisions for fire detection and alarms is to ensure that people in the workplace are warned about the onset of a fire before before it threatens their safety. At the sound of the alarm the workplace evacuation procedure must start along with the activation of the intervention procedures.

4.2 - *Provisions for small workplaces*
In small workplaces with minor or medium risks of fire, a simple alarm system can be used. For example, when all employees work in the same room, a vocal alarm may be sufficient.
In other circumstances a manual alarm sounder can be used, which can be heard by everyone in the workplace. The path to reach one of these tools must not exceed 30 m. If the system is not suitable for the workplace, a manual control electric alarm system needs to be installed in compliance with applicable technical regulations.
The buttons to enable the electrical alarms or other alarm instruments must be clearly marked so that workers and other people present on the site are able to rapidly identify it. The maximum path to enable a manual alarm device must not be greater than 30 m.
Usually, alarm buttons must be positioned in the same point on all floors of a building and near the exit of each floor, so that they can be used by people when evacuating.

4.5 - *Automatic fire detection*
The purpose of the automatic fire detector is to rapidly warn the people present on the site so they can quickly evacuate the area while the situation is still relatively safe.
In most workplaces, a fire detection system with manual control may be sufficient, however there are some circumstances where an automatic fire detection system is considered vital for the safety of persons.
In workplaces with accommodation services, the installation of automatic fire detectors is usually required by law. In other workplaces where the escape route system is not in compliance with the provisions included in this annex, an automatic detection system may be installed as a compensatory measure.

RESETTABLE CALL POINT WITH SOUNDER

Made of red ABS with screen printing equipped with: - 4-way electronic siren 5-12 V 108 dB , 9 volt battery.
Comes with a single face marker.

Barcode	Code	Description	Price
8 032621 837262	ALARMAB1	Resettable call point, sounder only with emergency mushroom head activation button with twist release N.O. contact - IP65 Supplied in 225 x 190 x 130 mm carton box.	€ 155.60

RESETTABLE CALL POINT WITH SOUNDER AND LIGHT

Made of red ABS with screen printing equipped with:
- 4–way electronic siren 5-12 V 108 dB , 9 volt battery
Comes with a single face marker

Barcode	Code	Description	Price
8 032621 837279	ALARMAB2	Resettable call point with sounder and light with emergency mushroom head activation button with twist release N.O. Contact protected with Safe Crash ® sheet – IP65. Supplied in 225 x 190 x 130 mm carton box.	€ 245.30

ALARM SIGN

Barcode	Code	Description	Price
8 032621 837286	INDI25	Alarm sign made of HIPS. Shockproof, scratch resistant with special antiglare colours in compliance with UNI standards 7546/5/6/9/12, manufactured in the colours and dimensions required by DL 493 14/8/96. Size 15 x 20 cm	€ 2.10

Protection Devices

rack® system

www.racksystem.it

EN 1869 – 1997 CERTIFIED FIRE BLANKETS

Yellow fibreglass blanket impregnated with patented PALTREX ® antifire compound. They are stored in a range of various containers and come with an instruction booklet with easy to understand illustrations, and have devices to ensure quick and easy extraction.
All models of the containers have an eyelet so they can be hung on the wall, preventing contact with the blanket.
The flame retardant blankets have passed all requirements and are certified by CSI based on recent European standards EN 1869 – 1997.

ANTIALLERGENIC

FIRE BLANKETS SUPPLIED IN TUBE PACK

Barcode	Code	Description	Price
8 032621 837361	CT9090	Fire blanket, 90 x 90 cm, supplied in red stiff tube pack	€ 25.30
8 032621 837378	CT1218	Fire blanket, 120 x 180 cm, supplied in red stiff tube pack	€ 37.50
8 032621 837385	CT1818	Fire blanket, 180 x 180 cm, supplied in red stiff tube pack	€ 50.70

PALTREX® antifire compound impregnated

MADE IN ITALY
Rack System production

FIRE BLANKETS SUPPLIED IN STIFF RECTANGULAR CASE

Barcode	Code	Description	Price
8 032621 837392	CC9090/R	Fire blanket, 90 x 90 cm, supplied in red stiff rectangular case	€ 25.30
8 032621 837408	CC1218/R	Fire blanket, 120 x 180 cm, supplied in red stiff rectangular case	€ 37.50

PALTREX® antifire compound impregnated

MADE IN ITALY
Rack System production

PALTREX® antifire compound impregnated

MADE IN ITALY
Rack System production

FIRE BLANKETS SUPPLIED IN SOFT BAG

Barcode	Code	Description	Price
8 032621 837415	CM9090	Flame blanket, 90 x 90 cm supplied in soft red bag	€ 23.90
8 032621 837422	CM1218	Fire blanket, 120 x 180 cm, supplied in soft red bag	€ 35.50
8 032621 837439	CM1818	Fire blanket, 180 x 180 cm, supplied in soft red bag	€ 45.90

WELDING BLANKET

Black blanket made of flame retardant fibreglass blanket impregnated with patented PALTREX ® antifire compound. All models come with soft storage bags equipped with eyelets so they can be hung on the wall, preventing contact with the blanket.

Barcode	Code	Description	Price
8 032621 837446	CS1218	Welding blanket flame retardant, 120 x 120 cm	€ 63.30
8 032621 837453	CS1818	Welding blanket flame retardant, 180 x 120 cm	€ 85.50

Note: new red bags with multilingual print

IMPORT BLANKET EN 1869-1997 CERT.

Barcode	Code	Description	Price
8 032621 837309	CI1212	Fire blanket 120 x120 cm in nylon bag	€ 26.60
8 032621 837316	CI1218	Fire blanket 120 x180 cm in nylon bag	€ 32.70
8 032621 837323	CI1818	Fire blanket 80 x180 cm in nylon bag	€ 44.70

Subject to availability.

SAFETY HELMETS

Made of polyethylene, available in white, yellow, orange, red, green, and blue. Certified in accordance with European Standard EN 397 CE

Barcode	Code	Description	Price
8 032621 837477	EPSTD	Standard helmet	€ 12.40
8 032621 837484	EPSSG	Elastic chinstrap	€ 3.00
8 032621 837491	EPSCV	Helmet cover with integrated face shield in compliance with standard EN 166	€ 14.10
8 032621 837507	EPSSP	Colourless polycarbonate safety screen in compliance with EN 166	€ 19.80

FIREFIGHTER'S AXE

"DIN 14294" type firefighter's axe with rubberized steel handle equipped with leather holder.

Barcode	Code	Description	Price
8 032621 837583	PIVV	Firefighter's axe	€ 81.70

KEVLAR ROPES

Equipped with 10 mm diameter eyelet, 20 m long, made in flame retardant Kevlar.

Barcode	Code	Description	Price
8 032621 837682	FUNKV	Kevlar service rope	€ 325.20

HIGH TENACITY SERVICE ROPE

Diameter: 10 mm Length: 20 m. Made of high tenacity material

Barcode	Code	Description	Price
8 032621 837699	FUNSTD	STD service rope	€ 124.70

SAVE LIFE VEST

High visibility safety vest equipped with 2 horizontal retro-reflecting stripes CE certified, in compliance with standard UNI ENI 471.

Barcode	Code	Description	Price
8 032621 837705	SLV	Safety vest	€ 20.90

Signage

rack® system

www.racksystem.it

SIGNAGE

Fire safety and prevention information and instructions must be provided by preparing written notices that convey the action that must be taken in the event of an alarm or fire.
Floor plans must accompany these instructions, indicating the escape routes, the fire equipment and safety devices.

PLASTOFOIL N SERIES (NORMAL)

Wall mount or double face.



Size	Price
15x15	€ 0.58
20X15	€ 0.71
24X24	€ 1.00
27X24	€ 1.20
30X24	€ 1.30

Size 15x15

1579010 1579020 1579030 1579040

Size 24x24

1581010 1581020 1581030 1581070

Size 20x15

1580010 1580020 1580030 1581040

Size 27x24

1582010 1582020 1582030

Size 30x24

1583010 1583020 1583030 1583080 1583070

Size 24x24

1581040 1581050 1581060

Size 30x24

1583040 1583050 1583060

HOW TO ORDER THESE SIGNS

1) Enter PLA followed by the numeric code of the symbol desired
2) Application P= WALL or B = DOUBLE FACE

EXAMPLE: to place an order for a **24x24 wall mount** sign with the extinguisher **pictogram**, enter code: **PLA1581010P**

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

ALUMINIUM N SERIES (NORMAL)

Wall mount or double face.

Size	Price
15x15	€ 1.53
20X15	€ 1.76
24X24	€ 2.00
27X24	€ 2.24
30X24	€ 2.47

Size 15x15

8203010 8203020 8203030 8203040

Size 24x24



8205010 8205020 8205030 8205070

Size 20x15

8204010 8204020 8204030 8204040

Size 27x24

8207010 8207020 8207030

Size 30x24



8208010 8208020 8208030 8208080 8208070

Size 24x24

8205040 8205050 8205060

Size 30x24

8208040 8208050 8208060

HOW TO ORDER THESE SIGNS

1) Enter ALL followed by the numeric code of the symbol desired
2) Application P= WALL or B = DOUBLE FACE

EXAMPLE: to place an order for a **24x24 wall mount** sign with the extinguisher pictogram, enter code: **ALL8205010P**

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

N SERIES (NORMAL)

Made of METHACRYLATE, 3 mm thick, wall mount or flag-mount, satin finish or transparent.

Size	Price
12x12	€ 20.92
16x16	€ 26.18
20x20	€ 31.45





001

002


003

004

005

006

007

008

009

010


011

012

013

014

015

016

017

018

019

020

021

HOW TO ORDER THESE SIGNS

1) Enter Code = N (normal)
2) Size = 1212 or 1616 or 2020
3) Finish= S (satin finish) or T (transparent)
4) Application = P (wall mount) or B (flag mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE

To place an order for a **16x16**, **transparent**, **wall mount** sign with a **silver** base and the extinguisher **pictogram**, enter code: **N1616TP2-001**

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

F SERIES (PHOTOLUMINESCENT)

Made of METHACRYLATE , 3 mm thick, wall mount or flag mount, satin finish or transparent.

Size	Price
12x12	€ 37.44
16x16	€ 46.86
20x20	€ 56.29





001 002 003 004 005 006 007



008 009 010 011 012 013 014

015 016 017 018 019 020 021

HOW TO ORDER THESE SIGNS

1) Enter Code = F (Photoluminescent)
2) Size = 1212 or 1616 or 2020
3) Finish= S (satin finish) or T (transparent)
4) Application = P (wall mount) or B (flag mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE

to place an order for a **16x16**, **transparent**, **wall mount** sign with a **silver** base and the extinguisher **pictogram**, enter code:
F1616TP2-001

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

**PLEASE NOTE:
NO RETURNS ACCEPTED
ON SIGNS**

PLEX N SERIES (NORMAL)

Made of METHACRYLATE, 3 mm thick, wall mount, satin finish or transparent.

Size	Price
30x15	€ 33.00







022



023



024



025



026



027

028

029

030

HOW TO ORDER THESE SIGNS

1) Enter Code = N (normal)
2) Size = 3015
3) Finish= S (satin finish) or T (transparent)
4) Application = P (wall mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE
to place an order for a **30 X 15 wall mount** sign with a **silver** base and the fire exit arrow down **pictogram**, enter code: **N3015TP2-022**

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

**PLEASE NOTE:
NO RETURNS ACCEPTED
ON SIGNS**

PLEX F SERIES (PHOTOLUMINESCENT)

Made of METHACRYLATE, 3 mm thick, wall mount, satin finish or transparent.

Size	Price
30x15	€ 58.90







022



023



024



025



026



027



028



029

030

HOW TO ORDER THESE SIGNS

1) Enter Code = F (Photoluminescent)
2) Size = 3015
3) Finish= S (satin finish) or T (transparent)
4) Application = P (wall mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE

to place an order for a **30x15 wall mount**, **transparent** sign with a **silver** base and the fire exit arrow down **pictogram**, enter code: **F3015TP2-022**

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

PLEX PRESIDENT N SERIES (NORMAL)

Made of METHACRYLATE, 10 mm thick, wall mount, transparent.

Size	Price
12x12	€ 51.32
16x16	€ 67.37

001

002


003

004

005

006

007

008

009

010


011

012

013

014

015

016

017

018

019

020

021

HOW TO ORDER THESE SIGNS

1) Enter Code = PN (normal)
2) Size = 1212 or 1616
3) Finish = T (transparent)
4) Application = P (wall mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE
to place an order for a **16x16 wall mount**, **transparent** sign with a **silver** base and the extinguisher **pictogram**, enter code: **PN1616TP2-001**

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

PLEX PRESIDENT F SERIES (PHOTOLUMINESCENT)

Made of METHACRYLATE, 10 mm thick, wall mount, transparent.

Size	Price
12x12	€ 91.84
16x16	€ 120.57

001 002 003 004 005 006 007



008 009 010 011 012 013 014

015 016 017 018 019 020 021

HOW TO ORDER THESE SIGNS

1) Indicate Code = PF (normal)
2) Size = 1212 or 1616
3) Finish = T (transparent)
4) Application = P (wall mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE
to place an order for a **16x16 wall mount**, **transparent** sign with a **silver** base and the extinguisher **pictogram**, enter code: **PF1616TP2-001**

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

PLEX SUPERIOR N SERIES (NORMAL)

Made of METHACRYLATE, 3 mm thick, wall mount, contoured.

Size	Price
15x15	€ 27.50

001 002 003 004 005 006 007

008 009 010 011 012 013 014

015 016 017 018 019 020 021

HOW TO ORDER THESE SIGNS

1) Enter Code = SN (normal)
2) Size = 1515
3) Finish = T (transparent)
4) Application = P (wall mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

EXAMPLE
to place an order for a **15x15 wall mount**, **transparent** sign with a **silver** base and the extinguisher **pictogram**, enter code: **SN1515TP2-001**

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

PLEX SUPERIOR F SERIES (PHOTOLUMINESCENT)

Made of METHACRYLATE, 3 mm thick, wall mount, contoured.

Size	Price
15x15	€ 49.10

001 002 003 004 005 006 007



008 009 010 011 012 013 014

015 016 017 018 019 020 021

HOW TO ORDER THESE SIGNS

1) Enter Code = SF (normal)
2) Size = 1515
3) Finish = T (transparent)
4) Application = P (wall mount)
5) Base = 1 - 2 - 3 - 4 - 5*
6) Pictogram code

* Metal base = 1 Chrome - 2 Silver - 3 Gold - 4 Satin-finished gold - 5 Gunbarrel grey

EXAMPLE
to place an order for a **15x15 wall mount**, **transparent** sign with a **silver** base and the extinguisher **pictogram**, enter code: **SF1515TP2-001**

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

PLATINUM N SERIES (NORMAL)

Made of CONTOURED ALUMINIUM, wall mount.

Wall mount fixings: 1 - double-sided tape and Tacatütt adhesive in the center
2 - screws and plugs

Size	Price
11x11	€ 19.00
11x15	€ 22.00
15x15	€ 35.00
15x20	€ 40.00

001

002


003

004

005

006

007

008

009

010


011

012

013

014

015

016

017

018

019

020

021

HOW TO ORDER THESE SIGNS

1) Enter Code = PLN (normal)
2) Size = 1515
3) Plugs = 1 (black) - 2 (chromed)* -3 (red)
4 (silver) – 5 (green)
6) Pictogram code

EXAMPLE
to place an order for a **15x15** sign with **chromed plugs** and the extinguisher **pictogram**, enter code: **PLN15152-001**

* Version with chromed plugs 2,00 € extra.

**PLEASE NOTE:
NO RETURNS ACCEPTED
ON SIGNS**

PLATINUM F SERIES (PHOTOLUMINESCENT)

Made of CONTOURED ALUMINIUM, wall mount.

Wall mount fixings: 1 - double-sided tape and Tacatütt adhesive in the center
2 - screws and plugs

Size	Price
11x11	€ 39.00
11x15	€ 42.00
15x15	€ 55.00
15x20	€ 60.00

001

002

003

004

005

006

007

008

009

010


011

012

013

014

015

016

017

018

019

020


021

HOW TO ORDER THESE SIGNS

1) Enter code = PLF (photoluminescent)
2) Size = 1515
3) Plugs = 1 (black) - 2 (chromed)* -3 (red)
4 (silver) - 5 (green)
6) Pictogram code

EXAMPLE
to place an order for a **15x15** sign with **chromed plugs** and the extinguisher **pictogram**, enter code: **PLF15152-001**

* Version with chromed plugs 2,00 € extra.

**PLEASE NOTE:
NO RETURNS ACCEPTED
ON SIGNS**

PLATINUM N SERIES (NORMAL)

Made of CONTOURED ALUMINIUM, wall mount.

Wall mount fixings: 1 - double-sided tape and Tacatütt adhesive in the center
2 - screws and plugs

Size	Price
30x15	€ 60.00



022



023



024



025



026



027



028

029

030

HOW TO ORDER THESE SIGNS

1) Enter Code = PLN (normal)
2) Size = 3015
3) Plugs = 1 (black) - 2 (chromed)* -3 (red)
4 (silver) - 5 (green)
6) Pictogram code

EXAMPLE
to place an order for a **30x15** sign with **silver plugs** and the exit arrow down **pictogram**, enter code: **PLN30154-022**

PLEASE NOTE:
NO RETURNS ACCEPTED ON SIGNS

PLATINUM F SERIES (PHOTOLUMINESCENT)

Made of CONTOURED ALUMINIUM, wall mount.

Wall mount fixings: 1 - double-sided tape and Tacatütt adhesive in the center
2 - screws and plugs

Size	Price
30x15	**€ 90.00**



022



023



024



025



026



027



028



029

030

HOW TO ORDER THESE SIGNS

1) Enter Code = PLF (normal)
2) Size = 3015
3) Plugs = 1 (black) - 2 (chromed)* -3 (red)
4 (silver) - 5 (green)
6) Pictogram code

EXAMPLE
to place an order for a **30x15** sign with **silver plugs** and the exit arrow down **pictogram**, enter code: **PLF30154-022**

**PLEASE NOTE:
NO RETURNS ACCEPTED
ON SIGNS**

CE Systems
UNI70 Units

rack® system

www.racksystem.it

SYSTEM PK 45

Fixed fire extinguishing system equipped with fire hose, CE mark n.CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1- PK 45 box made of red Blindo Light plastic material COD. 0683
2,3 - Plugs and accessories
4- Instruction manual
5 - Safe Crash Blindo Light Sheet with pictograms, 330 x 405 mm
6 - Single face fire hydrant sign COD. PLA1582020
7 - DN45 PN16 Hydrant valve COD. 9488
8,12 - Check Point COD. 8696
9 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
10- Box door
11 - Numbered seal COD. 1581
13 - Red hose cradle – red COD. 1628
14 - UNI45 Fire hose nozzle – Goldfinger COD. 2120 (subject to availability)
15 - UNI45 Fire hose nozzle – Compact-I COD. 4933
16 - UNI45 Fire hose nozzle – Goldfinger S - brass COD. 7224
17 - UNI45 Fire hose nozzle – Goldfinger S-robrax COD. 9976
18 - UNI45 Fire hose nozzle – Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.



SYSTEM PK 45

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 838559 **€ 160.90**	8 032621 833011 -SOT **€ 184.50**	8 032621 833011 -SRBX **€ 178.10**	8 055118550017 **€ 188.00**
20 MT	8 032621 838542 **€ 172.60**	8 032621 833028 -SOT **€ 196.20**	8 032621 833028 -SRBX **€ 190.00**	8 055118550024 **€ 210.00**
25 MT	8 032621 839655 **€ 185.40**	8 032621 833035 -SOT **€ 208.80**	8 032621 833035 -SRBX **€ 202.80**	8 055118550031 **€ 223.00**
30 MT	8 032621 839662 **€ 199.70**	8 032621 839648 -SOT **€ 223.40**	8 032621 839648 -SRBX **€ 217.50**	8 055118550048 **€ 238.00**

Arrangement with GOT45 available on request.

SYSTEM PK 45 INK

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:

1- PK 45 recessed box made of red Blindo Light plastic material with built-in hose cradle COD. 1116
2,4,5 - Plugs and accessories
3,12 - Normokit Frame COD. 1215
6 - Safe Crash Blindo Light Sheet with pictograms, 330 x 405 mm
7- Instruction manual
8 - Single face fire hydrant sign COD. PLA1582020
9 - DN45 PN16 Hydrant valve COD. 9488
10,16 - Check Point COD. 8696
11 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
13 - Numbered seal COD. 1581
14 - UNI45 Fire hose nozzle Goldfinger COD. 2120 (subject to availability)
15 - UNI45 Fire hose nozzle - Compact-I COD. 4933
17 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
18 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
19 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

"**Quick change**" detail (patented)

N°1 check point and N°1 sign included in price.



SYSTEM PK 45 INK

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 838573 **€ 158.10**	8 032621 832953 -SOT **€ 181.70**	8 032621 832953 -SRBX **€ 175.30**	8 055118550055 **€ 195.00**
20 MT	8 032621 838566 **€ 172.60**	8 032621 832960 -SOT **€ 193.50**	8 032621 832960 -SRBX **€ 187.20**	8 055118550062 **€ 207.00**
25 MT	8 032621 839686 **€ 182.70**	8 032621 832977 -SOT **€ 206.20**	8 032621 832977 -SRBX **€ 200.10**	8 055118550079 **€ 220.00**
30 MT	8 032621 839693 **€ 197.10**	8 032621 839679 -SOT **€ 220.70**	8 032621 839679 -SRBX **€ 214.80**	8 055118550086 **€ 235.00**

Arrangement with GOT45 available on request.

CE

rack system®

3 patents for industrial inventions all in one product

OUTDOOR

Quick change solution 1

Side connection (external hose position)

Quick change solution 2

Bottom connection (internal hose position)



Quick change parts

1 - Side panel with cover flange

2 - Cradle

Q.C. Base

RECESSED



- Polyurethane foam to fill, if required, the wall opening.

SYSTEM PK 45 N

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:

1,8 - Built-in Normokit frame made of red Blindo Light plastic material for recessed box UNI 45 with built-in hose cradle COD. 1215
2,4,5 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms, 330 x 405 mm
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
9 - DN45 PN16 Hydrant valve COD. 9488
10,15 - Check Point COD. 8696
11 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
12 - Numbered seal COD. 1581
13 - UNI45 Fire hose nozzle Goldfinger COD. 2120 (subject to availability)
14 - UNI45 Fire hose nozzle - Compact-I COD. 4933
16 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
17 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
18 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

Dimensions: 490 x 610 x 20 mm



N°1 check point and N°1 sign included in price.

SYSTEM PK 45 N

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 838597 **€ 158.60**	8 032621 838672 -SOT **€ 166.20**	8 032621 838672 -SRBX **€ 159.70**	8 055118550093 **€ 180.00**
20 MT	8 032621 838580 **€ 171.50**	8 032621 838665 -SOT **€ 178.10**	8 032621 838665 -SRBX **€ 171.70**	8 055118550109 **€ 192.00**
25 MT	8 032621 839860 **€ 185.70**	8 032621 839846 -SOT **€ 190.70**	8 032621 839846 -SRBX **€ 184.40**	8 055118550116 **€ 205.00**
30 MT	8 032621 839877 **€ 201.80**	8 032621 839853 -SOT **€ 205.20**	8 032621 839853 -SRBX **€ 199.10**	8 055118550123 **€ 220.00**

Arrangement with GOT45 available on request.

SYSTEM TESTA ROSSA NEW EXPO2015

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1- Testa Rossa New EXPO2015 box made of red sheet metal
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
8 – DN45 PN16 Hydrant valve COD. 9488
9,14 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD. 8627
11 - Blind door for Testa Rossa EXPO20115 box Mod. EXPO45RF
12 - Testa Rossa EXPO2015 box door
13 - Numbered seal COD. 1581
15 - Red hose cradle – red COD. 1635
16 - UNI45 Fire hose nozzle - Goldfinger GOT45 COD. 2120
17 - UNI45 Fire hose nozzle - Compact-I COD. 4933
18 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
19 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
20 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.



SYSTEM TESTA ROSSA NEW EXPO2015

DN 45				
PN 16	12 mm	12 mm	12 mm	12 mm
15 MT	8 032621 835596 € 156.90	8 032621 835633 € 184.20	8 032621 835671 € 176.60	8 055118550130 € 196.00
20 MT	8 032621 835602 € 169.40	8 032621 835640 € 196.50	8 032621 835688 € 189.10	8 055118550147 € 208.00
25 MT	8 032621 83561 € 184.20	8 032621 835657 € 211.20	8 032621 835695 € 203.90	8 055118550154 € 223.00
30 MT	8 032621 835626 € 200.80	8 032621 835664 € 227.90	8 032621 835701 € 220.70	8 055118550161 € 239.00

Arrangement with GOT45 available on request.



SYSTEM TESTA ROSSA NEW EXPO2015 RF

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:

1- Testa Rossa New EXPO2015 box made of red sheet metal
2,3,4 - Plugs and accessories
5 - Safe Crash Sheet for Mod. EXP045
6- Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,14 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11- Testa Rossa EXPO2015RF blind door
12 - Testa Rossa EXPO2015 box door
13 - Numbered seal COD. 1581
15 - Red hose cradle COD. 1635
14 - UNI45 Fire hose nozzle - Goldfinger GOT45 COD. 2120
17 - UNI45 Fire hose nozzle - Compact-I COD. 4933
18 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
19 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
20 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.

SYSTEM TESTA ROSSA NEW EXPO2015 RF

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 835718 **€ 156.90**	8 032621 835916 **€ 184.20**	8 032621 836098 **€ 176.60**	8 055118550178 **€ 196.00**
20 MT	8 032621 835725 **€ 169.40**	8 032621 835947 **€ 196.50**	8 032621 836739 **€ 189.10**	8 055118550185 **€ 208.00**
25 MT	8 032621 835732 **€ 184.20**	8 032621 835954 **€ 211.20**	8 032621 836746 **€ 203.90**	8 055118550192 **€ 223.00**
30 MT	8 032621 835909 **€ 200.80**	8 032621 835961 **€ 227.90**	8 032621 836753 **€ 220.70**	8 055118550208 **€ 239.00**

Arrangement with GOT45 available on request.

SYSTEM TESTA ROSSA NEW EXPO2015 X

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1- Testa Rossa New EXPO2015 stainless steel box
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,14 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - Testa Rossa EXPO2015 box blind door
12 - Testa Rossa EXPO2015 stainless steel box door
13 - Numbered seal COD. 1581
15 - Red hose cradle COD. 1635
14 - UNI45 Fire hose nozzle - Goldfinger GOT45 COD. 2120
17 - UNI45 Fire hose nozzle - Compact-I COD. 4933
18 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
19 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
20 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.



N°1 check point and N°1 sign included in price.

SYSTEM TESTA ROSSA NEW EXPO2015 X

DN 45				
PN 16	12 mm	12 mm	12 mm	12 mm
15 MT	8 032621 836784 € 227.40	8 032621 836852 € 254.80	8 032621 836999 € 248.00	8 055118550215 € 267.00
20 MT	8 032621 836791 € 240.00	8 032621 836869 € 267.20	8 032621 837019 € 260.50	8 055118550222 € 279.00
25 MT	8 032621 836807 € 254.80	8 032621 836876 € 281.80	8 032621 837064 € 275.40	8 055118550239 € 294.00
30 MT	8 032621 836814 € 271.40	8 032621 836883 € 296.20	8 032621 837101 € 292.10	8 055118550246 € 312.00

Arrangement with GOT45 available on request.



SYSTEM TESTA ROSSA NEW EXPO2015 XRF

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:

1 - Testa Rossa New EXPO2015 stainless steel box
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,14 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - Testa Rossa EXPO2015RF blind door
12 - Testa Rossa EXPO2015 Stainless steel box door
13 - Numbered seal COD. 1581
15 - Red hose cradle COD. 1635
14 - UNI45 Fire hose nozzle - Goldfinger GOT45 COD. 2120
17 - UNI45 Fire hose nozzle - Compact-I COD. 4933
18 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
19 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
20 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.

SYSTEM TESTA ROSSA NEW EXPO2015 XRF

DN 45				
PN 16	12 mm	12 mm	12 mm	12 mm
15 MT	8 032621 838726 € 227.40	8 032621 837194 € 254.80	8 032621 837545 € 248.00	8 055118550253 € 267.00
20 MT	8 032621 838733 € 240.00	8 032621 837330 € 267.20	8 032621 837552 € 260.50	8 055118550260 € 279.00
25 MT	8 032621 837248 € 254.80	8 032621 837347 € 281.80	8 032621 837569 € 275.40	8 055118550277 € 294.00
30 MT	8 032621 837255 € 271.40	8 032621 837354 € 296.20	8 032621 837576 € 292.10	8 055118550284 € 312.00

Arrangement with GOT45 available on request.

SYSTEM TESTA ROSSA NEW EDITION SLIM (subject to availability)

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1- Testa Rossa New EXPO2015 SLIM Edition box in red sheet metal COD. 8252
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms, 330 x 535 mm
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,13 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - Testa Rossa EXPO2015 box SLIM Edition
12 - Numbered seal COD. 1581
14 - Red hose cradle COD. 1635
15 - UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
16 - UNI45 Fire hose nozzle - Compact-I COD. 4933
17 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
18 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
15 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.



SYSTEM TESTAROSSA NEW EDITION SLIM

DN 45				
PN 16	12 mm	12 mm	12 mm	12 mm
15 MT	8 032621 839471 € 146.90	8 032621 839457 -SOT € 171.80	8 032621 839457 -SRBX € 164.90	8 055118550291 € 184.00
20 MT	8 032621 839464 € 158.40	8 032621 839440 -SOT € 183.10	8 032621 839440 -SRBX € 176.30	8 055118550307 € 196.00
25 MT	8 032621 839563 € 171.80	8 032621 839549 -SOT € 196.50	8 032621 839549 -SRBX € 189.90	8 055118550314 € 209.00
30 MT	8 032621 839570 € 187.00	8 032621 839556 -SOT € 211.70	8 032621 839556 -SRBX € 205.20	8 055118550321 € 224.00

Arrangement with GOT45 available on request.

SYSTEM TESTA ROSSA NEW EDITION SLIM CR INK

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:

1- Quick change recessed Testa Rossa New SLIM Edition box made of plastic with built-in hose cradle COD. 9631
2 - Single face fire hydrant sign COD. PLA1582020
3 - Safe Crash Blindo Light Sheet with pictograms 330 x 535 mm
4 - Instruction manual
5,10 - Check Point COD. 8696
6 - Testa Rossa New SLIM Edition box door
7 - Numbered seal COD. 1581
8 - DN45 PN16 Hydrant valve COD. 9488
9 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
12 - UNI45 Fire hose nozzle - Compact-I COD. 4933
13 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
14 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
15 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.



Quick change detail

N°1 check point and N°1 sign included in price.

SYSTEM TESTAROSSA NEW EDITION SLIM RECESSED CR

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 839525 **€ 145.20**	8 032621 839532 -SOT **€ 169.80**	8 032621 839532 -SRBX **€ 162.90**	8 055118550338 **€ 182.00**
20 MT	8 032621 839518 **€ 156.50**	8 032621 839501 -SOT **€ 181.30**	8 032621 839501 -SRBX **€ 174.40**	8 055118550345 **€ 194.00**
25 MT	8 032621 839617 **€ 169.80**	8 032621 839594 -SOT **€ 194.70**	8 032621 839594 -SRBX **€ 188.00**	8 055118550352 **€ 208.00**
30 MT	8 032621 839624 **€ 185.10**	8 032621 839600 -SOT **€ 209.70**	8 032621 839600 -SRBX **€ 203.20**	8 055118550369 **€ 223.00**

Arrangement with GOT45 available on request.

SYSTEM TSA 45 X (subject to availability)

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1 - Testa Rossa Super Stainless Steel Box COD. 8382
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms 330 x 535 mm
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,13 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - Testa Rossa Stainless steel box door
12 - Numbered seal COD. 1581
14 - Red hose cradle COD. 1635
15 - UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
16 - UNI45 Fire hose nozzle - Compact-I COD. 4933
17 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
18 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
19 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.



SYSTEM TESTAROSSA INOX NEW EDITION SLIM

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 838443 **€ 216.00**	8 032621 838658 -SOT **€ 241.00**	8 032621 838658 -SRBX **€ 234.80**	8 055118550376 **€ 254.00**
20 MT	8 032621 838436 **€ 227.60**	8 032621 838641 -SOT **€ 252.40**	8 032621 838641 -SRBX **€ 246.30**	8 055118550383 **€ 265.00**
25 MT	8 032621 839891 **€ 241.00**	8 032621 839969 -SOT **€ 265.70**	8 032621 839969 -SRBX **€ 259.80**	8 055118550390 **€ 279.00**
30 MT	8 032621 839907 **€ 256.20**	8 032621 839884 -SOT **€ 280.90**	8 032621 839884 -SRBX **€ 275.10**	8 055118550406 **€ 295.00**

Arrangement with GOT45 available on request.

SYSTEM TAURUS MIDIUM 45 INK

Fixed fire extinguishing system equipped with fire hose,
CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1 - Red sheet metal box mod. Taurus Midium COD. 9938
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms, 258 x 355 mm
6 - Installation manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,14 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - Blind door for System Taurus Midium 45 INK RF
12 - Taurus Midium recessed box door
13 - Numbered seal COD. 1581
15 - Red hose cradle COD. 1635
16 - UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
17 - UNI45 Fire hose nozzle - Compact-I COD. 4933
18 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
19 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
20 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.



N°1 check point and N°1 sign included in price.

SYSTEM TAURUS MIDIUM INK

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 839075 **€ 193.90**	8 032621 839051 -SOT **€ 221.50**	8 032621 839051 -SRBX **€ 212.40**	8 055118550413 **€ 222.00**
20 MT	8 032621 839068 **€ 207.70**	8 032621 839044 -SOT **€ 235.10**	8 032621 839044 -SRBX **€ 226.00**	8 055118550420 **€ 245.00**
25 MT	8 032621 839808 **€ 222.40**	8 032621 839785 -SOT **€ 249.90**	8 032621 839785 -SRBX **€ 240.80**	8 055118550437 **€ 260.00**
30 MT	8 032621 839815 **€ 239.40**	8 032621 839792 -SOT **€ 266.80**	8 032621 839792 -SRBX **€ 257.70**	8 055118550444 **€ 277.00**

Arrangement with GOT45 available on request.

SYSTEM TAURUS MIDIUM 45 INK RF

Fixed fire extinguishing system equipped with fire hose, with CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
1 - Red sheet metal box mod. Taurus Midium COD. 9952
2,3,4 - Plugs and accessories
5 - Safe Crash Blindo Light Sheet with pictograms 258 x 355 mm System Taurus Midium 45 Ink version COD. 0348
6 - Installation manual
7 - Single face fire hydrant sign COD. PLA1582020
8 - DN45 PN16 Hydrant valve COD. 9488
9,14 - Check Point COD. 8696
10 - DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
11 - Blind door
12 - Taurus Midium recessed box door
13 - Numbered seal COD. 1581
15 - Red hose cradle COD. 1635
16 - UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
17 - UNI45 Fire hose nozzle - Compact-I COD. 4933
18 - UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
19 - UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
20 - UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

Dimensions: 490 x 498 x 195 mm



N°1 check point and N°1 sign included in price.

SYSTEM TAURUS MIDIUM 45 INK RF

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 835893 **€ 193.90**	8 032621 835855 -SOT **€ 221.50**	8 032621 835855 -SRBX **€ 212.40**	8 055118550451 **€ 222.00**
20 MT	8 032621 835886 **€ 207.70**	8 032621 835848 -SOT **€ 235.10**	8 032621 835848 -SRBX **€ 226.00**	8 055118550468 **€ 245.00**
25 MT	8 032621 837514 **€ 222.40**	8 032621 835862 -SOT **€ 249.90**	8 032621 835862 -SRBX **€ 240.80**	8 055118550475 **€ 260.00**
30 MT	8 032621 837521 **€ 239.40**	8 032621 835879 -SOT **€ 266.80**	8 032621 835879 -SRBX **€ 257.70**	8 055118550482 **€ 277.00**

Arrangement with GOT45 available on request.

SYSTEM TAURUS MIDIUM PE C

Dimensions: 690 x 690 x 185 mm

Fixed fire extinguishing system equipped with fire hose, with CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
- Wall mount/outdoor red sheet metal box mod. Taurus Midium with extinguisher compartment
- Plugs and accessories
- Safe Crash Blindo Light Sheet with pictograms
- Installation manual
- Single face fire hydrant sign COD. PLA1582020
- DN45 PN16 Hydrant valve COD. 9488
- Check Point COD. 8696
- DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
- Blind door for (System Taurus Midium 45 F) PE version
- Numbered seal COD. 1581
- Red hose cradle COD. 1635
- UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
- UNI45 Fire hose nozzle - Compact-I COD. 4933
- UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
- UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
- UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.



N°1 check point and N°1 sign included in price.

SYSTEM TAURUS MIDIUM PE 45

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 839037 -PE **€ 274.00**	8 032621 839013 -PE-SOT **€ 299.00**	8 032621 839013 -PE-SRBX **€ 288.00**	8 055118550499 **€ 308.00**
20 MT	8 032621 839020 -PE **€ 286.00**	8 032621 839006 -PE-SOT **€ 310.00**	8 032621 839006 -PE-SRBX **€ 302.00**	8 055118550505 **€ 322.00**
25 MT	8 032621 839723 -PE **€ 302.00**	8 032621 839709 -PE-SOT **€ 326.00**	8 032621 839709 -PE-SRBX **€ 317.00**	8 055118550512 **€ 337.00**
30 MT	8 032621 839730 -PE **€ 317.00**	8 032621 839716 -PE-SOT **€ 342.00**	8 032621 839716 -PE-SRBX **€ 332.00**	8 055118550529 **€ 352.00**

Arrangement with GOT45 available on request.

SYSTEM TAURUS MIDIUM PE CINK

Fixed fire extinguishing system equipped with fire hose, with CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
- Red sheet metal box mod. Taurus Midium with PE compartment
- Plugs and accessories
- Safe Crash Blindo Light Sheet with pictograms
- Installation manual
- Single face fire hydrant sign COD. PLA1582020
- DN45 PN16 Hydrant valve COD. 9488
- Check Point COD. 8696
- DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
- Taurus Midium 45 INK RF PE System blind door
- Numbered seal COD. 1581
- Red hose cradle COD. 1635
- UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
- UNI45 Fire hose nozzle - Compact-I COD. 4933
- UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
- UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
- UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

Dimensions: 700 x 670 x 185 mm



N°1 check point and N°1 sign included in price.

SYSTEM TAURUS MIDIUM PE 45 INK

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 839075 -PE **€ 274.00**	8 032621 839051 -PE-SOT **€ 299.00**	8 032621 839051 -PE-SRBX **€ 288.00**	8 055118550536 **€ 308.00**
20 MT	8 032621 839068 -PE **€ 286.00**	8 032621 839044 -PE-SOT **€ 310.00**	8 032621 839044 -PE-SRBX **€ 302.00**	8 055118550543 **€ 322.00**
25 MT	8 032621 839708 -PE **€ 302.00**	8 032621 839785 -PE-SOT **€ 326.00**	8 032621 839785 -PE-SRBX **€ 317.00**	8 055118550550 **€ 337.00**
30 MT	8 032621 839715 -PE **€ 317.00**	8 032621 839792 -PE-SOT **€ 342.00**	8 032621 839792 -PE-SRBX **€ 332.00**	8 055118550567 **€ 352.00**

Arrangement with GOT45 available on request.

SYSTEM CINK



Dimensions: 355 x 565 x 150 mm



Fixed fire extinguishing system equipped with fire hose, CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
- Grey sheet metal recessed box COD. 1000
- Plugs and accessories
- Safe Crash Blindo Light Sheet with pictograms 330 x 530 mm
- Installation manual
- Single face fire hydrant sign COD. PLA1582020
- DN45 PN16 Hydrant valve COD. 9488
- Check Point COD. 8696
- DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
- Aluminium frame for box
- Safety clip
- Red hose cradle COD. 1635
- UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
- UNI45 Fire hose nozzle - Compact-I COD. 4933
- UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
- UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
- UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.

SYSTEM CINK

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 835800 **€ 137.10**	8 032621 835763 -SOT **€ 160.40**	8 032621 835763 -SRBX **€ 155.90**	8 055118550574 **€ 175.00**
20 MT	8 032621 835817 **€ 147.80**	8 032621 835770 -SOT **€ 171.20**	8 032621 835770 -SRBX **€ 166.90**	8 055118550581 **€ 186.00**
25 MT	8 032621 835824 **€ 160.40**	8 032621 835787 -SOT **€ 183.90**	8 032621 835787 -SRBX **€ 179.90**	8 055118550598 **€ 199.00**
30 MT	8 032621 835831 **€ 174.80**	8 032621 835794 -SOT **€ 198.10**	8 032621 835794 -SRBX **€ 194.40**	8 055118550604 **€ 204.00**

Arrangement with GOT45 available on request.

SYSTEM CL45

Fixed fire extinguishing system equipped with fire hose, with CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
- Painted sheet metal external box COD. 0980
- Plugs and accessories
- Safe Crash Blindo Light Sheet with pictograms 292x495 mm
- Installation manual
- Single face fire hydrant sign COD. PLA1582020
- DN45 PN16 Hydrant valve COD. 9488
- Check Point COD. 8696
- DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
- Aluminium frame for box
- Safety clip
- Red hose cradle COD. 1635
- UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
- UNI45 Fire hose nozzle - Compact-I COD. 4933
- UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
- UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
- UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

Dimensions: 370 x 610 x 195 mm



N°1 check point and N°1 sign included in price.

SYSTEM CL

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 832687 **€ 177.70**	8 032621 832564 -SOT **€ 204.40**	8 032621 832564 -SRBX **€ 204.20**	8 055118550611 **€ 219.00**
20 MT	8 032621 832694 **€ 190.40**	8 032621 832656 -SOT **€ 217.10**	8 032621 832656 -SRBX **€ 212.70**	8 055118550628 **€ 232.00**
25 MT	8 032621 832700 **€ 205.30**	8 032621 832663 -SOT **€ 232.00**	8 032621 832663 -SRBX **€ 227.60**	8 055118550635 **€ 247.00**
30 MT	8 032621 832717 **€ 222.20**	8 032621 832670 -SOT **€ 248.80**	8 032621 832670 -SRBX **€ 244.40**	8 055118550642 **€ 263.00**

Arrangement with GOT45 available on request.

SYSTEM CLP45



Dimensions: 365 x 600 x 145 mm

Fixed fire extinguishing system equipped with fire hose, CE mark n. CPD/0497/083/05 in accordance with EN 671/2.
The system is comprised of:
- Sheet metal wall mount box with aluminium frame COD. 8191
- Plugs and accessories
- Safe Crash Blindo Light Sheet with pictograms 295x535 mm
- Installation manual
- Single face fire hydrant sign COD. PLA1582020
- DN45 PN16 Hydrant valve COD. 9488
- Check Point COD. 8696
- DN45 EN 14540 Hose with UNI804 fitting 15 m COD. 2410; 20 m COD. 2427; 25 m COD. 2434; 30 m COD 8627
- Aluminium frame for box
- Safety clip
- Red hose cradle COD. 1635
- UNI45 Fire hose nozzle - Goldfinger COD. 2120 (subject to availability)
- UNI45 Fire hose nozzle - Compact-I COD. 4933
- UNI45 Fire hose nozzle - Goldfinger S - brass COD. 7224
- UNI45 Fire hose nozzle - Goldfinger S-robrax COD. 9976
- UNI45 Fire hose nozzle - Alluwn45 EU COD. 2199

N.B.: all hydrant systems are supplied in the STD version with a white hose.

N°1 check point and N°1 sign included in price.

SYSTEM CLP

DN 45				
PN 16	**12 mm**	**12 mm**	**12 mm**	**12 mm**
15 MT	8 032621 832236 **€ 143.70**	8 032621 831079 -SOT **€ 166.40**	8 032621 831079 -SRBX **€ 162.00**	8 055118550659 **€ 181.00**
20 MT	8 032621 832533 **€ 154.50**	8 032621 839044 -SOT **€ 177.30**	8 032621 839044 -SRBX **€ 173.10**	8 055118550666 **€ 192.00**
25 MT	8 032621 832540 **€ 167.30**	8 032621 831611 -SOT **€ 190.00**	8 032621 831611 -SRBX **€ 186.20**	8 055118550673 **€ 205.00**
30 MT	8 032621 832557 **€ 181.60**	8 032621 831697 -SOT **€ 205.10**	8 032621 831697 -SRBX **€ 201.60**	8 055118550680 **€ 222.00**

Arrangement with GOT45 available on request.

SYSTEM ANAKONDA C

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/083/05 in accordance with EN 671/1. The system is comprised of:

1 - Red outdoor/ wall mount hose reel box
2,3,8,10 - Plugs and accessories
4 - PK Accessory
5 - Installation manual
6 - Single face fire hydrant sign COD. PLA1582030
7 - Safe Crash Blindo Light Sheet with pictograms 389 x 506 mm
9 - Swing arm pantograph
11 - Collector, 90 cm long with 1" ball check valve and pressure gauge
12 - Door
13 - Numbered seal COD. 1581
14 - Nozzle retainer (only for 15 and 20 m)
15 - DN25 Semi-rigid hose, EN694 compliant Anakonda Type with winding reel
16,17,18 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983 and Hotel nozzle COD. 2281.

All of our fire hose reels are Made in the



SYSTEM ANAKONDA C

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 833165 € 349.50	8 032621 833165 - 10 € 349.50	8 032621 833165 - 3 € 349.50
20 MT	8 032621 833172 € 376.80	8 032621 833172 - 10 € 376.80	8 032621 833172 - 3 € 376.80

SYSTEM ANAKONDA CI

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1,3,5,6,9 - Plugs and accessories
2 - Built-in hose reel box
4,12 - Red Normokit frame
7 - Swing arm pantograph
8 - Instruction manual
10 - Collector, 90 cm long with 1" ball check valve and pressure gauge
11- Single face fire hydrant sign COD. PLA1582030
13 - Safe Crash Blindo Light Sheet with pictograms 389 x 506 mm
14 - Numbered seal COD. 1581
15 - Nozzle retainer (only for 15 and 20 m)
16 - DN25 Semi-rigid hose, EN694 compliant, Anakonda Type with winding reel
17,18,19 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the



SYSTEM ANAKONDA C I

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 833264 € 340.40	8 032621 833264 - 10 € 340.40	8 032621 833264 - 3 € 340.40
20 MT	8 032621 833271 € 363.10	8 032621 833271 - 10 € 363.10	8 032621 833271 - 3 € 363.10

SYSTEM ANAKONDA G

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/082/05 in accordance with EN 671/1. The system is comprised of:
1 - Single face fire hydrant sign COD. PLA1582030
2 - Joint
3 - 1" Ball check valve and pressure gauge
4 - Red wall mount hose reel, diam. 530 mm, complete with DN25 Semi-rigid hose, EN694 compliant Anakonda Type
5,6,7 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the



SYSTEM ANAKONDA G - FIXED

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 833141 € 258.80	8 032621 833141 - 10 € 258.80	8 032621 833141 - 3 € 258.80
20 MT	8 032621 833127 € 286.00	8 032621 833127 - 10 € 286.00	8 032621 833127 - 3 € 286.00
25 MT	8 032621 833134 € 308.70	8 032621 833134 - 10 € 308.70	8 032621 833134 - 3 € 308.70
30 MT	8 032621 833110 € 335.90	8 032621 833110 - 10 € 335.90	8 032621 833110 - 3 € 335.90

SYSTEM ANAKONDA G SWINGING ARM

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/083/05 in accordance with EN 671/1.
The system is comprised of:
- Single face fire hydrant sign COD. PLA1582030
- 1" Ball check valve and pressure gauge
- Joint
- Swing arm pantograph
- Red wall mount hose reel, diam. 530 mm , complete with DN25 Semi-rigid hose, EN694 compliant Anakonda Type
- DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the





SYSTEM ANAKONDA G WITH SWINGING ARM

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 833141 € 258.80	8 032621 833141 - 10 € 258.80	8 032621 833141 - 3 € 258.80
20 MT	8 032621 833127 € 286.00	8 032621 833127 - 10 € 286.00	8 032621 833127 - 3 € 286.00
25 MT	8 032621 833134 € 308.70	8 032621 833134 - 10 € 308.70	8 032621 833134 - 3 € 308.70
30 MT	8 032621 833110 € 335.90	8 032621 833110 - 10 € 335.90	8 032621 833110 - 3 € 335.90

SYSTEM ANAKONDA C N

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1,8 - Red recessed Normokit frame
2,3,4,11 - Plugs and accessories
5 - Blindo Light Sheet with pictograms 389 x 506 mm
6 - Instruction manual
7 - Single face fire hydrant sign COD. PLA1582030
9 - Numbered seal COD. 1581
10 - Swing arm pantograph
12 - Collector, 90 cm long with 1" ball check valve
13 - Pressure gauge
14 - Nozzle retainer (only for 15 and 20 m)
15 - DN25 Semi-rigid hose, EN694 compliant, Anakonda Type with winding reel
16,17,18 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the

Dimensions: 590 x 720 x 23 mm



SYSTEM ANAKONDA C N

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 838740 € 304.20	8 032621 838740 - 10 € 304.20	8 032621 838740 - 3 € 304.20
20 MT	8 032621 838757 € 326.90	8 032621 838757 - 10 € 326.90	8 032621 838757 - 3 € 326.90
25 MT	8 032621 838764 € 354.00	8 032621 838764 - 10 € 354.00	8 032621 838764 - 3 € 354.00
30 MT	8 032621 839914 € 381.20	8 032621 839914 - 10 € 381.20	8 032621 839914 - 3 € 381.20

SYSTEM ANAKONDA TAURUS MAGNUM C

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/083/05 in accordance with EN 671/1.
The system is comprised of:

1 - Outdoor/ wall mount hose reel cabinet made of red sheet metal complete with extinguisher compartment
2,9,10 - Plugs and accessories
3,17 - Numbered seal COD. 1581
4 - Extinguisher holder compartment door
5 - Extinguisher holder compartment blind door for System Anakonda Taurus Magnum C RF
6 - Blindo Light Sheet with pictograms 170 x 380 mm for fire extinguisher compartment
7 - Single face fire extinguisher sign COD. PLA1582010
8 - Blindo Light Sheet with pictograms 370 x 500 mm for box
11 - Instruction manual
12 - Reel holder arm
13 - Collector, 90 cm long with 1" ball check valve and pressure gauge
14 - Single face fire hydrant sign COD. PLA1582030
15 - Hose reel box blind door for Anakonda Taurus Magnum C RF System
16 - Hose reel box door
18 - Nozzle retainer (only for 15 and 20 m)
19 - DN25 Semi-rigid hose, EN694 compliant Anakonda Type with winding reel
20,21,22 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD.2298, Grand Hotel Ø 10 mm COD. 9983, Hotel 3 actions COD. 2281



All of our fire hose reels are Made in the

SYSTEM ANAKONDA TAURUS MAGNUM C

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 839082 € 548.10	8 032621 839082 - 10 € 548.10	8 032621 839082 - 3 € 548.10
20 MT	8 032621 839099 € 576.60	8 032621 839099 - 10 € 576.60	8 032621 839099 - 3 € 576.60
25 MT	8 032621 839105 € 609.90	8 032621 839105 - 10 € 609.90	8 032621 839105 - 3 € 609.90
30 MT	8 032621 839112 € 638.50	8 032621 839112 - 10 € 638.50	8 032621 839112 - 3 € 638.50

SYSTEM ANAKONDA TAURUS MAGNUM C INK



Fixed fire extinguishing system equipped with DN25 semi-rigid hose CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1 - Built-in red hose reel cabinet complete with fire extinguisher compartment
2,9,10 - Plugs and accessories
3,17 - Numbered seal COD. 1581
4 - Extinguisher compartment door
5 - Extinguisher compartment blind door for Anakonda Taurus Magnum C INK System
6 - Blindo Light Sheet with pictograms 170 x 380 mm for fire extinguisher compartment
7 - Single face fire extinguisher sign COD. PLA1582010
8 - Blindo Light Sheet with pictograms 370 x 500 mm for hose reel box
11 - Instruction manual
12 - Reel holder arm
13 - Collector, 90 cm long with 1" ball check valve pressure gauge
14 - Single face fire hydrant sign COD. PLA1582030
15 - Hose reel box blind door for Anakonda Taurus Magnum C INK System
16 - Hose reel box door
18 - Nozzle retainer (only for 15 and 20 m)
19 - DN25 Semi-rigid hose, EN694 compliant, Anakonda Type with winding reel
20,21,22 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the

Dimensions: 15/20 m - 990 x 655 x 190 mm
25/30m - 990 x 655 x 230 mm



SYSTEM ANAKONDA TAURUS MAGNUM C INK

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 839129 € 548.10	8 032621 839129 - 10 € 548.10	8 032621 839129 - 3 € 548.10
20 MT	8 032621 839136 € 576.60	8 032621 839136 - 10 € 576.60	8 032621 839136 - 3 € 576.60
25 MT	8 032621 839143 € 609.90	8 032621 839143 - 10 € 609.90	8 032621 839143 - 3 € 609.90
30 MT	8 032621 839150 € 638.50	8 032621 839150 - 10 € 638.50	8 032621 839150 - 3 € 638.50

SYSTEM ANAKONDA TAURUS MAGNUM C RF

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.

The system is comprised of:

1- Outdoor/ wall mount hose reel cabinet made of red sheet metal complete with extinguisher compartment
2,9,10 - Plugs and accessories
3,17 - Numbered seal COD. 1581
4 - Door for Safe Crash sheet, fire extinguisher compartment for Anakonda Taurus Magnum C RF System
5 - Extinguisher compartment blind door
6 - Blindo Light Sheet with pictograms 170 x 380 mm for fire extinguisher compartment
7 - Single face fire extinguisher sign COD. PLA1582010
8 - Safe Crash Blindo Light Sheet with pictograms 370 x 500 mm for hose reel box
11 - Instruction manual
12 - Reel holder arm
13 - Collector, 90 cm long with 1" ball check valve and pressure gauge
14 - Single face fire hydrant sign COD. PLA1582030
15 - Hose reel box blind door
16 - Safe Crash sheet hose reel box door for Anakonda Taurus Magnum C RF System
18 - Nozzle retainer (only for 15 and 20 m)
19 - DN25 Semi-rigid hose, EN694 compliant, Anakonda Type with winding reel
20,21,22 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the



Dimensions: 15/20 m - 975 x 690 x 190 mm
25/30m - 975 x 690 x 230 mm



SYSTEM ANAKONDA TAURUS MAGNUM C RF

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 832885 € 548.10	8 032621 832885 - 10 € 548.10	8 032621 832885 - 3 € 548.10
20 MT	8 032621 832878 € 576.60	8 032621 832878 - 10 € 576.60	8 032621 832878 - 3 € 576.60
25 MT	8 032621 832892 € 609.90	8 032621 832892 - 10 € 609.90	8 032621 832892 - 3 € 609.90
30 MT	8 032621 832908 € 638.50	8 032621 832908 - 10 € 638.50	8 032621 832908 - 3 € 638.50

SYSTEM ANAKONDA TAURUS MAGNUM C INK RF

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:

1 - Built-in red hose reel box complete with fire extinguisher compartment
2,9,10 - Plugs and accessories
3,17 - Numbered seal COD. 1581
4 - Door for Safe Crash sheet, fire extinguisher compartment for Anakonda Taurus Magnum C INK RF System
5 - Extinguisher compartment blind door
6 - Blindo Light Sheet with pictograms 170 x 380 mm for fire extinguisher compartment
7 - Single face fire extinguisher sign COD. PLA1582010
8 - Blindo Light Sheet with pictograms 370 x 500 mm for hose reel box
11 - Instruction manual
12 - Reel holder arm
13 - Collector, 90 cm long with 1" ball check valve and pressure gauge
14 - Single face fire hydrant sign COD. PLA1582030
15 - Hose reel box blind door
16 - Safe Crash plate hose reel box door for Anakonda Taurus Magnum C INK RF System
18 - Nozzle retainer (only for 15 and 20 m)
19 - DN25 Semi-rigid hose, EN694 compliant, Anakonda Type with winding reel
20,21,22 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the



Dimensions: 15/20 m - 990 x 655 x 190 mm
25/30m - 990 x 655 x 230 mm



SYSTEM ANAKONDA TAURUS MAGNUM C INK RF

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 833073 € 548.10	8 032621 833073 - 10 € 548.10	8 032621 833073 - 3 € 548.10
20 MT	8 032621 833103 € 576.60	8 032621 833103 - 10 € 576.60	8 032621 833103 - 3 € 576.60
25 MT	8 032621 833080 € 609.90	8 032621 833080 - 10 € 609.90	8 032621 833080 - 3 € 609.90
30 MT	8 032621 833097 € 638.50	8 032621 833097 - 10 € 638.50	8 032621 833097 - 3 € 638.50

SYSTEM ANAKONDA TAURUS C

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1 - External/ wall mount hose reel box made of red sheet metal mod. Taurus
2,4,5 - Plugs and accessories
3 - Blindo Light Sheet with pictograms 375 x 500 mm
6 - Instruction manual
7 - Reel holder arm
13 - Manifold, 90 cm long with 1" ball check valve and pressure gauge
9 - Single face fire hydrant sign COD. PLA1582030
10 - Blind door for Anakonda Taurus C RF System
11 - Hose reel box door
12 - Numbered seal COD. 1581
13 - Nozzle retainer (only for 15 and 20 m)
14 - DN25 Semi-rigid hose, EN694 compliant Anakonda Type complete with winding reel
15,16,17 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the

Available in white version.



SYSTEM TAURUS ANAKONDA C

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 839167 € 376.60	8 032621 839167 - 10 € 376.60	8 032621 839167 - 3 € 376.60
20 MT	8 032621 839174 € 405.10	8 032621 839174 - 10 € 405.10	8 032621 839174 - 3 € 405.10
25 MT	8 032621 839181 € 438.50	8 032621 839181 - 10 € 438.50	8 032621 839181 - 3 € 438.50
30 MT	8 032621 839198 € 467.00	8 032621 839198 - 10 € 467.00	8 032621 839198 - 3 € 467.00

SYSTEM ANAKONDA TAURUS C INK

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1- Built-in red sheet metal hose reel box complete with winding reel
2,4,5 - Plugs and accessories
3 - Blindo Light Sheet with pictograms 375 x 500 mm
6 - Instruction manual
7 - Reel holder arm
8 - Collector, 90 cm long with 1" ball check valve and pressure gauge
9 - Single face fire hydrant sign COD. PLA1582030
10 - Blind door for Anakonda Taurus C INK RF System
11 - Hose reel box door
12 - Numbered seal COD. 1581
13 - Nozzle retainer (only for 15 and 20 m)
14 - DN25 Semi-rigid hose, EN694 compliant Anakonda Type complete with winding reel
15,16,17 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the

Available in white version.



SYSTEM TAURUS ANAKONDA C INK

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 839204 € 376.60	8 032621 839204 - 10 € 376.60	8 032621 839204 - 3 € 376.60
20 MT	8 032621 839211 € 405.10	8 032621 839211 - 10 € 405.10	8 032621 839211 - 3 € 405.10
25 MT	8 032621 839228 € 438.50	8 032621 839228 - 10 € 438.50	8 032621 839228 - 3 € 438.50
30 MT	8 032621 839235 € 467.00	8 032621 839235 - 10 € 467.00	8 032621 839235 - 3 € 467.00

SYSTEM ANAKONDA TAURUS C RF

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1 - Outdoor/ wall mount hose reel box made of red sheet metal
2,4,5 - Plugs and accessories
3 - Safe Crash Blindo Light Sheet with pictograms 375 x 500 mm
6 - Instruction manual
7 - Reel holder arm
8 - Collector, 90 cm long with 1" ball check valve and pressure gauge
9 - Single face fire hydrant sign COD. PLA1582030
10 - Blind door
11 - Safe Crash sheet hose reel box door for Anakonda Taurus C RF System
12 - Numbered seal COD. 1581
13 - Nozzle retainer (only for 15 and 20 m)
14 - DN25 Semi-rigid hose, EN694 compliant Anakonda Type complete with winding reel
15,16,17 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281



All of our fire hose reels are Made in the

Available in white version.

SYSTEM TAURUS ANAKONDA C RF

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 839341 € 376.60	8 032621 839341 - 10 € 376.60	8 032621 839341 - 3 € 376.60
20 MT	8 032621 839358 € 405.10	8 032621 839358 - 10 € 405.10	8 032621 839358 - 3 € 405.10
25 MT	8 032621 839365 € 438.50	8 032621 839365 - 10 € 438.50	8 032621 839365 - 3 € 438.50
30 MT	8 032621 839372 € 467.00	8 032621 839372 - 10 € 467.00	8 032621 839372 - 3 € 467.00

SYSTEM ANAKONDA TAURUS C INK RF

Fixed fire extinguishing system equipped with semi-rigid hose DN25 with CE mark n. CPD/0497/081/05 in accordance with EN 671/1.
The system is comprised of:
1 - Built-in red sheet metal hose reel box – mod. Taurus
2,4,5 - Plugs and accessories
3 - Safe Crash Blindo Light Sheet with pictograms 375 x 500 mm
6 - Instruction manual
7 - Reel holder arm
8 - Collector, 90 cm long with 1" ball check valve and pressure gauge
9 - Single face fire hydrant sign COD. PLA1582030
10 - Blind door
11 - Safe Crash sheet door for Anakonda Taurus C INK RF System
12 - Numbered seal
13 - Nozzle retainer (only for 15 and 20 m)
14 - DN25 Semi-rigid hose, EN694 compliant Anakonda Type complete with winding reel
15,16,17 - DN25 Fire hose nozzle Grand Hotel Ø 6 mm COD. 2298, Grand Hotel Ø 10 mm COD. 9983, Hotel COD. 2281

All of our fire hose reels are Made in the

Available in white version.



SYSTEM TAURUS ANAKONDA C INK RF

DN 25			
	6 mm	10 mm	6 mm
15 MT	8 032621 839389 € 376.60	8 032621 839389 - 10 € 376.60	8 032621 839389 - 3 € 376.60
20 MT	8 032621 839396 € 405.10	8 032621 839396 - 10 € 405.10	8 032621 839396 - 3 € 405.10
25 MT	8 032621 839402 € 438.50	8 032621 839402 - 10 € 438.50	8 032621 839402 - 3 € 438.50
30 MT	8 032621 839419 € 467.00	8 032621 839419 - 10 € 467.00	8 032621 839419 - 3 € 467.00



PK 70 BL

UNI70 Outdoor hydrant unit comprised of:
- PK70 Red wall mount box made of Blind Light
- Door with safety seal and Easy Break knob with Safe Crash Blindo Light Sheet mm 389x506
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve or hydrant wrench in CI arrangement
- Hydrant sign
- Dimensions: 550 x 685 x 275

8 032621 833042	**PK 70 E 15**	DN 70 outdoor hydrant unit - 20 m fire hose, PK 70 box	**€ 341.60**
8 032621 837675	**PK 70 15 CI**	Hydrant box system - 15 m fire hose, PK 70 box + hydrant wrench	**€ 315.40**
8 032621 833059	**PK 70 E 20**	DN 70 outdoor hydrant unit - 20 m fire hose, PK 70 box	**€ 366.80**
8 032621 837636	**PK 70 20 CI**	Hydrant box system - 20 m fire hose, PK 70 box + hydrant wrench	**€ 340.60**
8 032621 833066	**PK 70 E 25**	DN 70 outdoor hydrant unit - 25 m fire hose, PK 70 box	**€ 394.50**
8 032621 837743	**PK 70 25 CI**	Hydrant box system - 25 m fire hose, PK 70 box + hydrant wrench	**€ 368.20**
8 032621 837590	**PK 70 E 30**	DN 70 outdoor hydrant unit - 30 m fire hose, PK 70 box	**€ 432.60**
8 032621 837712	**PK 70 30 CI**	Hydrant box unit - 30 m fire hose, PK 70 box + hydrant wrench	**€ 406.30**

PK 70 INK

UNI70 Recessed hydrant unit comprised of:
- Red recessed PK 70 box made of Blindo Light
- Normokit Frame with Safe Crash Blindo Light Sheet 389x506 mm
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve
- Hydrant sign
- Dimensions: 520 x 625 x 218

8 032621 832984	**PK 70 INK 15**	DN 70 Recessed hydrant unit - 15 m fire hose, PK 70 INK box	**€ 337.80**
8 032621 832991	**PK 70 INK 20**	DN 70 Recessed hydrant unit - 20 m fire hose, PK 70 INK box	**€ 362.90**
8 032621 833004	**PK 70 INK 25**	DN 70 Recessed hydrant unit - 25 m fire hose, PK 70 INK box	**€ 390.70**
8 032621 837606	**PK 70 INK 30**	DN 70 Recessed hydrant unit - 30 m fire hose, PK 70 INK box	**€ 428.80**

EXPO 70

UNI70 outdoor hydrant unit comprised of:
- Testarossa EXPO2015 wall mount box made of painted sheet metal
- Door with Safe Crash Blindo Light Sheet 243 x 375
- Wit UNI 70 Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve or hydrant wrench in CI arrangement
- Hydrant sign
- Dimensions: 500 x 660 x 230



8 055118550727	**EXPO 70 E 15 GLDF**	DN 70 outdoor hydrant unit - 15 m fire hose, Expo 70 box	**€ 326.20**
8 055118550734	**EXPO 70 E 15 CI**	Hydrant box unit - 15 m fire hose, Expo 70 box	**€ 300.00**
8 055118550741	**EXPO 70 E 20 GLDF**	DN 70 outdoor hydrant unit - 20 m fire hose, Expo 70 box	**€ 353.00**
8 055118550758	**EXPO 70 E 20 CI**	Hydrant box unit - 20 m fire hose, Expo 70 box	**€ 326.00**
8 055118550765	**EXPO 70 E 25 GLDF**	DN 70 outdoor hydrant unit - 25 m fire hose, Expo 70 box	**€ 380.00**
8 055118550772	**EXPO 70 E 25 CI**	Hydrant box unit - 25 m fire hose, Expo 70 box	**€ 355.00**
8 055118550789	**EXPO 70 E 30 GLDF**	DN 70 outdoor hydrant unit - 30 m fire hose, Expo 70 box	**€ 419.00**
8 055118550796	**EXPO 70 E 30 CI**	Hydrant box unit - 30 m fire hose, Expo 70 box	**€ 393.00**

EXPO 70 INOX

UNI 70 Outdoor hydrant unit comprised of:
- Stainless steel testarossa EXPO2015XRF UNI 70 box
- Door with Safe Crash Blindo Light Sheet 243 x 375
- Wit UNI 70 Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve or hydrant wrench in CI arrangement
- Hydrant sign
- Dimensions: 505 x 670 x 220



8 055118550802	**EXPO 70 X 15 GLDF**	DN 70 outdoor hydrant unit - 15 m fire hose, Expo 70 INOX box	**€ 435.00**
8 055118550840	**EXPO 70 X 15 CI**	Hydrant box unit - 15 m fire hose, Expo 70 INOX box	**€ 408.00**
8 055118550819	**EXPO 70 X 20 GLDF**	DN 70 outdoor hydrant unit - 20 m fire hose, Expo 70 INOX box	**€ 460.00**
8 055118550857	**EXPO 70 X 20 CI**	Hydrant box unit - 20 m fire hose, Expo 70 INOX box	**€ 434.00**
8 055118550826	**EXPO 70 X 25 GLDF**	DN 70 outdoor hydrant unit - 25 m fire hose, Expo 70 INOX box	**€ 489.00**
8 055118550864	**EXPO 70 X 25 CI**	Hydrant box unit - 25 m fire hose, Expo 70 INOX box	**€ 463.00**
8 055118550833	**EXPO 70 X 30 GLDF**	DN 70 outdoor hydrant unit - 30 m fire hose, Expo 70 INOX box	**€ 527.00**
8 055118550871	**EXPO 70 X 30 CI**	Hydrant box unit - 30 m fire hose, Expo 70 INOX box	**€ 500.00**



EXPO 70 RF

UNI70 outdoor hydrant unit comprised of:
- Testarossa EXPO2015RF box made of painted sheet metal for outdoor use, with blind door
- Blind door
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve or hydrant wrench in CI arrangement
- Hydrant sign
- Dimensions: 500 x 660 x 230

8 055118552271	**EXPO 70 ER 15 GLDF**	DN 70 Outdoor hydrant unit - 15 m fire hose, Expo 70 box, blind door	**€ 326.20**
8 055118552639	**EXPO 70 ER 15 CI**	Hydrant box unit - 15 m fire hose, Expo 70 box, blind door	**€ 300.00**
8 055118552288	**EXPO 70 ER 20 GLDF**	DN 70 Outdoor hydrant unit - 20 m fire hose, Expo 70 box, blind door	**€ 353.00**
8 055118552646	**EXPO 70 ER 20 CI**	Hydrant box unit - 20 m fire hose, Expo 70 box, blind door	**€ 326.00**
8 055118552295	**EXPO 70 ER 25 GLDF**	DN 70 Outdoor hydrant unit - 25 m fire hose, Expo 70 box, blind door	**€ 380.00**
8 055118552653	**EXPO 70 ER 25 CI**	Hydrant box unit - 25 m fire hose, Expo 70 box, blind door	**€ 355.00**
8 055118552301	**EXPO 70 ER 30 GLDF**	DN 70 Outdoor hydrant unit - 30 m fire hose, Expo 70 box, blind door	**€ 419.00**
8 055118552660	**EXPO 70 ER 30 CI**	Hydrant box unit - 30 m fire hose, Expo 70 box, blind door	**€ 393.00**



EXPO 70 INOX RF

UNI 70 Outdoor hydrant unit comprised of:
- Stainless steel testarossa EXPO2015XRF UNI 70 box
- Blind door
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve or hydrant wrench in CI arrangement
- Hydrant sign
- Dimensions: 505 x 670 x 220

8 055118552318	**EXPO 70 XR 15 GLDF**	DN 70 Outdoor hydrant unit - 15 m fire hose, stainless steel Expo 70 box, blind door	**€ 435.00**
8 055118552667	**EXPO 70 XR 15 CI**	Hydrant box unit - 15 m fire hose, stainless steel Expo 70 box, blind door	**€ 408.00**
8 055118552325	**EXPO 70 XR 20 GLDF**	DN 70 Outdoor hydrant unit - 20 m fire hose, stainless steel Expo 70 box, blind door	**€ 460.00**
8 055118552684	**EXPO 70 XR 20 CI**	Hydrant box unit - 20 m fire hose, stainless steel Expo 70 box, blind door	**€ 434.00**
8 055118552332	**EXPO 70 XR 25 GLDF**	DN 70 Outdoor hydrant unit - 25 m fire hose, stainless steel Expo 70 box, blind door	**€ 489.00**
8 055118552691	**EXPO 70 XR 25 CI**	Hydrant box unit - 25 m fire hose, stainless steel Expo 70 box, blind door	**€ 463.00**
8 055118552349	**EXPO 70 XR 30 GLDF**	DN 70 Outdoor hydrant unit - 30 m fire hose, stainless steel Expo 70 box, blind door	**€ 527.00**
8 055118552707	**EXPO 70 XR 30 CI**	Hydrant box unit - 30 m fire hose, stainless steel Expo 70 box, blind door	**€ 500.00**



TSA 70

UNI70 outdoor hydrant unit comprised of:
- Testarossa box made of painted sheet metal for outdoor use
- Door with Safe Crash Blindo Light Sheet 425 x 575
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve or hydrant wrench in CI arrangement
- Hydrant sign
- Dimensions: 505 x 670 x 225

8 032621 838603	**TSA 70 E 15 GLDFN**	DN 70 Outdoor hydrant unit - 15 m fire hose, Testa Rossa 70 box	**€ 299.20**
8 032621 837729	**TSA 70 E 15 CI**	Hydrant box unit - 15 m fire hose, Testa Rossa 70 box	**€ 273.00**
8 032621 838610	**TSA 70 E 20 GLDFN**	DN 70 Outdoor hydrant unit - 20 m fire hose, Testa Rossa 70 box	**€ 325.20**
8 032621 838085	**TSA 70 E 20 CI**	Hydrant box unit - 20 m fire hose, Testa Rossa 70 box	**€ 298.90**
8 032621 838719	**TSA 70 E 25 GLDFN**	DN 70 Outdoor hydrant unit - 25 m fire hose, Testa Rossa 70 box	**€ 353.70**
8 032621 838092	**TSA 70 E 25 CI**	Hydrant box unit - 25 m fire hose, Testa Rossa 70 box	**€ 327.50**
8 032621 837613	**TSA 70 E 30 GLDFN**	DN 70 Outdoor hydrant unit - 30 m fire hose, Testa Rossa 70 box	**€ 391.80**
8 032621 838108	**TSA 70 E 30 CI**	Hydrant box unit - 30 m fire hose, Testa Rossa 70 box	**€ 365.60**



TSA 70 INOX

UNI 70 Outdoor hydrant unit comprised of:
- Stainless steel testarossa UNI 70 box
- Door with Safe Crash Blindo Light Sheet 425 x 575
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve
- Hydrant sign
- Dimensions: 505 x 670 x 225

8 032621 838634	**TSA 70 X 15 GLDFN**	DN 70 Outdoor hydrant unit - 15 m fire hose, stainless steel Testa Rossa 70 box	**€ 407.20**
8 055118552714	**TSA 70 X 15 CI**	Hydrant box unit - 15 m fire hose, stainless steel Testa Rossa 70 box	**€ 380.90**
8 032621 838689	**TSA 70 X 20 GLDFN**	DN 70 Outdoor hydrant unit - 20 m fire hose, stainless steel Testa Rossa 70 box	**€ 432.90**
8 055118552721	**TSA 70 X 20 CI**	Hydrant box unit - 20 m fire hose, stainless steel Testa Rossa 70 box	**€ 406.60**
8 032621 837217	**TSA 70 X 25 GLDFN**	DN 70 Outdoor hydrant unit - 25 m fire hose, stainless steel Testa Rossa 70 box	**€ 461.80**
8 055118552738	**TSA 70 X 25 CI**	Hydrant box unit - 25 m fire hose, stainless steel Testa Rossa 70 box	**€ 435.50**
8 032621 837620	**TSA 70 X 30 GLDFN**	DN 70 Outdoor hydrant unit - 30 m fire hose, stainless steel Testa Rossa 70 box	**€ 499.70**
8 055118552745	**TSA 70 X 30 CI**	Hydrant box unit - 30 m fire hose, stainless steel Testa Rossa 70 box	**€ 473.40**

CEST 70

UNI70 outdoor hydrant unit comprised of:
- Painted sheet metal box for outdoor use.
- Door with Safe Crash Blindo Light Sheet 422 x 570
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve
- Hydrant sign
- Dimensions: 500 x 683 x 246

8 032621 832786	**CEST 70 E 15**	DN 70 Outdoor hydrant unit - 15 m fire hose, sheet metal box	**€ 310.10**
8 032621 832793	**CEST 70 E 20**	DN 70 Outdoor hydrant unit - 20 m fire hose, sheet metal box	**€ 335.90**
8 032621 832809	**CEST 70 E 25**	DN 70 Outdoor hydrant unit - 25 m fire hose, sheet metal box	**€ 364.50**
8 032621 837651	**CEST 70 E 30**	DN 70 Outdoor hydrant unit - 30 m fire hose, sheet metal box	**€ 402.70**

CINX 70

UNI70 Outdoor stainless steel hydrant unit comprised of:
- Stainless steel box for outdoor use:
- Door with Safe Crash Blindo Light Sheet 422 x 570
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve
- Hydrant sign
- Dimensions: 500 x 683 x 246

8 032621 832847	**CINX 70 E 15 GLDFN**	DN 70 Outdoor hydrant unit - 15 m fire hose, stainless steel box	**€ 422.80**
8 032621 832854	**CINX 70 E 20 GLDFN**	DN 70 Outdoor hydrant unit - 20 m fire hose, stainless steel box	**€ 448.60**
8 032621 832861	**CINX 70 E 25 GLDFN**	DN 70 Outdoor hydrant unit - 25 m fire hose, stainless steel box	**€ 477.30**
8 032621 837644	**CINX 70 E 30 GLDFN**	DN 70 Outdoor hydrant unit - 30 m fire hose, stainless steel box	**€ 515.40**

HYDRANT EQUIPMENT BOX

Hydrant equipment box complete with:
- Box with blind door and adjustable shelves
- 2 UNI 70 fire hoses, UNI 804 fittings
- 2 UNI 70 Goldfinger N nozzles
- 1 hydrant wrench
- 2 Hose cradles
- Dimensions: 505 x 670 x 313

8 032621 832915	**CI20RF**	Hydrant equipment box, blind door with shelf, 2 20 m fire hoses, 2 nozzles, hydrant wrench	**€ 644.20**
8 055118550697	**CI20RF-S**	Hydrant equipment box, blind door with shelf, 1 20 m fire hose, 1 nozzle, hydrant wrench	**€ 430.00**
8 032621 832922	**CI25RF**	Hydrant equipment box, blind door with shelf, 2 25 m fire hoses, 2 nozzles, hydrant wrench	**€ 694.20**
8 055118550703	**CI25RF-S**	Hydrant equipment box, blind door with shelf, 1 25 m fire hose, 1 nozzle, hydrant wrench	**€ 468.10**
8 032621 832939	**CI30RF**	Hydrant equipment box, blind door with shelf, 2 30 m fire hoses, 2 nozzles, hydrant wrench	**€ 736.50**
8 055118550710	**CI30RF-S**	Hydrant equipment box, blind door with shelf, 1 30 m fire hose, 1 nozzle, hydrant wrench	**€ 472.30**

CINK 70

UNI70 Recessed hydrant unit comprised of:
- Recessed sheet metal box 385 x 530 mm
- Aluminium frame with Safe Crash Blindo Light Sheet
- 70 m Wit UNI Hose, UNI 804 fittings
- Triple action Goldfinger nozzle N UNI 70
- Hose cradle
- Shut-off valve
- Hydrant sign
- Dimensions: 420 x 560 x 250

8 032621 832724	**CINK 70 I 15 GLDFN**	DN 70 Recessed hydrant unit - 15 m fire hose, sheet metal box	**€ 300.60**
8 032621 832731	**CINK 70 I 20 GLDFN**	DN 70 Recessed hydrant unit - 20 m fire hose, sheet metal box	**€ 326.30**
8 032621 832748	**CINK 70 I 25 GLDFN**	DN 70 Recessed hydrant unit - 25 m fire hose, sheet metal box	**€ 355.00**
8 032621 837637	**CINK 70 I 30 GLDFN**	DN 70 Recessed hydrant unit - 30 m fire hose, sheet metal box	**€ 393.10**

STORZ ITEMS

Barcode	Item	Description	Price
8 055118551380	EXP45E15ST	System Testa Rossa new Expo2015 15 m STORZ 45	€ 254.00
8 055118551397	EXP45E20ST	System Testa Rossa new Expo2015 20 m STORZ 45	€ 276.00
8 055118551403	EXP45E25ST	System Testa Rossa new Expo2015 25 m STORZ 45	€ 297.00
8 055118551410	EXP45E30ST	System Testa Rossa new Expo2015 30 m STORZ 45	€ 318.00
8 055118551427	EXP45ER15ST	System Testa Rossa new Expo2015 RF 15 m STORZ 45	€ 254.00
8 055118551434	EXP45ER20ST	System Testa Rossa new Expo2015 RF 20 m STORZ 45	€ 276.00
8 055118551441	EXP45ER25ST	System Testa Rossa new Expo2015 RF 25 m STORZ 45	€ 297.00
8 055118551458	EXP45ER30ST	System Testa Rossa new Expo2015 RF 30 m STORZ 45	€ 318.00
8 055118551465	EXP45X15ST	System Testa Rossa new Expo2015 X 15 m STORZ 45	€ 317.00
8 055118551472	EXP45X20ST	System Testa Rossa new Expo2015 X 20 m STORZ 45	€ 340.00
8 055118551489	EXP45X25ST	System Testa Rossa new Expo2015 X 25 m STORZ 45	€ 359.00
8 055118551496	EXP45X30ST	System Testa Rossa new Expo2015 X 30 m STORZ 45	€ 381.00
8 055118551502	EXP45XR15ST	System Testa Rossa new Expo2015 X RF 15 m STORZ 45	€ 317.00
8 055118551519	EXP45XR20ST	System Testa Rossa new Expo2015 X RF 20 m STORZ 45	€ 340.00
8 055118551526	EXP45XR25ST	System Testa Rossa new Expo2015 X RF 25 m STORZ 45	€ 359.00
8 055118551533	EXP45XR30ST	System Testa Rossa new Expo2015 X RF 30 m STORZ 45	€ 381.00
8 055118551540	PK45E15ST	System PK45 15 m STORZ 45	€ 245.00
8 055118551557	PK45E20ST	System PK45 20 m STORZ 45	€ 264.00
8 055118551564	PK45E25ST	System PK45 25 m STORZ 45	€ 282.00
8 055118551571	PK45E30ST	System PK45 30 m STORZ 45	€ 300.00
8 055118551588	PK45I15ST	System PK45 INK 15 m STORZ 45	€ 222.50
8 055118551595	PK45I20ST	System PK45 INK 20 m STORZ 45	€ 240.50
8 055118551601	PK45I25ST	System PK45 INK 25 m STORZ 45	€ 257.50
8 055118551618	PK45I30ST	System PK45 INK 30 m STORZ 45	€ 274.30
8 055118551625	WIT4515EST	Fire hose WIT UNI45 EN 14540 15 m STORZ	€ 91.00
8 055118551632	WIT4520EST	Fire hose WIT UNI45 EN 14540 20 m STORZ	€ 105.00
8 055118551649	WIT4525EST	Fire hose UNI45 EN 14540 25 m STORZ	€ 119.00
8 055118551656	WIT4530EST	Fire hose WIT UNI45 EN 14540 30 m STORZ	€ 145.00
8 055118551373	RB451PN16ST	Tap for hydrant box DN 1”1/2 STORZ coupling	€ 41.00

Barcode	Item	Description	Price
8 055118551663	RS112	STORZ Reducer coupling	€ 14.00
8 055118551670	TMPE45E15ST	System TMPE 45 E 15 with 15 m fire hose - Aluminium nozzle ALLUWN45 – STORZ coupling	€ 374.00
8 055118551687	TMPE45E20ST	System TMPE 45 E 20 with 20 m fire hose - Aluminium nozzle ALLUWN45 - STORZ coupling	€ 370.00
8 055118551694	TMPE45E25ST	System TMPE 45 E 25 with 25 m fire hose - Aluminium nozzle ALLUWN45 - STORZ coupling	€ 402.00
8 055118551700	TMPE45E30ST	System TMPE 45 E 30 with 30 m fire hose - Aluminium nozzle ALLUWN45 - STORZ coupling	€ 423.00
8 055118551717	TMPE45I15ST	System TMPE 45 INK 15 with 15 m fire hose - CE- Aluminium nozzle ALLUWN45 - STORZ coupling	€ 374.00
8 055118551724	TMPE45I20ST	System TMPE 45 INK 20 with 20 m fire hose - CE- Aluminium nozzle ALLUWN45 - STORZ coupling	€ 370.00
8 055118551731	TMPE45I25ST	System TMPE 45 INK 25 with 25 m fire hose - CE- Aluminium nozzle ALLUWN45 - STORZ coupling	€ 402.00
8 055118551748	TMPE45I30ST	System TMPE 45 INK 30 with 30 m fire hose - CE- Aluminium nozzle ALLUWN45 - STORZ coupling	€ 423.00
8 055118551755	PK70E15ST	DN 70 Outdoor hydrant unit - 15 m fire hose - STORZ coupling – PK 70 box	€ 454.00
8 055118551762	PK70E20ST	DN 70 Outdoor hydrant unit - 20 m fire hose - STORZ coupling - PK 70 box	€ 478.00
8 055118551779	PK70E25ST	DN 70 Outdoor hydrant unit - 25 m fire hose - STORZ coupling - PK 70 box	€ 504.00
8 055118551786	PK70E30ST	DN 70 Outdoor hydrant unit - 30 m fire hose - STORZ coupling - PK 70 box	€ 540.00
8 055118551793	PK70I15ST	DN 70 Recessed hydrant unit - 15 m fire hose - STORZ coupling - PK 70 INK box	€ 450.00
8 055118551809	PK70I20ST	DN 70 Recessed hydrant unit - 20 m fire hose - STORZ coupling - PK 70 INK box	€ 474.00
8 055118551816	PK70I25ST	DN 70 Recessed hydrant unit - 25 m fire hose - STORZ coupling - PK 70 INK box	€ 500.00
8 055118551823	PK70I30ST	DN 70 Recessed hydrant unit - 30 m fire hose - STORZ coupling - PK 70 INK box	€ 536.00
8 055118551830	TSAX7015ST	DN 70 Outdoor hydrant unit - 15 m fire hose - STORZ coupling - TSA 70 INOX box	€ 541.00
8 055118551847	TSAX7020ST	DN 70 Outdoor hydrant unit - 20 m fire hose - STORZ coupling - TSA 70 INOX box	€ 566.00
8 055118551854	TSAX7025ST	DN 70 Outdoor hydrant unit - 25 m fire hose - STORZ coupling - TSA 70 INOX box	€ 596.00
8 055118551861	TSAX7030ST	DN 70 Outdoor hydrant unit - 30 m fire hose - STORZ coupling - TSA 70 INOX box	€ 633.00
8 055118551878	CI20RFST	Hydrant equipment box blind door with shelf – 2 UNI70 20 m fire hoses - STORZ coupling- 2 nozzle wrenches	€ 702.00
8 055118551885	CI25RFST	Hydrant equipment box blind door with shelf – 2 UNI70 20 m fire hoses - STORZ coupling- 2 nozzle wrenches	€ 751.00
8 055118551892	CI30RFST	Hydrant equipment box blind door with shelf – 2 UNI70 30 m fire hoses - STORZ coupling- 2 nozzle wrenches	€ 803.00

RB451PM

1 ½" Hydrant valve with UNI ISO 7/1 male gas thread.
Euro 24.70

8 032621 833745

RB451PN16

1 ½" Hydrant valve with UNI ISO 7/1 male gas thread with16 bar nominal pressure.
Euro 30.30

8 032621 839488

RB702M

2" Hydrant valve with UNI 70 male gas thread.
Euro 49.20

8 032621 833752

SIGI

Packet of 100 seals.
Euro 35.20

8 032621 831581

Patented Check Point card

CHKPNT

Check Point® to improve control and inspection marking as required by standard EN 671/3.
Euro 5.50

8 032621 838696

Connections, Motorpump, Fittings

rack® system

www.racksystem.it

MOTOR PUMP THREADED INLET CONNECTION - NOT STANDARDIZED

- supplied in the horizontal version. Vertical units can be made by turning the hydrant valve 90° clockwise.
- available with one or two UNI 70 female connections with swivel joint.
- in the "motor pump connection" version, the unit is installed between the fire water ring main and the feed line.
- they are usually supplied with a left-to-right flow direction.



Barcode	DN	Outlet	A	H	Price	Code
8 032621 833363	2"	1 x 70	270	260	**€ 184.20**	GI21310
8 032621 833370	2" 1/2	1 x 70	300	270	**€ 234.30**	GI21355
8 032621 833387	2" 1/2	2 x 70	440	270	**€ 323.00**	GI22545
8 032621 833394	3"	1 x 70	345	280	**€ 387.60**	GI31385
8 032621 833400	3"	2 x 70	550	280	**€ 497.40**	GI32540
8 032621 833417	4"	1 x 70	455	310	**€ 524.80**	GI41520
8 032621 833424	4"	2 x 70	605	310	**€ 705.30**	GI41310

MOTOR PUMP FLANGED INLET CONNECTION -NOT STANDARDIZED

- supplied in the horizontal version. Vertical units can be made by turning the hydrant valve 90° clockwise.
- available with one or two UNI 70 female connections with swivel joint.
- in the "motor pump connection" version, the unit is installed between the fire water ring main and the feed line.
- they are usually supplied with a left-to-right flow direction.



Barcode	DN	Outlet	A	H	Price	Code
8 032621 833431	2"	1 x 70	340	315	**€ 322.90**	GL21310
8 032621 833448	2" 1/2	1 x 70	365	320	**€ 370.50**	GL21355
8 032621 833455	2" 1/2	2 x 70	505	320	**€ 492.80**	GL22545
8 032621 833462	3"	1 x 70	450	340	**€ 474.20**	GL31385
8 032621 833479	3"	2 x 70	610	340	**€ 589.70**	GL32540
8 032621 833486	4"	1 x 70	520	360	**€ 628.80**	GL41520
8 032621 833493	4"	2 x 70	680	360	**€ 798.70**	GL42740



STANDARD UNI 10779 THREADED DISCHARGE UNITS

- supplied in the horizontal version. Vertical units can be made by turning the hydrant valve 90° clockwise.
- available with one or two UNI 70 female connections with swivel joint.
- in the “discharge connection” version the unit is installed in off take of the hydrant supply, as required by UNI 10779.
- they are usually supplied with a right-to-left flow direction.

Barcode	DN	Outlet	A	H	Price	Code
8 032621 833509	2”	1 x 70	280	260	**€ 193.80**	GI21310N
8 032621 833516	2” 1/2	1 x 70	305	270	**€ 248.80**	GI21355N
8 032621 833523	2” 1/2	2 x 70	445	270	**€ 337.50**	GI22545N
8 032621 833530	3”	1 x 70	400	280	**€ 407.00**	GI31385N
8 032621 833547	3”	2 x 70	555	280	**€ 515.00**	GI32540N
8 032621 833554	4”	1 x 70	460	310	**€ 547.40**	GI41520N
8 032621 833561	4”	2 x 70	610	310	**€ 729.10**	GI41310N



STANDARD UNI 10779 FLANGED DISCHARGE UNITS

- supplied in the horizontal version. Vertical units can be made by turning the hydrant valve 90° clockwise.
- available with one or two UNI 70 female connections with swivel joint.
- in the “discharge connection” version the unit is installed in off take of the hydrant supply, as required by UNI 10779.
- they are usually supplied with a right-to-left flow direction.

Barcode	DN	Outlet	A	H	Price	Code
8 032621 833578	2”	1 x 70	315	315	**€ 334.80**	GL21310N
8 032621 833585	2” 1/2	1 x 70	340	320	**€ 366.60**	GL21355N
8 032621 833592	2” 1/2	2 x 70	480	320	**€ 508.20**	GL22545N
8 032621 833608	3”	1 x 70	420	340	**€ 468.20**	GL31385N
8 032621 833615	3”	2 x 70	580	340	**€ 578.10**	GL32540N
8 032621 833622	4”	1 x 70	480	360	**€ 565.10**	GL41520N
8 032621 833639	4”	2 x 70	630	360	**€ 783.00**	GL42740N

STANDARD UNI 10779 THREADED DISCHARGE UNITS – STORZ CONNECTION

- supplied in the horizontal version. Vertical units can be made by turning the hydrant valve 90° clockwise.
- available with one or two connections.
- in the "discharge connection" version the unit is installed in off take of the hydrant supply, as required by UNI 10779.
- they are usually supplied with a right-to-left flow direction.

Barcode	DN	Outlet	A	H	Price	Code
8 055118551908	2"	1 x 75	280	260	**€ 374.30**	GI21310NST
8 055118551915	2" 1/2	1 x 75	305	270	**€ 406.10**	GI21355NST
8 055118551922	2" 1/2	2 x 75	445	270	**€ 587.20**	GI22545NST
8 055118551933	3"	1 x 75	400	280	**€ 507.70**	GI31385NST
8 055118551946	3"	2 x 75	555	280	**€ 657.10**	GI32540NST
8 055118551953	4"	1 x 75	460	310	**€ 604.60**	GI41520NST
8 055118551960	4"	2 x 75	610	310	**€ 862.00**	GI41310NST

STANDARD UNI 10779 FLANGED DISCHARGE UNITS - STORZ CONNECTION

- supplied in the horizontal version. Vertical units can be made by turning the hydrant valve 90° clockwise.
- available with one or two connections.
- in the "discharge connection" version the unit is installed in off take of the hydrant supply, as required by UNI 10779.
- they are usually supplied with a right-to-left flow direction.

Barcode	DN	Outlet	A	H	Price	Code
8 055118551977	2"	1 x 75	315	315	**€ 233.30**	GL21310NST
8 055118551984	2" 1/2	1 x 75	340	320	**€ 288.30**	GL21355NST
8 055118551991	2" 1/2	2 x 75	480	320	**€ 416.50**	GL22545NST
8 055118552004	3"	1 x 75	420	340	**€ 446.50**	GL31385NST
8 055118552011	3"	2 x 75	580	340	**€ 594.00**	GL32540NST
8 055118552028	4"	1 x 75	480	360	**€ 586.90**	GL41520NST
8 055118552035	4"	2 x 75	630	360	**€ 808.10**	GL41310NST

BLIND CAPS

Caps complete with gasket and chain.

Barcode	DN	Type	Price	Code
8 032621 835213	45	brass	€ 15.60	CCØ45F
8 032621 835220	70	brass	€ 25.80	CCØ70F
8 032621 835237	100	brass	€ 59.90	CCØ100F
8 032621 835244	45 M	brass	€ 34.30	CCØ45M
8 032621 835251	70 M	brass	€ 46.10	CCØ70M
8 032621 835268	100 M	brass	€ 133.10	CCØ100M

UNI GAS MALE ADAPTORS

Barcode	DN	Price	Code
8 032621 835275	45 x 1”1/2	€ 15.60	RAI451
8 032621 835282	45 x 2”	€ 17.20	RAI452
8 032621 835299	45 x 2”1/2	€ 22.40	RAI453
8 032621 835305	70 x 1”1/2	€ 20.60	RAI701
8 032621 835312	70 x 2”	€ 22.40	RAI702
8 032621 835329	70 x 2”1/2	€ 22.40	RAI703
8 032621 835336	100 x 4”	€ 49.50	RAI100
8 032621 835343	125 x 5”	€ 61.50	RAI125

UNI MALE - GAS FEMALE ADAPTORS

Barcode	Gas	UNI	Price	Code
8 032621 830812	3/4”F	DN 25 M	€ 18.40	RAIMUGH34
8 032621 830829	1”F	DN 25 M	€ 17.50	RAIMUGH1
8 032621 830874	1” 1/4 F	DN 45 M	€ 17.50	RAIMUGH114
8 032621 830881	1” 1/2 F	DN 45 M	€ 17.50	RAIMUGH112
8 032621 830928	2” F	DN 45 M	€ 20.20	RAIMUGH2
8 032621 831123	2” F	DN 70 M	€ 38.10	RAIMUG702
8 032621 831178	2” 1/2 F	DN 70 M	€ 45.10	RAIMUG212
8 032621 831246	3”F	DN 70 M	€ 97.00	RAIMUG3
8 032621 831253	4”F	DN 100 M	€ 177.30	RAIMUG4

UNI FEMALE - UNI MALE ADAPTORS

Barcode	UNI	UNI	Price	Code
8 032621 831260	DN 25 F	DN 45 M	€ 18.90	RAIFM25-45
8 032621 831277	DN 45 F	DN 25 M	€ 18.90	RAIFM45-25
8 032621 831314	DN 45 F	DN 70 M	€ 38.10	RAIFM45-70
8 032621 831321	DN 70 F	DN 45 M	€ 32.70	RAIFM70-45
8 032621 831338	DN 100 F	DN 70 M	€ 143.10	RAIFM100-70

FEMALE - FEMALE ADAPTORS

Barcode	Gas	UNI	Price	Code
8 032621 831345	1"	DN 25	€ 17.50	RAIFGU125
8 032621 831383	1" 1/4	DN 45	€ 18.40	RAIFGU114-45
8 032621 831390	1" 1/2	DN 45	€ 17.50	RAIFGU112-45
8 032621 831406	2"	DN 45	€ 20.20	RAIFGU12-45
8 032621 837750	2"	DN 70	€ 38.10	RAIFGU2-70
8 032621 831413	2" 1/2	DN 70	€ 44.10	RAIFGU212-70
8 032621 831420	3"	DN 70	€ 97.00	RAIFGU3-70
8 032621 831598	DN 25	DN 45	€ 28.10	RAIFGU25-45
8 032621 831604	DN 45	DN 70	€ 38.90	RAIFGU45-70
8 032621 838313	DN 70	DN 100	€ 141.80	RAIFGU70-100

UNI FEMALE - UNI MALE SWIVEL ADAPTORS

Barcode	Gas	UNI	Price	Code
8 032621 831994	1" M	DN 25 F	€ 26.50	RAIGGUMF-25
8 032621 832090	1" 1/4 M	DN 25 F	€ 45.70	RAIGGUMF114-25
8 032621 832106	1" 1/2 M	DN 45 F	€ 45.70	RAIGGUMF112-25
8 032621 832113	2" M	DN 45 F	€ 48.40	RAIGGUMF2-25
8 032621 832618	2" M	DN 70 F	€ 53.60	RAIGGUMF2-70
8 032621 832625	2" 1/2 M	DN 70 F	€ 55.70	RAIGGUMF212-70
8 032621 832632	3" M	DN 70 F	€ 98.20	RAIGGUMF3-70
8 032621 832649	4" M	DN 100 F	€ 141.80	RAIGGUMF4-100

A-TYPE FITTINGS

Standard pipe unions (3-piece) with seal.

Barcode	DN	Price	Code
8 032621 834957	25	€ 13.90	RP9025
8 032621 834964	45	€ 13.90	RP9045
8 032621 834971	70	€ 30.60	RP9070

UNI 804 brass pipe unions (3-piece) with seal.

Barcode	DN	Price	Code
8 032621 834995	45	€ 23.80	RP80445
8 032621 835008	70	€ 41.40	RP80470

B-TYPE FITTINGS

Brass pipe unions (3-piece) with seal.

Barcode	DN	Price	Code
8 032621 835015	70	€ 84.90	RA80470
8 032621 835022	80	€ 97.30	RA80480
8 032621 835039	100	€ 136.20	RA804100
8 032621 835046	125	€ 211.20	RA804125
8 032621 835053	150	€ 544.60	RA804150

without gate valves

with gate valves

Y-CONNECTOR

- brass y-connector complete with swivel connection.
- also available with brass gate valves.

Barcode	Inlet	2 Outlet	Gate Vlv.	Price	Code
8 032621 835152	45	45	no	€ 103.90	D2V45SS
8 032621 835176	70	45	no	€ 122.30	D2V70SS
8 032621 835190	70	70	no	€ 233.80	D2V140SS
8 032621 830645	100	70	no	€ 459.10	D2V100SS
8 032621 835169	45	45	yes	€ 249.30	D2V45CS
8 032621 835183	70	45	yes	€ 264.80	D2V70CS
8 032621 835206	70	70	yes	€ 586.80	D2V140CS
8 032621 830652	100	70	yes	€ 829.20	D2V100CS

FEMALE - FEMALE GATE VALVE

Brass construction. Female-female gas threads

Barcode	DN	Price	Code
8 032621 833707	2”	€ 25.10	SARA2
8 032621 833714	2” 1/2	€ 37.60	SARA2P
8 032621 833721	3”	€ 48.30	SARA3
8 032621 833738	4”	€ 101.80	SARA4

SWING CHECK VALVE

Brass construction. Female-female gas threads

Barcode	DN	Threads	Price	Code
8 032621 833660	2”	M/M	€ 27.00	VACLA2
8 032621 833677	2” 1/2	M/M	€ 35.70	VACLA2P
8 032621 833684	3”	F/F	€ 51.90	VACLA3
8 032621 833691	4”	F/F	€ 87.60	VACLA4

SAFETY VALVE

- Brass construction. Female gas threads.
- max setting: 12 bar.

Barcode	DN	Price	Code
8 032621 833646	3/4”	€ 21.60	VSM
8 032621 833653	1”	€ 28.70	VS1

MOTOR PUMP UNIT BODY

- Brass construction. Male or female gas threads.

Barcode	DN	Thread	Price	Code
8 032621 830492	2”	F/F	€ 34.10	CGM2FF
8 032621 830508	2” 1/2	F/F	€ 36.90	CGM212FF
8 032621 830553	3”	M/M	€ 48.10	CGM3MF
8 032621 830560	4”	M/M	€ 69.40	CGM4MF

FRAMES FOR MOTOR PUMP CONNECTION BOX



8 032621 831352	**PK70NVVF**	UNI70 720x590x23 mm Normokit Frame with dial latch and Blindo Light Protection Sheet for recessed Fire department connection boxes	**€ 57.70**
8 032621 831369	**PK70NVVFM**	UNI70 830x690x23 mm Normokit Frame with dial latch and Blindo Light Protection Sheet for recessed Fire Department connection boxes, with larger trim	**€ 76.00**
8 032621 831376	**PK70CCVVF**	Red ABS trim to integrate with PK70NVVF frame	**€ 21.60**
8 032621 831369	**PK70NVVFM**	Blindo Light Protection Sheet – 506x389 mm	**€ 20.00**

CLAM 2

Box for motor pump units made of RAL 3000 red sheet metal for horizontal and vertical units.

8 032621 831031	**CLAM2**	Box made of sheet metal for the Motor Pump Connection Units 2” - 2” 1/2 - mm 455x513x	**€ 95.20**
8 032621 830348	**SC440x500**	Safe Crash Sheet per CLAM2 box	**€ 19.80**

CLAM 3

Box for motor pump units made of RAL 3000 red sheet metal for horizontal and vertical units

8 032621 831048	**CLAM3**	Box made of sheet metal for the Motor Pump Connection 3” - 4” 1/2 - mm 800x602x400	**€ 143.20**
8 032621 830348	**SC745x500**	Safe Crash Sheet per CLAM3 box	**€ 30.60**



Hydrants

rack®
system

www.racksystem.it

DN 50 AND DN 70 ABOVE GROUND HYDRANT NOT IN COMPLIANCE WITH UNI EN 14384/06

Use: Standpipe hydrants are used on the fire protection networks.

Construction: built in accordance with current UNI standards.

They are equipped with pentagonal shaped operating nuts and automatic drain off system to prevent freezing and ensure that the hydrant is empty with the cut-off closed.

The base flange has holes and UNI PN 16 sized.

The plugs, in accordance with the standard, are made of brass.

The REVERSIBLE model is equipped with a preset rupture system which, in case of accidental collision, prevents water from leaking out and makes repairing the hydrant quick and easy.

Paint: internal and external coating with non-toxic epoxy powder in accordance with Ministerial Decree 174/04.

Testing: all hydrants are subjected to the testing and controls as per the current UNI standard.

Outlets	Barcode	DN	A	Price	Code
2 UNI 45	8 032621 834476	50	550	€ 373.40	ISAD050H500
2 UNI 45	8 032621 834483	50	700	€ 396.50	ISAD050H700
2 UNI 45	8 032621 834490	50	960	€ 450.70	ISAD050H960
2 UNI 70	8 032621 834506	70	550	€ 479.00	ISAD070H500
2 UNI 70	8 032621 834513	70	700	€ 511.20	ISAD070H700
2 UNI 70	8 032621 834520	70	960	€ 551.10	ISAD070H960
2 UNI 45 + 1 UNI 70	8 055118553476	50	550	€ 413.40	ISAD050H500+70
2 UNI 45 + 1 UNI 70	8 055118553483	50	700	€ 436.50	ISAD050H700+70
2 UNI 45 + 1 UNI 70	8 055118553490	50	960	€ 490.70	ISAD050H960+70
2 UNI 70 + 1 UNI 70	8 055118553513	70	550	€ 519.00	ISAD070H500+70
2 UNI 70 + 1 UNI 70	8 055118553537	70	700	€ 551.20	ISAD070H700+70
2 UNI 70 + 1 UNI 70	8 055118553551	70	960	€ 591.10	ISAD070H960+70

Outlets	Barcode	DN	A	Price	Code
2 UNI 45	8 032621 834629	50	550	€ 468.60	ISAR050H500
2 UNI 45	8 032621 834636	50	700	€ 496.90	ISAR050H700
2 UNI 45	8 032621 834643	50	960	€ 547.20	ISAR050H960
2 UNI 70	8 032621 834650	70	550	€ 576.80	ISAR070H500
2 UNI 70	8 032621 834667	70	700	€ 605.20	ISAR070H700
2 UNI 70	8 032621 834674	70	960	€ 648.90	ISAR070H960
2 UNI 45 + 1 UNI 70	8 055118553681	50	550	€ 508.60	ISAR050H500+70
2 UNI 45 + 1 UNI 70	8 055118553698	50	700	€ 536.90	ISAR050H700+70
2 UNI 45 + 1 UNI 70	8 055118553704	50	960	€ 587.20	ISAR050H960+70
2 UNI 70 + 1 UNI 70	8 055118553711	70	550	€ 616.80	ISAR070H500+70
2 UNI 70 + 1 UNI 70	8 055118553735	70	700	€ 645.20	ISAR070H700+70
2 UNI 70 + 1 UNI 70	8 055118553766	70	960	€ 688.90	ISAR070H960+70

For models with additional DN 100 outlets, consult the list.

DN 80 AND DN 100 ABOVE GROUND HYDRANT UNI EN 14384/06 COMPLIANT

Use: Standpipe hydrants are used on the fire protection networks.

Construction: built in accordance with current UNI standards.

They are equipped with pentagonal shaped operating nuts and automatic drain off system to prevent freezing and ensure that the hydrant is empty with the cut-off closed.

The base flange has holes and UNI PN 16 sized.

The plugs, in accordance with the standard, are made of brass.

The REVERSIBLE model is equipped with a preset rupture system which, in case of accidental collision, prevents water from leaking out and makes repairing the hydrant quick and easy.

Paint: internal and external coating with non-toxic epoxy powder in accordance with Ministerial Decree 174/04.

Testing: all hydrants are subjected to the testing and controls as per the current UNI standard.

Outlets	Barcode	DN	A	Price	Code
2 UNI 70	8 032621 834537	80	550	€ 533.10	ISAD080H500
2 UNI 70	8 032621 834544	80	700	€ 562.70	ISAD080H700
2 UNI 70	8 032621 834551	80	960	€ 612.80	ISAD080H960
2 UNI 70	8 032621 834568	100	550	€ 620.60	ISAD100H500
2 UNI 70	8 032621 834575	100	700	€ 656.60	ISAD100H700
2 UNI 70	8 032621 834582	100	960	€ 706.90	ISAD100H960
2 UNI 70 + 1 UNI 70	8 055118553575	80	550	€ 573.10	ISAD080H500+70
2 UNI 70 + 1 UNI 70	8 055118553650	80	700	€ 602.70	ISAD080H700+70
2 UNI 70 + 1 UNI 70	8 055118553674	80	960	€ 652.80	ISAD080H960+70
2 UNI 70 + 1 UNI 70	8 055118553599	100	550	€ 660.60	ISAD100H500+70
2 UNI 70 + 1 UNI 70	8 055118553612	100	700	€ 737.80	ISAD100H700+70
2 UNI 70 + 1 UNI 70	8 055118553636	100	960	€ 746.90	ISAD100H960+70

Outlets	Barcode	DN	A	Price	Code
2 UNI 70	8 032621 834681	80	550	€ 663.10	ISAR080H500
2 UNI 70	8 032621 834698	80	700	€ 695.20	ISAR080H700
2 UNI 70	8 032621 834704	80	960	€ 735.20	ISAR080H960
2 UNI 70	8 032621 834711	100	550	€ 775.10	ISAR100H500
2 UNI 70	8 032621 834728	100	700	€ 807.30	ISAR100H700
2 UNI 70	8 032621 834735	100	960	€ 883.20	ISAR100H960
2 UNI 70 + 1 UNI 70	8 055118553841	80	550	€ 703.10	ISAR080H500+70
2 UNI 70 + 1 UNI 70	8 055118553865	80	700	€ 735.20	ISAR080H700+70
2 UNI 70 + 1 UNI 70	8 055118553889	80	960	€ 775.20	ISAR080H960+70
2 UNI 70 + 1 UNI 70	8 055118553780	100	550	€ 815.10	ISAR100H500+70
2 UNI 70 + 1 UNI 70	8 055118553803	100	700	€ 847.30	ISAR100H700+70
2 UNI 70 + 1 UNI 70	8 055118553827	100	960	€ 923.20	ISAR100H960+70

For models with additional DN 100 outlets, consult the list.

DN 80 AND DN 100 ABOVE GROUND HYDRANT UNI EN 14384/06 COMPLIANT, MOD. KAISER

Use: Standpipe hydrants are used on the fire protection networks.

Construction: built in accordance with current UNI standards.

They are equipped with pentagonal shaped operating nuts and automatic drain off system to prevent freezing and ensure that the hydrant is empty with the cut-off closed.

The base flange has holes and UNI PN 16 sized.

The parts in contact with water and the rubber parts conform to Ministerial Decree 174/04.

It is equipped with a preset rupture system which, in case of accidental collision, prevents water from leaking out and makes repairing the hydrant quick and easy.

Paint: internal and external coating with non-toxic epoxy powder in accordance with Ministerial Decree 174/04.

Testing: all hydrants are subjected to the testing and controls as per the current UNI standard.

STD Outlet	Add. Outlets	Barcode	DN	A	H	Price	Code
2 UNI 70		8 055118551151	80	500	1150	€ 795.00	KAI080H500
2 UNI 70	1 UNI 100	8 055118551199	80	500	1150	€ 893.00	KAI080H500+100
2 UNI 70		8 055118551168	80	700	1350	€ 835.00	KAI080H700
2 UNI 70		8 055118551175	80	960	1610	€ 883.00	KAI080H960
2 UNI 70		8 055118551182	100	500	1150	€ 930.00	KAI100H500
2 UNI 70	1 UNI 100	8 055118551205	100	500	1150	€ 1,027.00	KAI100H500+100

KaiseR
innovazione&tradizione

Barcode	Description	Price	Code
8 055118551342	Shockproof hydrant cover made of Blindo Light	€ 54.00	COP-IDR

UNDERGROUND HYDRANTS MOD. CROTONE A500

Barcode	DN	Outlet	Price	Code
8 032621 834773	50	Bayonet 45	€ 144.20	ISC50B
8 032621 834803	50	UNI 45	€ 144.20	ISC50N
8 032621 834780	70	Bayonet 70	€ 194.50	ISC70B
8 032621 834810	70	UNI 70	€ 194.50	ISC70N
8 032621 834797	80	Bayonet 70	€ 211.30	ISC80B *
8 032621 834827	80	UNI 70	€ 211.30	ISC80N *

* In compliance with UNI EN 14339/06.

UNDERGROUND HYDRANT BONNETS

- cast iron hydrant bonnets with cap.

Barcode	Description	H	Cap	Top base	Bot. base	Price	Code
8 032621 834919	Underground Hydrant 50	250	300 x 220	320 x 240	370 x 290	€ 70.50	CØ260
8 032621 834926	Underground Hydrant 70	310	340 x 240	360 x 260	420 x 310	€ 94.80	CØ263

SWAN NECK FOR UNDERGROUND HYDRANTS

- Brass and steel column.
- available with one or two outlets.
- gate valves can be installed on the outlets.
- the hydrant connection can be UNI type or bayonet type (please specify in order)

Fixed type

Barcode	DN	Outlets	Gate valve	H	Price	Code
8 032621 834452	45	2	no	630	€ 235.20	COGI45
8 055118550888	45	2	yes	630	€ 260.20	COGI45US
8 032621 834469	70	2	no	750	€ 259.10	COGI70
8 055118550895	70	2	yes	750	€ 287.50	COGI70US
8 055118550901	70	1	no	750	€ 246.70	COGI70U/1
8 055118550918	45	1	no	630	€ 224.70	COGI45U/1

HYDRANT DUCKFOOT BENDS

- 90° elbow made of ductile cast iron with foot.

Barcode	DN	Holes	C	Price	Code
8 032621 834001	50	PN 16	140	€ 43.80	GP50
8 032621 834018	70	PN 16	160	€ 52.90	GP70
8 032621 834025	80	PN 16	160	€ 61.90	GP80
8 032621 834032	100	PN 16	310	€ 90.20	GP100
8 032621 834049	150	PN 16	380	€ 212.60	GP150



HYDRANT COVER

Barcode	Description	Price	Code
8 055118551342	Shockproof hydrant cover made of Blindo Light	€ 54.00	COP-IDR

HYDRANT WRENCHES



Barcode	Description	Fig.	Price	Code
8 032621 833813	Steel hydrant wrench for above ground hydrants, UNI 9485	A	€ 22.90	CHØØ37
8 032621 833820	Painted hydrant wrench for A type fittings, UNI 814 DN 25/45	E	€ 9.60	CH3845
8 032621 833837	Chromed hydrant wrench for A type fittings, UNI 814 DN 45/70	D	€ 9.60	CH3870
8 032621 833844	Hydrant wrench for A type caps	B	€ 21.80	CHØØ35
8 032621 833806	Cast iron and steel universal hydrant wrench for underground hydrants and gate valves	C	€ 40.80	CHØØ36

HYDRANT CONNECTIONS

- Several of the most common outlets used for hydrants are listed below. Please inquire about other specifications not shown here. Box accessories (nozzles, valves, hoses, etc.) are available with different standards.

STORZ

NH

BSS

Barcode	Type	Description	Material	Price	Code
8 055118551663	Storz	connection C52	aluminium	-	**RS112**
8 032621 835411	Storz	connection B75	aluminium	-	**STØ1**
8 032621 835428	Storz	cap B75	aluminium	-	**STØ2**
8 032621 835435	Storz	connection A110	aluminium	-	**STØ3**
8 032621 835442	Storz	cap A110	aluminium	-	**STØ4**
8 032621 835459	Storz	connection C52	aluminium	-	**STØ5**
8 032621 835466	Storz	cap C52	aluminium	-	**STØ6**
8 032621 835534	Nh	connection 2" 1/2	brass	-	**NHØ1**
8 032621 835541	Nh	cap 2" 1/2	cast iron	-	**NHG1**
8 032621 835558	Nh	connection 4"	brass	-	**NHØ2**
8 032621 835565	Nh	cap 4"	cast iron	-	**NHG2**
8 032621 835350	Bss	2" 1/2 connection	brass	-	**BBS10**
8 032621 835367	Bss	2" 1/2 cap	brass	-	**BBS11**
8 032621 835374	Bss	4" connection	brass	-	**BBS12**
8 032621 835381	Bss	4" cap	brass	-	**BBS13**

UNDERGROUND HYDRANT CONNECTION

- cast iron and brass bayonet and UNI outlets for underground hydrants.

Barcode	DN	Type	Price	Code
8 032621 834391	50	bayonet	**€ 30.40**	ATT67
8 032621 834407	70	bayonet	**€ 41.90**	ATT16
8 032621 834414	80	bayonet	**€ 55.00**	ATT25
8 032621 834421	50	UNI	**€ 31.90**	ATT11
8 032621 834438	70	UNI	**€ 43.40**	ATT47
8 032621 834445	100	UNI	**€ 108.40**	ATT20

RUBBER WEDGE GATE VALVE IN DUCTILE CAST IRON - FLAT AND OVAL BODY - PN16

Use: these gate valves can be used on drinking water distribution networks, fire protection networks, and on systems with a maximum temperature of 80°C.

Construction:

Flat body: DIN3202 F4 in cast iron GJS 400 EN1503 flanged UNI1092 PN16.

Oval body: DIN3202 F5 in cast iron GJS 400 EN1503 flanged UNI1092 PN16.

Paint: non-toxic blue epoxy powder coating.

Testing: all gate valves are subjected to the tests and controls as per current UNI standards.

Barcode	DN	Type	F (mm)	Price	Code
8 032621 834186	40	flat	140	€ 113.80	SØ367
8 055118552363	40	oval	240	€ 113.80	SV7999
8 032621 834193	50	flat	150	€ 119.00	SØ368
8 055118552370	50	oval	250	€ 119.00	SV8000
8 032621 834209	65	flat	170	€ 148.70	SØ369
8 055118552387	65	oval	270	€ 148.70	SV8001
8 032621 834216	80	flat	180	€ 190.80	SØ370
8 055118552394	80	oval	280	€ 190.80	SV8002
8 032621 834223	100	flat	190	€ 223.30	SØ371
8 055118552400	100	oval	300	€ 223.30	SV8003
8 032621 834230	125	flat	200	€ 375.80	SØ372
8 055118552417	125	oval	325	€ 375.80	SV8004
8 032621 834247	150	flat	210	€ 402.90	SØ373
8 055118552424	150	oval	350	€ 402.90	SV8005
8 055118552356	200	flat	230	€ 790.70	SØ374
8 055118552431	200	oval	400	€ 815.90	SV8006

- These butterfly valves can be used on hydraulic, heating, fire, and gas systems, as well as for industrial applications with a maximum temperature of 80°C and PN 16 pressure.
- They are equipped with an adjustable operating lever in intermediary positions with holes to insert a lock and flange for mounting electrical actuators or manual reducers.
- The parts in contact with water and the rubber parts conform to Ministerial Decree n° 174 of 2004.
- They are coated using an electrostatic procedure with RAL 5015 non-toxic powder coating, in accordance with Ministerial Decree n° 174 of 2004.

WAFER BUTTERFLY VALVES WITH LEVER UNI PN 16 DRILLING

Barcode	Code	DN	Price
8 055118552448	V4200	50	€ 55.90
8 055118552455	V4201	65	€ 62.40
8 055118552462	V4202	80	€ 71.50
8 055118552479	V4203	100	€ 91.00
8 055118552486	V4204	125	€ 114.40
8 055118552493	V4205	150	€ 135.20
8 055118552509	V4206	200	€ 196.30
8 055118552516	V4207	250	€ 409.50
8 055118552523	V4208	300	€ 487.50

LUG STYLE BUTTERFLY VALVES WITH LEVER UNI PN 16 DRILLING

Barcode	Code	DN	Price
8 055118552530	VL4250	50	€ 59.80
8 055118552547	VL4251	65	€ 72.80
8 055118552554	VL4252	80	€ 88.40
8 055118552561	VL4253	100	€ 100.10
8 055118552578	VL4254	125	€ 140.40
8 055118552585	VL4255	150	€ 172.90
8 055118552592	VL4256	200	€ 254.80
8 055118552608	VL4257	250	€ 624.00
8 055118552615	VL4258	300	€ 871.00

HANDWHEEL GEAR BOX FOR BUTTERFLY VALVES

Barcode	Code	Price
8 055118552622	R4249	€ 227.50

FLAT FLANGES - THREADED OR WELD

Barcode	DN	Price	Code
8 032621 834056	DN 50 PN 16, flat	€ 20.00	FL50P
8 032621 834063	DN 65 PN 16, flat	€ 23.50	FL65P
8 032621 834070	DN 80 PN 16, flat	€ 29.00	FL80P
8 032621 834087	DN 100 PN 16, flat	€ 33.00	FL100P
8 032621 834094	DN 125 PN 16, flat	€ 44.00	FL125P
8 032621 834100	DN 150 PN 16, flat	€ 53.00	FL150P
8 032621 834117	DN 200 PN 16, flat	€ 83.00	FL200P
8 032621 834124	DN 50 PN 16, threaded	€ 27.00	FL50F
8 032621 834131	DN 65 PN 16, threaded	€ 33.00	FL65F
8 032621 834148	DN 80 PN 16, threaded	€ 40.00	FL80F
8 032621 834155	DN 100 PN 16, threaded	€ 46.00	FL100F

SEALS

- seals made of rubberized fabric for flanges

Barcode	DN	Price	Code
8 032621 833929	40	€ 0.90	GGT40
8 032621 833936	50	€ 1.90	GGT50
8 032621 833943	65	€ 2.00	GGT65
8 032621 833950	80	€ 2.50	GGT80
8 032621 833967	100	€ 3.40	GGT100
8 032621 833974	125	€ 4.50	GGT125
8 032621 833981	150	€ 4.50	GGT150
8 032621 833998	200	€ 5.80	GGT200

STEEL NUTS AND BOLTS

- zinc plated steel nuts and bolts

Barcode	DN	A	For DN Flanges	Price	Code
8 032621 833899	16	70	40-100	€ 1.80	DB3081
8 032621 833905	20	80	125-200	€ 3.60	DB3082
8 032621 833912	22	100	250-300	€ 5.90	DB3083

HANDWHEELS FOR GATE VALVES

- Cast iron handwheels for gate valves, epoxy powder coated.

Barcode	Gate valves	Code	Price
8 032621 834353	DN 40-50	€ 11.70	VS40
8 032621 834360	DN 65	€ 14.30	VS65
8 032621 834377	DN 100	€ 18.10	VS100
8 032621 834384	DN 125-150	€ 25.90	VS125

SPINDLE AND PROTECTION TUBE

Barcode	H	Laying undergr.	Type	DN gate vlv.	Preis	Code
8 032621 834254	600	1000	spindle Ø 15	40-50	€ 28.40	ASMS1510
8 032621 834261	600	1000	spindle Ø 19	65-80	€ 28.40	ASMS1910
8 032621 834278	600	1000	spindle Ø 21	100	€ 28.40	ASMS2110
8 032621 834285	600	1000	spindle Ø 26	125-300	€ 28.40	ASMS2610
8 032621 834292	900	1250	spindle Ø 15	40-50	€ 35.00	ASMS1512
8 032621 834308	900	1250	spindle Ø 19	65-80	€ 35.00	ASMS1912
8 032621 834315	900	1250	spindle Ø 21	100	€ 35.00	ASMS2112
8 032621 834322	900	1250	spindle Ø 26	125-300	€ 35.00	ASMS2612
8 032621 834339	600	1000	protection tube	40-300	€ 15.50	SØ4Ø71
8 032621 834346	900	1250	protection tube	40-300	€ 16.90	SØ4Ø72

GATE VALVE BONNETS

- cast iron bonnets with cap

Barcode	Description on cap	H	Base	Port	Price	Code
8 032621 834940	Gate valve	270	270	160	€ 37.50	CØ226

FLOW AND PRESSURE METERS

Measuring instrument made of chromed brass and copper complete with:
- UNI45 certified
- connection
- glycerine filled multi-scale pressure gauge with instant reading of the flow rate
- set of adaptors UNI45M x UNI25F - UNI45M x UNI70F
- set of nozzles diameter 7,12, and 16
- carrying case

Barcode	Price	Code
8 055118553469	€ 960.00	MIPPRE



Sprinklers

rack®
system

www.racksystem.it

SPRINKLERS & CO.

A brief history of sprinklers

Today's automatic sprinkling systems, designed according to the Grinnell- Sprinkler system, are the result of numerous years of research and development. The first attempts at automatic protection systems against fire dates back to the years immediately after The Great Fire of London. It has been reported that in 1763 John Green patented an automatic fire alarm device, the details of which, however, went lost.

John Carey invented the first automatic fire sprinkler system in 1806 by connecting a series of pipes equipped with open type sprinkler heads, supplied by an elevated water tank through a valve held closed by a cord; in the event of a fire, the flames would burn the cord causing the valve to open and thereby allowing water to discharge. There is no evidence to confirm the practical application of this type of system.

The first modern sprinkler was designed by Major Stuart Harrison of the First Engineer London Volunteers in 1864. However, the device was never patented and there is no evidence of the system being used.

In the United States, Henry S. Parmelee invented an automatic opening sprinkler in 1874 which was the first to be marketed.

The device quickly became very popular: between 1878 and 1882, about 200,000 Parmalee sprinklers were installed primarily in New England.

Later efforts to improve the system allowed Frederick Grinnell of Providence, Rhode Island (USA) to fine tune the automatic sprinkler in 1882 which, although it has been further developed, is still used today.

The first systems in Italy were installed in the late 1800's, for the most part in textile mills.





Sprinkler head with paraboloid water distribution pattern, suitable for installations where the spray is discharged upward against the deflector. The word UP RIGHT or PENDENT and the operating temperature of the glass bulb are indicated on the deflector.

STANDARD RESPONSE BRASS *UPRIGHT* SPRINKLERS

1/2" Connection - K factor: 80

	BRASS			CHROMED BRASS		
Description	Barcode	Code	Price	Barcode	Code	Price
t = 57°C - 135 °F	8 032621 836227	SU57	€ 7.80	8 032621 836463	SUC57	€ 8.50
t = 68°C - 155 °F	8 032621 836234	SU68	€ 7.80	8 032621 836470	SUC68	€ 8.50
t = 79°C - 175 °F	8 032621 836241	SU79	€ 7.80	8 032621 836487	SUC79	€ 8.50
t = 93°C - 200 °F	8 032621 836258	SU93	€ 7.80	8 032621 836494	SUC93	€ 8.50
t = 141°C - 286 °F	8 032621 836265	SU141	€ 8.40	8 032621 836500	SUC141	€ 9.10
t = 182°C - 360 °F	8 032621 836272	SU182	€ 8.40	8 032621 836517	SUC182	€ 9.10

N.B. Also available in white or black; prices on request.

STANDARD RESPONSE BRASS *PENDENT* SPRINKLERS

1/2" Connection - K factor: 80

	BRASS			CHROMED BRASS		
Description	Barcode	Code	Price	Barcode	Code	Price
t = 57°C - 135 °F	8 032621 836289	SP57	€ 8.20	8 032621 836524	SPC57	€ 8.80
t = 68°C - 155 °F	8 032621 836296	SP68	€ 8.20	8 032621 836531	SPC68	€ 8.80
t = 79°C - 175 °F	8 032621 836302	SP79	€ 8.20	8 032621 836548	SPC79	€ 8.80
t = 93°C - 200 °F	8 032621 836319	SP93	€ 8.20	8 032621 836555	SPC93	€ 8.80
t = 141°C - 286 °F	8 032621 836326	SP141	€ 8.70	8 032621 836562	SPC141	€ 9.40
t = 182°C - 360 °F	8 032621 836333	SP182	€ 8.70	8 032621 836579	SPC182	€ 9.40

N.B. Also available in white or black; prices on request.

Sprinkler head with paraboloid water distribution pattern, suitable for installations where the spray is discharged upward against the deflector. The word UP RIGHT or PENDENT and the operating temperature of the glass bulbs are indicated on the deflector.

STANDARD RESPONSE BRASS *UPRIGHT* SPRINKLER

3/4" Connection - K factor: 115

	BRASS			CHROMED BRASS		
Description	**Barcode**	**Code**	**Price**	**Barcode**	**Code**	**Price**
t = 57°C - 135 °F	8 055118552752	SU57	€ 9.00	8 055118552813	SUC57	€ 9.80
t = 68°C - 155 °F	8 055118552769	SU68	€ 9.00	8 055118552820	SUC68	€ 9.80
t = 79°C - 175 °F	8 055118552776	SU79	€ 9.00	8 055118552837	SUC79	€ 9.80
t = 93°C - 200 °F	8 055118552783	SU93	€ 9.00	8 055118552844	SUC93	€ 9.80
t = 141°C - 286 °F	8 055118552790	SU141	€ 9.70	8 055118552851	SUC141	€ 10.50
t = 182°C - 360 °F	8 055118552806	SU182	€ 9.70	8 055118552868	SUC182	€ 10.50

N.B. Also available in white or black; prices on request.

STANDARD RESPONSE BRASS *PENDENT* SPRINKLERS

3/4" Connection - K factor: 115

	BRASS			CHROMED BRASS		
Description	**Barcode**	**Code**	**Price**	**Barcode**	**Code**	**Price**
t = 57°C - 135 °F	8 055118552875	SP57	€ 9.50	8 055118552936	SPC57	€ 10.20
t = 68°C - 155 °F	8 055118552882	SP68	€ 9.50	8 055118552943	SPC68	€ 10.20
t = 79°C - 175 °F	8 055118552899	SP79	€ 9.50	8 055118552950	SPC79	€ 10.20
t = 93°C - 200 °F	8 055118552905	SP93	€ 9.50	8 055118552967	SPC93	€ 10.20
t = 141°C - 286 °F	8 055118552912	SP141	€ 10.00	8 055118552974	SPC141	€ 10.90
t = 182°C - 360 °F	8 055118552929	SP182	€ 10.00	8 055118552981	SPC182	€ 10.90

N.B. Also available in white or black; prices on request.

Sprinkler head with paraboloid water distribution pattern, suitable for installations where the spray is discharged upward against the deflector. The word UP RIGHT or PENDENT and the operating temperature of the glass bulb are indicated on the deflector.

QUICK RESPONSE BRASS *UPRIGHT* SPRINKLER

1/2" Connection - K factor: 80

	BRASS			CHROMED BRASS		
Description	Barcode	Code	Price	Barcode	Code	Price
t = 57°C - 135 °F	8 032621 836340	SUQ57	€ 7.80	8 032621 836586	SUCQ57	€ 10.30
t = 68°C - 155 °F	8 032621 836357	SUQ68	€ 7.80	8 032621 836593	SUCQ68	€ 10.30
t = 79°C - 175 °F	8 032621 836364	SUQ79	€ 7.80	8 032621 836609	SUCQ79	€ 10.30
t = 93°C - 200 °F	8 032621 836371	SUQ93	€ 7.80	8 032621 836616	SUCQ93	€ 10.30
t = 141°C - 286 °F	8 032621 836388	SUQ141	€ 8.40	8 032621 836623	SUCQ141	€ 11.90
t = 182°C - 360 °F	8 032621 836395	SUQ182	€ 8.40	8 032621 836630	SUCQ182	€ 11.90

N.B. Also available in white or black; prices on request.

QUICK RESPONSE BRASS *PENDENT* SPRINKLERS

1/2" Connection - K factor: 80

	BRASS			CHROMED BRASS		
Description	Barcode	Code	Price	Barcode	Code	Price
t = 57°C - 135 °F	8 032621 836401	SPQ57	€ 11.70	8 032621 836647	SPCQ57	€ 12.40
t = 68°C - 155 °F	8 032621 836418	SPQ68	€ 11.70	8 032621 836654	SPCQ68	€ 12.40
t = 79°C - 175 °F	8 032621 836425	SPQ79	€ 11.70	8 032621 836661	SPCQ79	€ 12.40
t = 93°C - 200 °F	8 032621 836432	SPQ93	€ 11.70	8 032621 836678	SPCQ93	€ 12.40
t = 141°C - 286 °F	8 032621 836449	SPQ141	€ 12.20	8 032621 836685	SPCQ141	€ 13.10
t = 182°C - 360 °F	8 032621 836456	SPQ182	€ 12.20	8 032621 836692	SPCQ182	€ 13.10

N.B. Also available in white or black; prices on request.

Sprinkler head with paraboloid water distribution pattern, suitable for installations where the spray is discharged upward against the deflector. The word UP RIGHT or PENDENT and the operating temperature of the glass bulb are indicated on the deflector.

QUICK RESPONSE BRASS *UPRIGHT* SPRINKLERS

3/4" Connection - K factor: 115

	BRASS			CHROMED BRASS		
Description	**Barcode**	**Code**	**Price**	**Barcode**	**Code**	**Price**
t = 57°C - 135 °F	8 055118552998	SUQ57	€ 9.00	8 055118553056	SUCQ57	€ 11.90
t = 68°C - 155 °F	8 055118553001	SUQ68	€ 9.00	8 055118553063	SUCQ68	€ 11.90
t = 79°C - 175 °F	8 055118553018	SUQ79	€ 9.00	8 055118553070	SUCQ79	€ 11.90
t = 93°C - 200 °F	8 055118553025	SUQ93	€ 9.00	8 055118553087	SUCQ93	€ 11.90
t = 141°C - 286 °F	8 055118553032	SUQ141	€ 9.70	8 055118553094	SUCQ141	€ 13.70
t = 182°C - 360 °F	8 055118553049	SUQ182	€ 9.70	8 055118553100	SUCQ182	€ 13.70

N.B. Also available in white or black; prices on request.

QUICK RESPONSE BRASS *PENDENT* SPRINKLERS

3/4" Connection - K factor: 115

	BRASS			CHROMED BRASS		
Description	**Barcode**	**Code**	**Price**	**Barcode**	**Code**	**Price**
t = 57°C - 135 °F	8 032621 833117	SPQ57	€ 13.50	8 055118553179	SPCQ57	€ 14.20
t = 68°C - 155 °F	8 032621 833124	SPQ68	€ 13.50	8 055118553186	SPCQ68	€ 14.20
t = 79°C - 175 °F	8 032621 833131	SPQ79	€ 13.50	8 055118553193	SPCQ79	€ 14.20
t = 93°C - 200 °F	8 032621 833148	SPQ93	€ 13.50	8 055118553209	SPCQ93	€ 14.20
t = 141°C - 286 °F	8 032621 833155	SPQ141	€ 14.10	8 055118553216	SPCQ141	€ 15.00
t = 182°C - 360 °F	8 032621 833162	SPQ182	€ 14.10	8 055118553223	SPCQ182	€ 15.00

N.B. Also available in white or black; prices on request.



WATER CURTAIN NOZZLES

These nozzles create a horizontal or vertical spray and act like a fire wall.
They are also used as a cooling effect. The flow rate varies based on the outlet hole.

Barcode	Code	Description	Price
8 032621 837132	9973	1/2" Model - 35l/min 3 bar	€ 16.00
8 032621 837149	9974	3/4" Model - 110l/min 3 bar	€ 18.60
8 032621 837156	9975	1" Model - 200l/min 3 bar	€ 42.40



FOG NOZZLES

These nozzles create a fog or mist spray and are usually used in environments with high or serious risk factors. The flow rate varies based on the outlet hole.

Barcode	Code	Description	Price
8 032621 837163	9976	1/2" Model	€ 18.60
8 032621 837170	9977	3/4" Model	€ 25.50
8 032621 837187	9978	1" Model	€ 38.20

SPRINKLER WRENCH SprinKey[fi]

Patent pending wrench made of special steel for sprinklers with 19 and 22 mm double connection.
The central clamp makes it easier to tighten the sprinkler.

Barcode	Code	Description	Price
8 032621 837200	SKEY	Sprinkey	€ 40.80

SPRINKLER HEAD STORAGE BOX

Constructed in red ABS with silkscreen printing on the lid. Complete with cylinder lock with keys and fixing inserts.
Dimensions: 300 x 365 x 50 mm
Weight: 0,750
Holds:
- 15 UNI 9489 Sprinkler heads and wrench (not included)

Barcode	Code	Description	Price
8 032621 831475	**PDABS5**	15 UNI 9489 Sprinkler heads and wrench (bulbs, sprinklers, and wrench not included)	**€ 52.30**

SPRINKLER HEAD STORAGE BOX

Constructed in red ABS with silkscreen printing on the lid. Complete with cylinder lock with keys and fixing inserts.
Dimensions: 355 x 390 x 60 mm
Weight: 0,900
Holds:
- 36 UNI 9489 Sprinkler heads and wrench

Barcode	Code	Description	Price
8 032621 831536	**PD2ABS5**	36 UNI 9489 Sprinkler heads and wrench (bulbs, sprinklers, and wrench not included)	**€ 54.50**



Composition:
D- Wet alarm valve, flanged
B – Trim – variable pressure
C- Retard chamber
A- Butterfly valve with reduction gear, handwheel, indicator, and position switch
E- Water motor alarm
F- Pressure alarm switch with 1 contact Potter PS10-1

UL FM AND WET SPRINKLER AND TRIM SYSTEM

This system can be installed in areas that are not subject to freezing.
The pipes are always under pressure with water; in case of fire the sprinkler opens when it comes into contact with the high temperature, the sprinkler alarm is triggered by water flowing through it.
If a pressure switch is installed, it can enable pumps and other equipment.
The trim is comprised of a series of pressure gauges, test and drain valves, fittings and pre-threaded pipe connections.
To facilitate the order, the pre-assembled and tested system consists of: valve body, trim, gate valve, sprinkler alarm, and retard chamber where technically necessary.
UL/FM Approved

Barcode	Code	Description	Price
8 032621 838900	9920	2 1/2" UL FM	€ 3,840.00
8 032621 838917	9929	3" UL FM	€ 2,350.00
8 032621 836708	9930	4" UL FM	€ 2,370.00
8 032621 836715	9931	6" UL FM	€ 2,705.00
8 032621 836722	9932	8" UL FM	€ 4,730.00



Composition:
A- Dry alarm valve, flanged
B - Trim base
C- Accelerator with trim*
D- Butterfly valve with reduction gear, handwheel, indicator, and position switch
E- Water motor alarm
F- air/low pressure alarm pressure switch with 2 contacts mod. PS40-2A
G- Pressure maintaining set

* accelerator with trim not available for the 2 ½" valve

UL FM DRY SPRINKLER AND TRIM SYSTEM

The system can be installed in areas that are not subject to freezing.
The pipes are always empty and do not contain water but are kept under pressure with compressed air, which blocks the seal plate. In case of fire, the sprinkler opens when it comes into contact with the high temperature and the air inside the pipes is rapidly released. The plate lifts allowing water to flow through which then reaches the open sprinkler, and triggers the sprinkler alarm. The pressure switch, if installed, can enable pumps and other equipment.
The trim is comprised of a series of pressure gauges, test and drain valves, fittings and pre-threaded pipe connections.
To facilitate the order, the pre-assembled and tested system consists of: valve body, trim, gate valve, sprinkler alarm, and retard chamber where technically necessary.
The air compressor is not supplied with the system.
UL/FM Approved

Barcode	Code	Description	Price
8 032621 833882	9934	2 1/2" UL FM	€ 5,770.00
8 032621 836760	9936	4" UL FM	€ 4,400.00
8 032621 836777	9937	6" UL FM	€ 5,620.00

DELUGE VALVE AND TRIM SET

The deluge valve set discharges a large quantity of water from the fog nozzles or open spray nozzles.
The nozzles are installed to the pipes duly calculated in the design phase.
The open-type deluge valve opens with the consent of a detector network and/or manual control.



Barcode	Code	Description	Price
8 055118553230	VEL01	2” electric actuation	€ 6,050.00
8 055118553247	VEL02	2” 1/2 electric actuation	€ 6,210.00
8 055118553254	VEL03	3” electric actuation	€ 6,901.00
8 055118553261	VEL04	4” electric actuation	€ 7,170.00
8 055118553278	VEL05	6” electric actuation	€ 8,190.00
8 055118553285	VEL06	8” electric actuation	€ 13,650.00

Barcode	Code	Description	Price
8 055118553292	VPN01	2” dry pilot actuation	€ 6,530.00
8 055118553308	VPN02	2” 1/2 dry pilot actuation	€ 6,790.00
8 055118553315	VPN03	3” dry pilot actuation	€ 7,530.00
8 055118553322	VPN04	4” dry pilot actuation	€ 8,395.00
8 055118553339	VPN05	6” dry pilot actuation	€ 8,535.00

Barcode	Code	Description	Price
8 055118553346	VID01	2” wet pilot actuation	€ 5,520.00
8 055118553353	VID02	2” 1/2 wet pilot actuation	€ 5,380.00
8 055118553360	VID03	3” wet pilot actuation	€ 5,990.00
8 055118553377	VID04	4” wet pilot actuation	€ 6,785.00
8 055118553384	VID05	6” wet pilot actuation	€ 7,815.00

Composition:
A - Deluge valve alarm, flanged
B - Trim base
C - Trim electric actuation 24 Vcc
D - Butterfly valve with reduction gear, handwheel, indicator, and position switch*
E - Water motor alarm
F - Pressure alarm switch with 1 contact Potter PS10-1 (water alarm)

* accelerator with trim not available for the 2 ½” valve

UL FM FLOW SWITCH

This flow switch is used to detect the flow of water running through the pipes and closes an electric contact for the alarms.

Barcode	Code	Description	Price
8 032621 836913	FL1	2" Model , 2 contacts with delay	€ 302.50
8 032621 836920	FL2	2 ½" Model, 2 contacts with delay	€ 302.50
8 032621 836937	FL3	3" Model, 2 contacts with delay	€ 302.50
8 032621 836944	FL4	4" Model, 2 contacts with delay	€ 302.50
8 032621 836951	FL5	5" Model, 2 contacts with delay	€ 302.50
8 032621 836968	FL6	6" Model, 2 contacts with delay	€ 302.50

UL FM AIR ACCELERATOR

Accelerators are used in dry systems to rapidly expel the air from the pipes allowing water to enter promptly to the sprinkler triggered for the fire. They are mounted on the dry valve body.

Barcode	Code	Description	Price
8 032621 836975	9957	Model UL FM	€ 1,908.10

UL FM RETARD CHAMBER

The plate may temporarily open even in the absence of a normal flow due to the opening of a sprinkler, therefore the purpose of the chamber is to delay the sprinkler alarm in case of fluctuations in the water mains.

Barcode	Code	Description	Price
8 032621 836982	9958	Model UL FM	€ 553.00

UL FM WATER MOTOR ALARM

This water motor alarm is energized only by water flowing due to the operation of one or more sprinklers.

Barcode	Code	Description	Price
8 032621 837002	9960	Model UL FM	€ 572.50

UL FM PRESSURE SWITCH

This pressure switch immediately signals when the system is activated, triggering remote alarms or enabling or disabling other equipment.
It is equipped with Nc and No contacts.

Barcode	Code	Description	Price
8 032621 837026	9962	Model UL FM, 1 contact	€ 184.40

UL FM POSITION INDICATOR

The position indicator is mounted on the main shut off gate valve of the system control valve.
The valve must always stay open; if it closes or is tampered with it signals an alarm to the control panel.

Barcode	Code	Description	Price
8 032621 837033	9963	Model UL FM horizontal	€ 996.90



TEST AND DRAIN SINGLE HANDLE BALL VALVE

Barcode	Code	Description	Price
8 055118553391	TD01	Thread 1" x 1/2" K-Faktor=80	€ 280.00
8 055118553407	TD02	Thread 1" x 13/4" K-Faktor=116	€ 335.00
8 055118553414	TD03	Thread 1"1/4 x 1/2" K-Faktor=80	€ 440.00
8 055118553421	TD04	Thread 1"1/4 x 3/4" K-Faktor=116	€ 440.00

PRESSURE GAUGES

Barcode	Code	Description	Price
8 055118553438	MAN01	Water pressure gauge	€ 73.00
8 055118553445	MAN02	Air pressure gauge	€ 78.00
8 055118553452	RMAN	Gauge cock	€ 81.00

UL FM FLOW RATE METER

Flow rate meters are normally used in the pump house to control the actual dynamic flow rate.

Barcode	Code	Description	Price
8 032621 837125	9972	Model UL FM 3"	€ 4,468.60

UL FM GATE VALVE

Outside screw type, UL FM approved.

Barcode	Code	Description	Price
8 032621 837040	9964	3" Model	€ 617.90
8 032621 837057	9965	4" Model	€ 713.90
8 032621 837071	9967	8" Model	€ 1,844.50

UL FM OUTSIDE STEM GATE VALVE

PN 10 ASA 150 Type in accordance with UNI standards.

Barcode	Code	Description	Price
8 032621 837088	9968	3" Model	€ 797.00
8 032621 837095	9969	4" Model	€ 685.40
8 032621 837118	9971	8" Model	€ 1,729.00

CSICERT® SISTEMA di CERTIFICAZIONE

SINCERT
SGQ n° 032A
PRD n° 032 B
SGA n° 032D
Membro degli accordi di mutuo riconoscimento EA e IAF
Signatory of EA and IAF mutual recognition agreement

CSI Certificazione e Testing
Viale Lombardia, 20 - 20021 Bollate (MI)
Tel. 02-383301 - Fax 02-3503940 - www.csi-spa.com

CERTIFICATO n° / *Certificate n°* **SQ051971** Settore EA / *EA sector* **17**

Si certifica che il sistema di gestione per la qualità di / *We hereby certify that the quality management system operated by*

RACK SYSTEM S.r.l.
Via Petrarca, 22 - 20123 Milano (MI)

Unità operativa / *Operative unit*

Via Ugo Foscolo, 3/G - 20060 Basiano (MI)

È conforme alla norma: / *Is in compliance with the standard* **UNI EN ISO 9001:2008**

Per i seguenti servizi / processi / prodotti - *Concerning the following services / processes / products*

Progettazione, produzione e vendita lastre safe crash, materiali e accessori antincendio, cassette e contenitori materiale antincendio, sistemi equipaggiati con tubazioni flessibili, semirigide e rigide

Il presente certificato è soggetto al rispetto del regolamento di CSICERT per la certificazione dei sistemi di gestione per la qualità delle organizzazioni. Riferirsi al manuale qualità per i dettagli delle eventuali esclusioni dei requisiti della UNI EN ISO 9001:2008
Per informazioni puntuali e aggiornate circa eventuali variazioni intervenute nello stato di validità della certificazione di cui al presente certificato, si prega di contattare CSI S.p.A.

Rilascio / *Issued on*	Rinnovo / *Renewing*	Aggiornamento / *Updating*	Scadenza / *Expiring on*
25/02/2005	06/03/2008	18/02/2010	05/03/2011

Il Presidente
Ing. P. Cau

GRUPPO IMQ

PG20_B3A-Rev.3 (12.09.07)

CE

Wall mount hydrant with flexible hose system

CSI

Viale Lombardia 20 - 20021 Bollate (MILANO) - ITALY
www.csi-spa.com Tel. +39.02.383301 - Fax +39.02.3503940

CERTIFICATO CE DI CONFORMITA'

EC CONFORMITY CERTIFICATE

Registrazione n.° CPD/0497/083/05
Registration number

l'Istituto di Certificazione CSI S.p.A. (Organismo Notificato per la Direttiva 89/106/CEE)
The Certification Body CSI S.p.A. (89/106/EEC Directive Notified Body)
certifica che/ *certifies that*

RACK SYSTEM s.r.l.
Via Lombardia, 32/34 - 20060 Vignate (MI)

ha implementato e mantiene un Controllo Interno della Produzione che garantisce la conformità al Tipo esaminato e ai requisiti della norma EN 671-2:2001+ AC2004, secondo la procedura del Sistema 1(uno) - Allegato III della direttiva 89/106/CEE
has implemented and maintains a Factory Production Control in compliance to Initial Type-Examination and the requirement which apply to it, according to the procedure of System 1 (one) - Annex III of the 89/106/EEC Directive

allo scopo di produrre e testare
for the scope of manufacturing and testing

IDRANTE A MURO CON MANICHETTA FLESSIBILE
Composti da: Valvola di intercettazione, Tubazione Flessibile, Lancia, erogatrice
Hose system - Components: Inlet stop valve, lat-flat hose, Shut-off nozzle

Modelli : come in allegato A
References: as in annex A

Il produttore è autorizzato ad apporre sul kit antincendio ad acqua di cui sopra, dopo la marcatura CE, il numero di identificazione dell'Organismo Notificato 0497.
Questo certificato è soggetto a sorveglianza annuale.
The manufacturer is authorized to provide the above water firefight equipment with the CE marking, followed by the Notified Body identification number 0497.
This certificate is subject to a yearly reassessment

Data emissione/issue *date*
10/06/2005
Aggiornamento/*update*
29/04/2010

GRUPPO IMQ

Pag. 1/2

Il Responsabile del Centro
Managing Director
Dott. Ing. P. Cau

CE

Anakonda swinging fire hoses

CSI

Viale Lombardia 20 - 20021 Bollate (MILANO) - ITALY
Tel. +39.02.383301 - Fax +39.02.3503940- www.csi-spa.com

CERTIFICATO CE

EC CERTIFICATE

Registrazione n.° CPD/0497/081/05
Registration number

l'Istituto di Certificazione CSI S.p.A. (Organismo Notificato per la Direttiva 89/106/CEE)
The Certification Body CSI S.p.A. (89/106/EEC Directive Notified Body)
certifica che/ *certifies that*

RACK SYSTEM s.r.l.
Via Lombardia, 32/34 - 20060 Vignate (MI)

ha implementato e mantiene un Controllo Interno della Produzione che garantisce la conformità al Tipo esaminato inizialmente e ai requisiti della norma EN 671-2:2001, secondo la procedura del Sistema 1(uno) - Allegato III della direttiva 89/106/CEE
has implemented and maintains a Factory Production Control in compliance to Initial Type-Examination and the requirement which apply to it, according to the procedure of System 1 (one) - Annex III of the 89/106/EEC Directive

allo scopo di produrre e testare
for the scope of manufacturing and testing

NASPI ORIENTABILI ANAKONDA
Composti da: Cassetta,Valvola di intercettazione, Tubazione Semirigida, Lancia erogatrice
Hose system - Components: Inlet stop valve, lat-flat hose, Shut-off nozzle

Modelli : come in allegato A
References: as in annex A

Il produttore è autorizzato ad apporre sul kit antincendio ad acqua di cui sopra, dopo la marcatura CE, il numero di identificazione dell'Organismo Notificato 0497.
Questo certificato è soggetto a sorveglianza annuale.
The manufacturer is authorized to provide the above water firefight equipment with the CE marking, followed by the Notified Body identification number 0497.
This certificate is subject to a yearly reassessment

Data emissione/issue *date*
10/06/2005
Aggiornamento/*update*
23/09/2008
data scadenza/expiring date
09/06/2011

GRUPPO IMQ

Pag. 1/3

Il Responsabile del Centro
Managing Director
Dott. Ing. P. Cau

CE

Anakonda fixed fire hoses

CSI
Viale Lombardia 20 - 20021 Bollate (MILANO) - ITALY
Tel. +39.02.383301 - Fax +39.02.3503940- www.csi-spa.com

CERTIFICATO CE

EC CERTIFICATE

Registrazione n.° CPD/0497/082/05
Registration number

l'Istituto di Certificazione CSI S.p.A. (Organismo Notificato per la Direttiva 89/106/CEE)
The Certification Body CSI S.p.A. (89/106/EEC Directive Notified Body)
certifica che/ *certifies that*

RACK SYSTEM s.r.l.
Via Lombardia, 32/34 - 20060 Vignate (MI)

ha implementato e mantiene un Controllo Interno della Produzione che garantisce la conformità al Tipo esaminato inizialmente e ai requisiti della norma EN 671-2:2001, secondo la procedura del Sistema 1(uno) - Allegato III della direttiva 89/106/CEE
has implemented and maintains a Factory Production Control in compliance to Initial Type-Examination and the requirement which apply to it, according to the procedure of System 1 (one) - Annex III of the 89/106/EEC Directive

allo scopo di produrre e testare
for the scope of manufacturing and testing

NASPI FISSI ANAKONDA
Composti da: Valvola di intercettazione, Tubazione Semirigida, Lancia erogatrice
Hose system - Components: Inlet stop valve, lat-flat hose, Shut-off nozzle

Modelli : come in allegato A
References: as in annex A

Il produttore è autorizzato ad apporre sul kit antincendio ad acqua di cui sopra, dopo la marcatura CE, il numero di identificazione dell'Organismo Notificato 0497.
Questo certificato è soggetto a sorveglianza annuale.
The manufacturer is authorized to provide the above water firefight equipment with the CE marking, followed by the Notified Body identification number 0497.
This certificate is subject to a yearly reassessment

Data emissione/issue *date*
10/06/2005
Aggiornamento/*update*
23/09/2008
data scadenza/expiring date
09/06/2011

GRUPPO IMQ

Pag. 1/2

Il Responsabile del Centro
Managing Director
Dott. Ing. P. Cau

QUARIO IN ERRO 261

MOD 4 VCF

28 DIC. 2007

Ministero dell'Interno

DIPARTIMENTO DEI VIGILI DEL FUOCO, DEL SOCCORSO PUBBLICO E DELLA DIFESA CIVILE
DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
AREA VI PROTEZIONE ATTIVA

VISTO il decreto del ministero dell'Interno 7 gennaio 2005 titolato "*Norme tecniche e procedurali per la classificazione ed omologazione di estintori portatili d'incendio*" . (G.U. n° 28 del 4/02/2005) :

VISTA la norma tecnica UNI EN 3/7:2004 concernente gli estintori portatili d'incendio;

VISTA l'istanza presentata dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** per ottenere l'omologazione dell'estintore portatile d'incendio di propria produzione denominato **" PK6 DRAGON "** a polvere da **6 kg.** Classe **" A – B - C "** capacità estinguente **" 34A - 233B -C "**;

ESAMINATA la documentazione e la certificazione presentata certificato di prova **n° CSI/009/06/LEP** del 29/11/2006 emessa dal Laboratorio CSI S.p.A. nonché i documenti costituenti parte integrante del certificato stesso;

SI OMOLOGA

l'estintore portatile d'incendio denominato **" PK6 DRAGON "** a polvere da **6 kg.** Classe **" A – B - C "** capacità estinguente **" 34A - 233B -C "**; prodotto dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** . e se ne **autorizza** la riproduzione. ai sensi del decreto ministeriale citato in premessa a condizione che la produzione di serie sia conforme al prototipo omologato. ed assuma una nuova numerazione della matricola progressiva ad iniziare dal numero 1.

Il produttore si impegna (art. **8** punto 1 del D.M. 7 gennaio 2005) a garantire la conformità della produzione al prototipo omologato: ad impiegare nella produzione materiali. componenti e accoppiamenti conformi alla Direttiva 97/23/CE (decreto legislativo n. 93/ 2000) : emettere per ogni estintore la dichiarazione di conformità di cui all'art. 3 lettera f : fornire a corredo di ogni esemplare il libretto uso e manutenzione di cui all' art. 3 lettera g: punzonare sull'estintore l'anno di costruzione . il numero di matricola progressivo e il codice costruttore punto 3 dell'art. 9.

La presente omologazione ha **validità di anni 5** a decorrere dalla data di rilascio (art. 10 D.M. 7 gennaio 2005).

All'intestatario della presente omologazione nonché a tutti i soggetti comunque interessati. si richiamano gli obblighi di legge derivanti dall'applicazione del sopracitato decreto ministeriale.

IL DIRETTORE CENTRALE
Dott. Ing. Roberto BARZI)

N.B. IL PRESENTE ATTO DI OMOLOGAZIONE E' RIPRODUCIBILE UNICAMENTE NELLA SUA INTEGRALE STESURA

MODULARIO INTERNO - 206

MOD. 6 U.C.O.

Ministero dell'Interno

DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
AREA VI PROTEZIONE ATTIVA

VISTO il decreto del ministero dell'Interno 7 gennaio 2005 titolato "*Norme tecniche e procedurali per la classificazione ed omologazione di estintori portatili d'incendio*" . (G.U. n° 28 del 4/02/2005) ;

VISTA la norma tecnica UNI EN 3/7:2004 concernente gli estintori portatili d'incendio;

VISTA l'istanza presentata dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** per ottenere l'omologazione dell'estintore portatile d'incendio di propria produzione denominato **" KS5 I "** a biossido di carbonio da **5 kg.** Classe **" B "** capacità estinguente **" 113B "**;

ESAMINATA la documentazione e la certificazione presentata certificato di prova **n° 1309-2009** del 30/06/2009 emessa dal Laboratorio M. MASINI S.r.l. nonchè i documenti costituenti parte integrante del certificato stesso;

SI OMOLOGA

l'estintore portatile d'incendio denominato **" KS5 I "** a biossido di carbonio da **5 kg.** Classe **" B "** capacità estinguente **" 113B "**; prodotto dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** , e se ne **autorizza** la riproduzione, ai sensi del decreto ministeriale citato in premessa a condizione che la produzione di serie sia conforme al prototipo omologato, ed assuma una nuova numerazione della matricola progressiva ad iniziare dal numero 1.

Il produttore si impegna (art. **8** punto 1 del D.M. 7 gennaio 2005) a garantire la conformità della produzione al prototipo omologato; ad impiegare nella produzione materiali, componenti e accoppiamenti conformi alla Direttiva 97/23/CE (decreto legislativo n. 93/2000) ; emettere per ogni estintore la dichiarazione di conformità di cui all'art. 3 lettera f ; fornire a corredo di ogni esemplare il libretto uso e manutenzione di cui all' art. 3 lettera g; punzonare sull'estintore l'anno di costruzione , il numero di matricola progressivo e il codice costruttore punto 3 dell'art. 9.

La presente omologazione ha **validità di anni 5** a decorrere dalla data di rilascio (art. 10 D.M. 7 gennaio 2005).

All'intestatario della presente omologazione nonché a tutti i soggetti comunque interessati, si richiamano gli obblighi di legge derivanti dall'applicazione del sopracitato decreto ministeriale.

VISTO: IL DIRIGENTE AREA VI

IL DIRETTORE CENTRALE
(Dott. Ing. Maurizio STOCCHI)

N.B. IL PRESENTE ATTO DI OMOLOGAZIONE E' RIPRODUCIBILE UNICAMENTE NELLA SUA INTEGRALE STESURA

MARCA DA BOLLO
€14,62
QUATTORDICI/62
Entrate
00031853 00003954 WDP1H0D1
00060952 07/07/2009 09:37:36
0001-00009 4A86A87D9806C7ED
IDENTIFICATIVO : 010826982178 92
0 1 08 269821 789 2

ISTITUTO POLIGRAFICO E ZECCA DELLO STATO - S.

MODULARIO INTERNO - 206

MOD. 8 U.C.O.

Ministero dell'Interno

DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
AREA VI PROTEZIONE ATTIVA

VISTO il decreto del ministero dell'Interno 7 gennaio 2005 titolato "*Norme tecniche e procedurali per la classificazione ed omologazione di estintori portatili d'incendio*" , (G.U. n° 28 del 4/02/2005) ;

VISTA la norma tecnica UNI EN 3/7:2004 concernente gli estintori portatili d'incendio;

VISTA l'istanza presentata dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** per ottenere l'omologazione dell'estintore portatile d'incendio di propria produzione denominato **" KS2 I "** a biossido di carbonio da **2 kg.** Classe **" B "** capacità estinguente **" 55B "**;

ESAMINATA la documentazione e la certificazione presentata certificato di prova **n° 1308-2009** del 30/06/2009 emessa dal Laboratorio M. MASINI S.r.l. nonchè i documenti costituenti parte integrante del certificato stesso;

SI OMOLOGA

l'estintore portatile d'incendio denominato **" KS2 I "** a biossido di carbonio da **2 kg.** Classe **" B "** capacità estinguente **" 55B "**; prodotto dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** , e se ne **autorizza** la riproduzione, ai sensi del decreto ministeriale citato in premessa a condizione che la produzione di serie sia conforme al prototipo omologato, ed assuma una nuova numerazione della matricola progressiva ad iniziare dal numero 1.

Il produttore si impegna (art. **8** punto 1 del D.M. 7 gennaio 2005) a garantire la conformità della produzione al prototipo omologato; ad impiegare nella produzione materiali, componenti e accoppiamenti conformi alla Direttiva 97/23/CE (decreto legislativo n. 93/2000) ; emettere per ogni estintore la dichiarazione di conformità di cui all'art. 3 lettera f ; fornire a corredo di ogni esemplare il libretto uso e manutenzione di cui all' art. 3 lettera g; punzonare sull'estintore l'anno di costruzione , il numero di matricola progressivo e il codice costruttore punto 3 dell'art. 9.

La presente omologazione ha **validità di anni 5** a decorrere dalla data di rilascio (art. 10 D.M. 7 gennaio 2005).

All'intestatario della presente omologazione nonché a tutti i soggetti comunque interessati, si richiamano gli obblighi di legge derivanti dall'applicazione del sopracitato decreto ministeriale.

VISTO: IL DIRIGENTE AREA VI

IL DIRETTORE CENTRALE
(Dott. Ing. Maurizio STOCCHI)

N.B.: IL PRESENTE ATTO DI OMOLOGAZIONE E' RIPRODUCIBILE UNICAMENTE NELLA SUA INTEGRALE STESURA

MARCA DA BOLLO
€14,62
QUATTORDICI/62

07/07/2009 09:18:02
F824845D705B0DR4
IDENTIFICATIVO : 01082698217824

0 1 08 269821 782 4

ISTITUTO POLIGRAFICO E ZECCA DELLO STATO - S

Ministero dell'Interno

DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
AREA VI PROTEZIONE ATTIVA

VISTO il decreto del ministero dell'Interno 7 gennaio 2005 titolato "*Norme tecniche e procedurali per la classificazione ed omologazione di estintori portatili d'incendio*" , (G.U. n° 28 del 4/02/2005) ;

VISTA la norma tecnica UNI EN 3/7:2004 concernente gli estintori portatili d'incendio;

VISTA l'istanza presentata dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** per ottenere l'omologazione dell'estintore portatile d'incendio di propria produzione denominato **" KK2 RD "** a biossido di carbonio da **2 kg.** Classe **" B "** capacità estinguente **" 70B "**;

ESAMINATA la documentazione e la certificazione presentata certificato di prova **n° 3637-2007** del 29/10/2007 emessa dal Laboratorio M. MASINI S.r.l. nonchè i documenti costituenti parte integrante del certificato stesso;

SI OMOLOGA

l'estintore portatile d'incendio denominato **" KK2 RD "** a biossido di carbonio da **2 kg.** Classe **" B "** capacità estinguente **" 70B "**; prodotto dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** , e se ne **autorizza** la riproduzione, ai sensi del decreto ministeriale citato in premessa a condizione che la produzione di serie sia conforme al prototipo omologato, ed assuma una nuova numerazione della matricola progressiva ad iniziare dal numero 1.

Il produttore si impegna (art. **8** punto 1 del D.M. 7 gennaio 2005) a garantire la conformità della produzione al prototipo omologato; ad impiegare nella produzione materiali, componenti e accoppiamenti conformi alla Direttiva 97/23/CE (decreto legislativo n. 93/2000) ; emettere per ogni estintore la dichiarazione di conformità di cui all'art. 3 lettera f ; fornire a corredo di ogni esemplare il libretto uso e manutenzione di cui all' art. 3 lettera g; punzonare sull'estintore l'anno di costruzione , il numero di matricola progressivo e il codice costruttore punto 3 dell'art. 9.

La presente omologazione ha **validità di anni 5** a decorrere dalla data di rilascio (art. 10 D.M. 7 gennaio 2005).

All'intestatario della presente omologazione nonché a tutti i soggetti comunque interessati, si richiamano gli obblighi di legge derivanti dall'applicazione del sopracitato decreto ministeriale.

VISTO: IL DIRIGENTE AREA VI

IL DIRETTORE CENTRALE
(Dott. Ing. Roberto BARZI)

N.B. IL PRESENTE ATTO DI OMOLOGAZION E' RIPRODUCIBILE UNICAMENTE NELLA SUA INTEGRALE STESURA

MODULARIO INTERNO - 206

MOD. 6 U.C.O.

Ministero dell'Interno

DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
AREA VI PROTEZIONE ATTIVA

VISTO il decreto del ministero dell'Interno 7 gennaio 2005 titolato "*Norme tecniche e procedurali per la classificazione ed omologazione di estintori portatili d'incendio*" . (G.U. n° 28 del 4/02/2005) ;

VISTA la norma tecnica UNI EN 3/7:2004 concernente gli estintori portatili d'incendio;

VISTA l'istanza presentata dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** per ottenere l'omologazione dell'estintore portatile d'incendio di propria produzione denominato **" KK5 RD "** a biossido di carbonio da **5 kg.** Classe **" B "** capacità estinguente **" 113B "**;

ESAMINATA la documentazione e la certificazione presentata certificato di prova **n° 3638-2007** del 29/10/2007 emessa dal Laboratorio M. MASINI S.r.l. nonchè i documenti costituenti parte integrante del certificato stesso;

SI OMOLOGA

l'estintore portatile d'incendio denominato **" KK5 RD "** a biossido di carbonio da **5 kg.** Classe **" B "** capacità estinguente **" 113B "**; prodotto dalla società **RACK SYSTEM S.r.l.** Codice Costruttore **119** sita in **Via Lombardia, 32/34 – 20060 Vignate (MI)** . e se ne **autorizza** la riproduzione, ai sensi del decreto ministeriale citato in premessa a condizione che la produzione di serie sia conforme al prototipo omologato, ed assuma una nuova numerazione della matricola progressiva ad iniziare dal numero 1.

Il produttore si impegna (art. **8** punto 1 del D.M. 7 gennaio 2005) a garantire la conformità della produzione al prototipo omologato; ad impiegare nella produzione materiali, componenti e accoppiamenti conformi alla Direttiva 97/23/CE (decreto legislativo n. 93/2000) ; emettere per ogni estintore la dichiarazione di conformità di cui all'art. 3 lettera f ; fornire a corredo di ogni esemplare il libretto uso e manutenzione di cui all' art. 3 lettera g; punzonare sull'estintore l'anno di costruzione , il numero di matricola progressivo e il codice costruttore punto 3 dell'art. 9.

La presente omologazione ha **validità di anni 5** a decorrere dalla data di rilascio (art. 10 D.M. 7 gennaio 2005).

All'intestatario della presente omologazione nonché a tutti i soggetti comunque interessati, si richiamano gli obblighi di legge derivanti dall'applicazione del sopracitato decreto ministeriale.

VISTO: IL DIRIGENTE AREA VI

N.B.: IL PRESENTE ATTO DI OMOLOGAZIONE E' RIPRODUCIBILE UNICAMENTE NELLA SUA INTEGRALE STESURA

IL DIRETTORE CENTRALE
(Dott. Ing. Roberto BARZI)

CSI
CERTIFICATO DI CONFORMITÀ
RACK SYSTEM Srl
Via Lombardia 32/34 - 20060 VIGNATE (MI)
IMQ

CSI
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
Allegato al
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
Allegato al
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
Allegato al
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO CE DEL TIPO
CSI
CERTIFICATO CE
CSI
CERTIFICATO CE
CSI
CERTIFICATO CE DEL TIPO
CSI
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO DI CONFORMITÀ
CSI
CERTIFICATO CE

Safe Crash® U.S.A. Trademark registration

The United States of America

CERTIFICATE OF REGISTRATION
PRINCIPAL REGISTER

The Mark shown in this certificate has been registered in the United States Patent and Trademark Office to the named registrant.

The records of the United States Patent and Trademark Office show that an application for registration of the Mark shown in this Certificate was filed in the Office; that the application was examined and determined to be in compliance with the requirements of the law and with the regulations prescribed by the Commissioner of Patents and Trademarks; and that the Applicant is entitled to registration of the Mark under the Trademark Act of 1946, as Amended.

A copy of the Mark and pertinent data from the application are part of this certificate.

This registration shall remain in force for TEN (10) years, unless terminated earlier as provided by law, and subject to compliance with the provisions of Section 8 of the Trademark Act of 1946, as Amended.

PATENT AND TRADEMARK OFFICE · UNITED STATES OF AMERICA

Commissioner of Patents and Trademarks

TERMS OF SUPPLY

Orders
Orders are accepted if sent in writing by post, email, or fax. They are considered as binding for the company Rack System ® only if approved or directly processed. Rack System ® reserves the right to modify its products without notice. The purpose of any product changes is to improve them.

Deliveries
Deliveries shall be understood as completed once the goods are loaded on the means of transport at our factories. In any event, all goods travel at the customer's risk and peril. No claims for compensation or damages will be taken into consideration for any delays in delivery attributable to shipping companies. It is therefore in the interest of the recipient to act promptly against the carrier for any consequences resulting from damaged or missing goods. In the event of failure to pick up the goods ordered within 30 days of the agreed time limit, we reserve the right to sell the goods to third parties and, in any event, the buyer will be charged an amount equal to 20% plus VAT, without prejudice to the right of Rack System to claim greater damages.

Returns
Returns must be authorized in advance in writing by the company Rack System®. The person returning the goods is responsible for the shipping charges on returned goods.

Warranty
Our products are covered under a 12 (twelve) month warranty for flaws due to defective materials or workmanship. The warranty is valid from the date on the delivery note; defective products must be delivered to our warehouse and will be replaced free of charge. The warranty does not cover defects caused by or resulting from causes not attributable to us. We shall not be held liable for any consequences or direct or indirect damage stemming from the goods supplied.

Prices
The prices listed in our price list and offers do not include VAT.
The agreed prices are subject to review should there be significant increases in the cost of raw materials, labour, or any other costs. We reserve the right to adjust prices even after conclusion of the contract.

Payments
Payments must be made to our registered office within the time limits agreed on in the pro forma invoice or invoice. Discounts and rounding-off will not be allowed. In the event of overdue payments, default interest shall be applied at twice the legal rate, without requiring formal notice and always subject to compensation for greater damage.

Claims
Claims shall not be accepted unless made in writing no later than 8 days after the goods have been delivered. Claims or disputes give no right to the buyer to suspend or delay payments.

Court of Law
The Court of Milan shall have jurisdiction to settle any disputes.

REV. 1.0/10

rack system®

Safety at hand

RACK SYSTEM S.r.l.

Via Ugo Foscolo, 3/G
20060 Basiano (Milano) Italia

Phone: +39029566319
+39029566135
+390295360035
Telefax: +39029560140

E-mail: info@racksystem.it
Website: www.racksystem.it